



## NOTICE OF PROPOSED ACTION

The Administrator, Division of Environmental Protection, Carson City, Nevada is issuing the following notice of proposed action under the Nevada Revised Statutes and/or the Clean Water Act, where applicable. The Administrator has received an application for a Manufacturing, Commercial, Mining and Silvicultural facility that discharges NON-PROCESS Wastewater , permit number NV0023191 from the following applicant:

CAESARS PALACE HOTEL AND CASINO  
ONE CAESARS PALACE DRIVE  
LAS VEGAS, NV - 89109

### **Permit NV0023191, CAESARS PALACE HOTEL AND CASINO:**

The Permittee, Caesars Palace Hotel and Casino, has applied for the renewal of its United States Environmental Protection Agency (EPA) National Pollutant Discharge Elimination System (NPDES) permit to discharge groundwater (from dewatering) to the municipal storm drain system. The facility is Caesars Palace Hotel and Casino which is located at 3570 South Las Vegas Boulevard, Las Vegas, Nevada.

The site has been dewatering for over 13 years to protect the structural integrity of the parking garage and Forum Shops. The water is collected via passive drains at each location and discharged to the municipal storm drain system. Treatment is required due to the presence of organic contaminants, including tetrachloroethylene (PCE) and trichloroethylene (TCE). Treatment is via sediment filtration and carbon adsorption.

On the basis of preliminary review of the requirements of the Nevada Revised Statutes, as amended, and implementing regulations, the Administrator proposes to issue Permit NV0023191 to discharge for a five (5) year period, subject to certain effluent limitations.

Persons wishing to comment upon or object to the proposed determinations by the Administrator regarding permit issuance, or request a hearing pursuant to the Nevada Administrative Code, Water Pollution Control, should submit their comments or request, in writing, within thirty (30) days of the date of newspaper publication, hand delivered or postmarked no later than 5:00 P.M. on 07/15/2015 , either in person or by mail to:

Department of Conservation and Natural Resources  
Division of Environmental Protection  
Bureau of Water Pollution Control  
901 South Stewart Street, Suite 4001  
Carson City, NV 89701

The request must be filed within the comment period and must indicate the interest of the person filing the request and the reasons why a hearing is warranted. All comments or objections received within the thirty (30) day period will be considered in the formulation of final determination(s) regarding the application. If written comments indicate a significant degree of public interest in the proposed permit, the Administrator shall hold a public hearing. A public notice of such hearing will be issued not less than thirty (30) days prior to the hearing date.

If no hearing is held and the determinations of the Administrator are substantially changed from the tentative determinations, the Administrator will give public notice of the revised determinations. Additional comments and objections will be considered at that time.

The applications, proposed permits, comments received, and other information are on file and may be copied or copies may be obtained by writing to the above address or by contacting Kenneth

Greene, Bureau of Water Pollution Control, at (775) 687-9427 or at [kgreene@ndep.nv.gov](mailto:kgreene@ndep.nv.gov). The office facsimile number is (775) 687-4684. For further information, the fact sheet for this project can be viewed at the following website: <http://ndep.nv.gov/admin/public.htm>.

Please bring the forgoing notice to the attention of all persons whom you know would be interested in this matter.