Converse Consultants
Over 50 Years of Dedication in Geotechnical Engineering and Environmental Sciences

review 12/09/02

November 13, 2002

00-43367-02

RECEIVED NOV 18 2002 ENVIRONMENTAL PROTECTION LAS VEGAS OFFICE

Maryland Square Shopping Center Limited
Liability Company/Herman Kishner Trust
c/o Mr. Paul Lal
Dickerson, Dickerson, Consul & Pocker
Rainbow Corporate Center, Suite 350
777 North Rainbow Boulevard
Las Vegas, NV 89107

Subject: **Additional Soil and Groundwater Investigation**
Maryland Square Shopping Center
3661 South Maryland Parkway
Las Vegas, Nevada

Dear Mr. Lal:

Converse Consultants (Converse) is pleased to submit this *Additional Soil and Groundwater Investigation* report for the subject site. The purpose of our investigation was to further delineate the horizontal and vertical extent of tetrachloroethene (PCE) contamination at the site. The scope of work for this project was requested by the Nevada Division of Environmental Protection (NDEP) in their letter dated November 29, 2001.

Site Description

The site is located at 3661 South Maryland Parkway at the northwest corner of Maryland Parkway and Twain Avenue in Las Vegas, Clark County, Nevada. It is located in the Southeast ¼ of the Northeast ¼ of Section 15, Township 21 South, Range 61 East. A portion of the site is currently developed as a strip shopping center and a portion of the site is being developed as a school. Please refer to Drawing No. 1 for the subject site location.

Background

On August 9, 2000, subsurface soil and water conditions were investigated along the eastern boundary of the subject site by drilling one (1)

731 Pilot Road, Suite H, Las Vegas, Nevada 89119-4429
Telephone: (702) 269-8336 ♦ Facsimile: (702) 269-8353 ♦ e-mail: postmaster@convrs.com

soil boring and converting it into a monitoring well (MW-1). Water samples collected from MW-1 on August 14, 2000 revealed that PCE concentrations in the groundwater at the subject site exceeded the established USEPA maximum contamination level (MCL) for PCE in drinking water. Currently the MCL for PCE in drinking water is 5 ug/l or parts per billion (ppb).

On October 2 and 3, 2000, downgradient subsurface soil and water conditions were investigated by drilling five (5) additional soil borings in the vicinity of the Boulevard Mall parking garage and converting the borings into monitoring wells (MW-2 through MW-6). Water samples collected from these wells on October 5, 2000 revealed concentrations of PCE and trichloroethene (TCE) in the groundwater, which exceeded their established MCLs.

On August 22, 2001, Converse completed an A-K Evaluation for the subject site, which revealed twenty (20) potential sources of potable water in the section (Section 15) where the subject site is located. Thirty-four (34) potential sources of potable water exist in Section 14, which is downgradient of the subject site.

Field Investigation

Shallow Soil Boring Installation

On May 14, 2002, the soil conditions beneath the Al Phillips the Cleaners suite, in the subject site building, were explored by installing five (5) soil borings (B-1 through B-5). The borings were installed with a hand-auger. Boring B-1 was installed to an approximate depth of 2.5 feet below ground surface (bgs), B-2 and B-4 were installed to an approximate depth of 4.0 feet bgs, and B-3 and B-5 were installed to an approximate depth of 3.0 feet bgs. The soil borings could not be advanced deeper due to auger refusal.

Soil samples from each of the borings were collected in sterilized glass jars, labeled, and placed in an insulated container where they were maintained on ice. The soil samples were submitted to NEL Laboratories, Inc. of Las Vegas, Nevada in accordance with EPA protocol under chain-of-custody. The samples were analyzed using EPA Method 8260B for volatile organic compounds (VOCs). The following table presents the results of the analyses. Please refer to Drawing No. 2 for the boring locations.

Soil Sample Analysis – May 14, 2002

Boring No.	Sample Depth	PCE	2-Butanone
B-1	2.5'	15,000	ND
B-2	4.0'	110	ND
B-3	3.0'	170	27
B-4	4.0'	110	ND
B-5	3.0'	ND	ND
PRG		19	28,000

ND – No detectable levels

Contaminants reported as micrograms per kilogram (ug/kg) or parts per billion (ppb)

PRG – Preliminary Remediation Goal in parts per million (ppm)

The USEPA has established Preliminary Remediation Goals (PRGs) for certain compounds in industrial soil.

A copy of the laboratory report is included in Appendix A.

Drilling and Groundwater Well Installation

On September 19 and 20, 2002, the subsurface conditions at the site and downgradient of the site were explored by drilling six (6) soil borings and converting the borings into monitoring wells (MW-7 through MW-12). Monitoring well MW-7 was located in the parking lot of the northern adjacent property to the subject site. Monitoring wells MW-8, MW-9, and MW-12 are located on the subject site. Monitoring wells MW-10 and MW-11 are located on the western and eastern sides of Dillard's Department Store, respectively. Please refer to Drawing No. 3 for the well locations.

Drilling was accomplished with a truck-mounted air rotary drill rig. Monitoring wells MW-7, MW-8, and MW-10 were drilled to an approximate depth of 30 feet bgs. Monitoring wells MW-11 and MW-12 were drilled to an approximate depth of 33.5 feet bgs and monitoring MW-9 was drilled to an approximate depth of 50 feet bgs. Continuous logs of the subsurface conditions as encountered in the explorations were recorded at the time of drilling by a Converse Geologist and visually classified in accordance with the Unified Soil Classification System. A soil sample was collected from each of the borings in order to characterize the soil for disposal purposes. The soil samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8260B. A copy of the laboratory report is included in Appendix A.

Groundwater wells were constructed in borings MW-7, MW-8, and MW-10 by installing 2-inch diameter PVC slotted screen from the bottom of the soil borings to 10 feet bgs with blank PVC from the slotted terminus to the surface. Wells were constructed in borings MW-11 and MW-12 by installing 2-inch diameter PVC slotted screen from the bottom of the soil borings to 13.5 feet bgs with blank PVC from the slotted terminus to the surface. A well was constructed in boring MW-9 by installing 2-inch diameter PVC slotted screen from the bottom the soil boring to 48.5 feet bgs with blank PVC from the slotted terminus to the surface. Silica sand was used to infill the space between the screened piping and the borehole, and was extended from the maximum depth to approximately 5 feet above the screen terminus. A bentonite seal was placed above the sand. The wells were finished by infilling with neat cement. Seven-inch diameter manholes equipped with metal covers were installed on the wells flush with the surrounding pavement/soil. Lockable well caps were also installed on the wells.

Groundwater Sample Results

Monitoring wells MW-7 through MW-12 were developed on September 23, 2002. The six wells were developed by pumping several well volumes of water out of the wells to remove sediment and allow flow of representative formation groundwater into the well. On September 24, 2002, a minimum of 3 well volumes of water was purged from monitoring wells MW-1 through MW-6 to allow sampling of representative groundwater. Groundwater samples were collected from each of the monitoring wells on September 24, 2002. Each of the groundwater samples was collected in sterilized 40-ml glass vials, capped with teflon-lined lids, labeled, and placed in an insulated container where they were maintained on ice.

The groundwater samples were submitted to NEL Laboratories, Inc. of Las Vegas, Nevada in accordance with EPA protocol under chain-of-custody. The samples were analyzed using EPA Method 8260 for VOCs. The table below presents the results of the most current analyses. Historical analytical data is presented in Table 1 at the end of this report.

Groundwater Sample Analysis – September 24, 2002

Well No.	PCE	TCE	Cis-1,2-Dichloroethene	Vinyl Chloride
MW-1	2,000	ND	ND	ND
MW-2	3,000	13	13	ND
MW-3	ND	ND	ND	ND
MW-4	25	ND	ND	ND
MW-5	110	ND	ND	ND
MW-6	1,000	41	14	14
MW-7	ND	ND	ND	ND
MW-8	5.4	ND	ND	ND
MW-9	670	ND	ND	ND
MW-10	ND	ND	ND	ND
MW-11	ND	ND	ND	ND
MW-12	ND	ND	ND	ND
MCL	5	5	70	2

ND – No detectable levels
Contaminants reported as micrograms per liter (ug/L) or parts per billion (ppb)
MCL – Maximum Contamination Level in ppb

Copies of the laboratory reports are included in Appendix A.

Groundwater Gradient and Flow

The following table presents the groundwater elevation data collected during this investigation. Historical elevation data is presented in Table 2 at the end of this report.

Groundwater Elevation Data – September 24, 2002

Well No.	T.O.C. Elevation (feet)	Depth to Groundwater (feet bgs)	Groundwater Elevation (feet)
MW-1	1992.04	17.90	1974.14
MW-2	1983.99	16.62	1967.37
MW-3	1984.46	17.20	1967.26
MW-4	1989.87	NM	NM

Well No.	T.O.C. Elevation (feet)	Depth to Groundwater (feet bgs)	Groundwater Elevation (feet)
MW-5	1989.18	17.00	1972.87
MW-6	1989.01	18.26	1970.75
MW-7	1990.28	18.27	1972.01
MW-8	1994.25	18.55	1975.70
MW-9	1992.26	18.46	1973.80
MW-10	1983.81	18.51	1965.30
MW-11	1980.24	24.22	1956.02
MW-12	1996.59	14.90	1981.69

NM – Not Measured

Depth to groundwater in the monitoring wells averages approximately 18.2 feet below the ground surface. The depth to groundwater in well MW-4 was not measured during this event. During gauging of this well, tree roots were discovered growing through the well screen above the water table. During cutting and removal of the roots, the static water level of this well was disturbed, thus an accurate groundwater measurement could not be collected.

The groundwater flow on-site appears to vary from northeast to southeast. The regional trend and the off-site groundwater flow is to the east/southeast with an approximate gradient of 0.024 feet per foot.

Discussion of Findings

Five soil samples were collected below the floor of the dry cleaning facility. Four of the five samples contained PCE concentrations, which ranged from 110 to 15,000 ppb.

The USEPA has established MCLs for certain compounds in drinking water. Currently the MCL for PCE in drinking water is 5 ppb. Seven groundwater samples collected revealed a PCE level that exceeds the MCL. The current MCL for trichloroethene (TCE) is 5 ppb. The groundwater samples collected from MW-2 and MW-6 had TCE levels that exceed the MCL. The current MCL for cis-1,2-dichloroethene is 70 ppb. None of the groundwater samples collected exceeded the MCL. The current MCL for vinyl chloride is 2 ppb. The groundwater sample collected from MW-6 exceeds the MCL. PCE is a common dry cleaning solvent.

TCE, cis-1,2-dichloroethene, and vinyl chloride are common daughter products related to degradation of the PCE. It should be noted that vinyl chloride is an end member daughter product and is considered carcinogenic.

Chloroform was detected in the groundwater samples collected from MW-1, MW-3, MW-5, and MW-8 at concentrations ranging from 5.6 ppb to 13 ppb. Acetone was detected in the groundwater samples collected from MW-9 and MW-11 at concentrations ranging from 43 to 58 ppb. The current MCL for chloroform is 100 ppb. An MCL for acetone has not been established. Chloroform and acetone are commonly associated with laboratory cross contamination or chlorination (chloroform) of municipal drinking water, and likely do not represent a release of these compounds.

In addition, a number of VOC compounds that are commonly associated with a petroleum release were detected in monitoring well MW-11. This likely represents a separate release that is not from the subject site since no petroleum products were found on-site or in the monitoring wells directly downgradient of the subject site. Methyl t-butyl ether (MTBE) was also detected in the groundwater sample collected from the upgradient well MW-12. An MCL for MTBE has not been established. MTBE is commonly associated with a petroleum release. We feel that the MTBE is anomalous in monitoring well MW-12 because there is no known historical use of petroleum products on the subject site.

Based on this investigation and previous investigations, monitoring wells MW-1, MW-2, MW-6, and MW-9 have the highest concentrations of PCE. These wells are located in the area directly downgradient of the dry cleaning facility which contained high concentrations of PCE in the soil beneath the building slab. It appears from our information that the likely location of the source for the site was the dry cleaning facility.

Conclusions

Based on the data presented in this report, we present the following conclusions:

1. PCE concentrations exceed current regulatory standards in seven of the monitoring wells associated with the subject site.

2. The groundwater flow direction at the subject site is to the east/southeast.

3. Except for the northern extent of the plume off-site, the extent of the contamination appears to be adequately defined.

4. Currently there are drums containing borehole soil cuttings and groundwater from well development and sampling activities stored on the subject property.

5. Based on the information provided in this report and previous reports, it appears that the source of the PCE contamination originates at the dry cleaning facility.

Recommendations

Based on our investigations and conclusions presented herein, we make the following recommendations. For informational purposes, the NDEP will likely require that a workplan for corrective action be prepared and further groundwater monitoring at the site be performed. In addition to preparing this work plan, one additional well should be installed north of MW-2. Also, the location of the on-site sanitary sewer line should be determined to further aid in locating source areas for remediation. Converse also recommends properly disposing of the drums of soil cuttings and groundwater.

Limitations

The conclusions presented in this report are professional opinions based on the data described in this report. They are intended only for the purpose, site location and project indicated. The conclusions presented in this report are based on the assumption that conditions do not deviate from those observed during our study, as described in this report. No other warranty is either expressed or implied.

Conclusions and recommendations in this report are based on the sampling and testing completed for the stated scope of work. Sampling and testing locations are intended to confirm the presence or absence of target contaminants at selected locations. Contaminant levels observed may not be the highest levels present at the site. It is not the intent of this study to perform exploration to detect other contaminants. Observed contaminants may change with relation to time, on-site activities, and adjacent site activities. This report represents information only to the specific time in which it was collected.

Certified Environmental Manager (CEM) Statement

I hereby certify that I am responsible for the services described in this document and for the preparation of this document. The services described in this document have been provided in a manner consistent with the current standards of the profession and to the best of my knowledge comply with all applicable federal, state, and local statutes, regulations, and ordinances.

We appreciate the opportunity to continue providing our environmental services for you. Should you have any questions regarding this report, please contact us at your earliest convenience.

Respectfully submitted,

CONVERSE CONSULTANTS

Andrea L. Moericke

Andrea L. Moericke
Senior Project Manager
Nevada CEM 1754 (Exp. 3/1/03)
Dated 11/13/02

Reviewed and approved by,

Kurt A. Goebel, CEM, PG
Principal Geologist
Environmental Division Manager

KAG:ALM:sc
17/28CS

Encl: Drawings 1, 2, and 3
Tables 1 and 2
Appendix A – Laboratory Analytical Reports

Dist: 3/Addressee
1/Nevada Division of Environmental Protection
Attn: Ms. Shannon Harbour
1/The Boulevard Mall
Attn: Mr. Timothy Biedinger
2/Jenkens & Gilchrist
Attn: Mr. John Cermak



LAS VEGAS VICINITY

Maryland Square Shopping Center LLC/Herman Kishner Trust
3661 South Maryland Parkway
Las Vegas, Nevada

Scale	N.T.S.
Date	10/11/02
Drafted By	ESB
Checked By	ALM
Approved By	
File No.	36702V01
Project No.	00-43367-02
Drawing No.	1

CONVERSE CONSULTANTS

Over 50 Years of Dedication in Engineering and Environmental Sciences



LOCATION OF SUBSURFACE EXPLORATIONS

Maryland Square Shopping Center LLC/Herman Kishner Trust
3661 South Maryland Parkway
Las Vegas, Nevada

Scale	N.T.S.	File No.	36702002
Date	10/11/02	Project No.	00-43367-02
Drafted By	ESB	Drawing No.	2
Checked By	ALM		
Approved By			

CONVERSE CONSULTANTS

Over 50 Years of Dedication in Engineering and Environmental Sciences

Table 1 - Historical Groundwater Analytical Results

Well ID	Date	EPA Method 8260B					
		PCE (µg/l)	TCE (µg/l)	Cis-1,2-Dichloroethene (µg/l)	Vinyl Chloride (µg/l)	Acetone (µg/l)	Chloroform (mg/L)
MW-1	8/14/00	2,300	ND	ND	ND	ND	ND
	10/5/00	NS	NS	NS	NS	NS	NS
	9/24/02	2,000	ND	ND	ND	ND	6.7
MW-2	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	3,000	18	18	ND	ND	ND
	9/24/02	3,000	13	13	ND	ND	ND
MW-3	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	98	ND	ND	ND	ND	8.3
	9/24/02	ND	ND	ND	ND	ND	13
MW-4	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	14	ND	ND	ND	ND	ND
	9/24/02	25	ND	ND	ND	ND	ND
MW-5	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	100	ND	ND	ND	ND	ND
	9/24/02	110	ND	ND	ND	ND	5.6
MW-6	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	2,200	13	8.1	ND	ND	ND
	9/24/02	1,000	41	14	14	ND	ND
MW-7	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	ND	ND	ND	ND	ND	ND
MW-8	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	5.4	ND	ND	ND	ND	6.4
MW-9	8/114/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	670	ND	ND	ND	43	ND
MW-10	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	ND	ND	ND	ND	ND	ND
MW-11	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	ND	ND	ND	ND	58	ND
MW-12	8/14/00	NI	NI	NI	NI	NI	NI
	10/5/00	NI	NI	NI	NI	NI	NI
	9/24/02	ND	ND	ND	ND	ND	ND

ND = Not Detected

NI = Not Installed

ND = Not Sampled

Table 2 - Historical Groundwater Elevations

Well ID	Top of Casing Elevation (feet MSL)	Date	Depth to Groundwater Level (feet)	Groundwater Elevation (feet MSL)
MW-1	1991.81	10/5/00	17.54	1974.27
	1992.04	9/24/02	17.90	1974.14
MW-2	1983.79	10/5/00	15.52	1968.27
	1983.99	9/24/02	16.62	1967.37
MW-3	1984.19	10/5/00	15.95	1968.24
	1984.46	9/24/02	17.20	1967.26
MW-4	1989.68	10/5/00	16.95	1972.73
	1989.87	9/24/02	NM	NM
MW-5	1988.93	10/5/00	16.20	1972.73
	1989.18	9/24/02	17.00	1972.87
MW-6	1988.72	10/5/00	17.41	1971.31
	1989.01	9/24/02	18.26	1970.75
MW-7		10/5/00	NI	NI
	1990.28	9/24/02	18.27	1972.01
MW-8		10/5/00	NI	NI
	1994.25	9/24/02	18.55	1975.70
MW-9		10/5/00	NI	NI
	1992.26	9/24/02	18.46	1973.80
MW-10		10/5/00	NI	NI
	1983.81	9/24/02	18.51	1965.30
MW-11		10/5/00	NI	NI
	1980.24	9/24/02	24.22	1956.02
MW-12		10/5/00	NI	NI
	1996.59	9/24/02	14.90	1981.69

NM = Not Measured

NI = Not Installed

Monitoring wells were re-surveyed in September 2002



REF: AutoCAD drawing file "511326", supplied by client

LEGEND

- MONITOR WELL LOCATION
- GROUNDWATER GRADIENT DIRECTION
- NM NOT MEASURED
- 1978.00 GROUNDWATER ELEVATION

MONITORING WELL ELEVATIONS

MARYLAND SQUARE SHOPPING CENTER LLC/HERMAN KISHNER TRUST
3661 South Maryland Parkway
Las Vegas, Nevada

Scale	1"=100'
Date	10/11/02
Drafted By	ESB
Checked By	ALM
Approved By	
File No.	36702003
Project No.	00-43367-02
Drawing No.	3

Nov 13, 2002

CONVERSE CONSULTANTS

Over 50 Years of Dedication in Engineering and Environmental Sciences

Appendix A

NEL LABORATORIES

Corporate Headquarters / Reno Laboratory
4750 Longley Lane, Suite 106
Reno, NV 89502
Phone: 775.348.2522
Fax: 775.348.2546

Las Vegas Laboratory
4208 Arcata Way, Suite A
Las Vegas, NV 89030
Phone: 702.657.1010
Fax: 702.657.1577

Andrea Moericke
Converse Consultants
731 Pilot Road, Ste. H
Las Vegas, NV 89119

TEL: (702) 269-8336

RE Project: **MARYLAND SQUARE** Order No.: **L0205178**

Dear Andrea Moericke:

NEL Laboratories, Las Vegas received 5 samples on 5/14/02 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications unless noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Stan Van Wagenen
Laboratory Manager

5/21/02
Date

Certifications:	Reno	Las Vegas
Arizona	AZ0520	AZ0518
California	1707	2002
Idaho	Certified	Certified
Montana	Certified	Certified
Nevada	NV033	NV052
New Mexico	Certified	Certified
US Army Corps of Engineers		Certified

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-1@2.5'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-001A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-1@2.5'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-001A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Tetrachloroethene	**15000**	**µg/Kg**	500	100	SW8260B		05/20/02	DRM-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
Surr: Dibromofluoromethane	**125**	**%REC**	99.7-135	1	SW8260B		05/19/02	DRM-LV
Surr: Toluene-d8	**97.7**	**%REC**	78.7-141	1	SW8260B		05/19/02	DRM-LV
Surr: 4-Bromofluorobenzene	**125**	**%REC**	40.4-179	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-2@4'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-002A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-2@4'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-002A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Tetrachloroethene	**110**	**µg/Kg**	5.0	1	SW8260B		05/19/02	DRM-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
Surr: Dibromofluoromethane	**120**	**%REC**	99.7-135	1	SW8260B		05/19/02	DRM-LV
Surr: Toluene-d8	**99.9**	**%REC**	78.7-141	1	SW8260B		05/19/02	DRM-LV
Surr: 4-Bromofluorobenzene	**139**	**%REC**	40.4-179	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-3@3'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-003A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	**79**	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Butanone	**27**	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroform	**6.9**	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-3@3'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-003A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Tetrachloroethene	**170**	**µg/Kg**	100	20	SW8260B		05/20/02	DRM-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
Surr: Dibromofluoromethane	**123**	**%REC**	99.7-135	1	SW8260B		05/19/02	DRM-LV
Surr: Toluene-d8	**98.0**	**%REC**	78.7-141	1	SW8260B		05/19/02	DRM-LV
Surr: 4-Bromofluorobenzene	**91.5**	**%REC**	40.4-179	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-4@4'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-004A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	**60**	**µg/Kg**	25	1	SW8260B		05/19/02	DRM-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Chloroform	**7.1**	**µg/Kg**	5.0	1	SW8260B		05/19/02	DRM-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-4@4'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-004A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		05/19/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Tetrachloroethene	**110**	**µg/Kg**	50	10	SW8260B		05/21/02	DRM-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		05/19/02	DRM-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		05/19/02	DRM-LV
Surr: Dibromofluoromethane	**124**	**%REC**	99.7-135	1	SW8260B		05/19/02	DRM-LV
Surr: Toluene-d8	**98.2**	**%REC**	78.7-141	1	SW8260B		05/19/02	DRM-LV
Surr: 4-Bromofluorobenzene	**127**	**%REC**	40.4-179	1	SW8260B		05/19/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-5@3'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-005A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/Kg	25	1	SW8260B		05/21/02	DRM-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		05/21/02	DRM-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		05/21/02	DRM-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: MARYLAND SQUARE
PROJECT #: 00-13367-02
MATRIX: SOLID

CLIENT ID: B-5@3'
DATE SAMPLED: 5/14/02
NEL SAMPLE ID: L0205178-005A

Parameter	Result	Unit	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		05/21/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		05/21/02	DRM-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		05/21/02	DRM-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		05/21/02	DRM-LV
Surr: Dibromofluoromethane	**113**	**%REC**	99.7-135	1	SW8260B		05/21/02	DRM-LV
Surr: Toluene-d8	**127**	**%REC**	78.7-141	1	SW8260B		05/21/02	DRM-LV
Surr: 4-Bromofluorobenzene	**109**	**%REC**	40.4-179	1	SW8260B		05/21/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *21-May-02*

Converse Consultants
731 Pilot Road, Suite H
Las Vegas, Nevada 89119-4429
Phone: (702) 269-8336 • Fax: (702) 269-8353

5/21

CHAIN OF CUSTODY RECORD

Log Number L0205178

Project Name	Project Number
Maryland Square	00-43367-02
Project Location	**Phone Number**
3661 S Maryland Pkwy	263-7600
Project Manager	**Sample Collector**
Andrea M	Eric Taub

Lab Sample Number	Date Sampled	Time Sampled	Matrix	Sample Identification	Comp. Instr.	8260 (VOCs)								Remarks
01	5-14-02	10:25	Soil	B-1 @ 2.5'		X								
02		11:10	Soil	B-2 @ 4'		X								Normal
03		12:05	Soil	B-3 @ 3'		X								turn around
04		12:30	Soil	B-4 @ 4'		X								time
05		12:50	Soil	B-5 @ 3'		X								19°C
						X								
														00

	Signature	Print Name	Company	Date	Time
Relinquished by:	E. Taub	Eric Taub	Converse	5-14-02	240pm
Received by:	MATT YATES	MATT YATES	NEL	5-14-02	240pm
Relinquished by:					
Received by:					
Relinquished by:					
Received by:					

NEL LABORATORIES

Corporate Headquarters / Reno Laboratory
4750 Longley Lane, Suite 106
Reno, NV 89502
Phone: 775.348.2522
Fax: 775.348.2546

Las Vegas Laboratory
4208 Arcata Way, Suite A
Las Vegas, NV 89030
Phone: 702.657.1010
Fax: 702.657.1577

Andrea Moericke
Converse Consultants
731 Pilot Road, Ste. H
Las Vegas, NV 89119

TEL: (702) 263-7600

RE Project: **N/A**

Order No.: **L0209284**

Dear Andrea Moericke:

NEL Laboratories, Las Vegas received 7 samples on 9/20/02 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications unless noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Rod T. Miller

Rod T. Miller
Laboratory Director

10/10/02
Date

Certifications:

Arizona	AZ0518
California	2002
Idaho	Certified
Montana	Certified
Nevada	NV052
New Mexico	Certified

NEL Laboratories, Las Vegas **Date:** *10-Oct-02*

CLIENT: Converse Consultants
Project: N/A
Lab Order: L0209284

CASE NARRATIVE

Attached are the analytical results for samples in support of the above referenced project.

The samples submitted for this project were not sampled by NEL. Should you have any questions or comments, please feel free to contact our Client Services Department.

Analytical Comments: None.

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-7
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-001A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Acetone	**48**	**µg/Kg**	25	1	SW8260B		10/01/02	PXC-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromodichloromethane	**8.2**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-7
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-001A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Methylene chloride	**10**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Naphthalene	ND	µg/Kg	2.0	1	SW8260B		10/01/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/01/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Total THM	**8.2**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Surr: 4-Bromofluorobenzene	**97.2**	**%REC**	34.3-133	1	SW8260B		10/01/02	PXC-LV
Surr: Dibromofluoromethane	**99.1**	**%REC**	82-123	1	SW8260B		10/01/02	PXC-LV
Surr: Toluene-d8	**93.8**	**%REC**	77.2-119	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-8
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-002A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Acetone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-8
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-002A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/01/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Total THM	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Surr: 4-Bromofluorobenzene	**99.1**	**%REC**	34.3-133	1	SW8260B		10/01/02	PXC-LV
Surr: Dibromofluoromethane	**105**	**%REC**	82-123	1	SW8260B		10/01/02	PXC-LV
Surr: Toluene-d8	**100**	**%REC**	77.2-119	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-9
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-003A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Acetone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-9
DATE SAMPLED: 9/19/02
NEL SAMPLE ID: L0209284-003A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/01/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Tetrachloroethene	**150**	**µg/Kg**	25	5	SW8260B		10/03/02	PXC-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Total THM	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Surr: 4-Bromofluorobenzene	**99.0**	**%REC**	34.3-133	1	SW8260B		10/01/02	PXC-LV
Surr: Dibromofluoromethane	**102**	**%REC**	82-123	1	SW8260B		10/01/02	PXC-LV
Surr: Toluene-d8	**98.6**	**%REC**	77.2-119	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-10
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-004A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		10/02/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/02/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/02/02	PXC-LV
Acetone	ND	µg/Kg	25	1	SW8260B		10/02/02	PXC-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Bromodichloromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-10
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-004A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/02/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		10/02/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/02/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Toluene	**7.1**	**µg/Kg**	5.0	1	SW8260B		10/02/02	PXC-LV
Total THM	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/02/02	PXC-LV
Surr: 4-Bromofluorobenzene	**94.2**	**%REC**	34.3-133	1	SW8260B		10/02/02	PXC-LV
Surr: Dibromofluoromethane	**105**	**%REC**	82-123	1	SW8260B		10/02/02	PXC-LV
Surr: Toluene-d8	**103**	**%REC**	77.2-119	1	SW8260B		10/02/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-11A
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-005A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Butanone	**32**	**µg/Kg**	25	1	SW8260B		10/01/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Acetone	**47**	**µg/Kg**	25	1	SW8260B		10/01/02	PXC-LV
Benzene	**5.6**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromodichloromethane	**6.9**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-11A
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-005A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/01/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Total THM	**6.9**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Surr: 4-Bromofluorobenzene	**104**	**%REC**	34.3-133	1	SW8260B		10/01/02	PXC-LV
Surr: Dibromofluoromethane	**103**	**%REC**	82-123	1	SW8260B		10/01/02	PXC-LV
Surr: Toluene-d8	**97.4**	**%REC**	77.2-119	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-11B
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-006A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/Kg	620	25	SW8260B		10/03/02	PXC-LV
Benzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Bromobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Bromochloromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Bromodichloromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Bromoform	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Bromomethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
2-Butanone	ND	µg/Kg	620	25	SW8260B		10/03/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Carbon disulfide	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Chlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Chloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Chloroform	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Chloromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Dibromomethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Dichlorodifluoromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Ethylbenzene	**200**	**µg/Kg**	120	25	SW8260B		10/03/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
2-Hexanone	ND	µg/Kg	620	25	SW8260B		10/03/02	PXC-LV
Iodomethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-11B
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-006A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Methylene chloride	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	620	25	SW8260B		10/03/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Naphthalene	ND	µg/Kg	250	25	SW8260B		10/03/02	PXC-LV
n-Propylbenzene	**340**	**µg/Kg**	120	25	SW8260B		10/03/02	PXC-LV
Styrene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1,1,2-Tetrachloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Toluene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Trichloroethene	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
1,2,4-Trimethylbenzene	**1000**	**µg/Kg**	120	25	SW8260B		10/03/02	PXC-LV
1,3,5-Trimethylbenzene	**420**	**µg/Kg**	120	25	SW8260B		10/03/02	PXC-LV
Vinyl acetate	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Vinyl chloride	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
o-Xylene	**530**	**µg/Kg**	120	25	SW8260B		10/03/02	PXC-LV
m,p-Xylene	ND	µg/Kg	250	25	SW8260B		10/03/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	1200	25	SW8260B		10/03/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Hexane	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Total THM	ND	µg/Kg	120	25	SW8260B		10/03/02	PXC-LV
Surr: Dibromofluoromethane	**117**	**%REC**	82-123	25	SW8260B		10/03/02	PXC-LV
Surr: Toluene-d8	**95.3**	**%REC**	77.2-119	25	SW8260B		10/03/02	PXC-LV
Surr: 4-Bromofluorobenzene	**115**	**%REC**	34.3-133	25	SW8260B		10/03/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-12
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-007A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
1,1,1,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,1-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2,2-Tetrachloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1,2-Trichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,1-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,3-Trichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2,4-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromo-3-chloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dibromoethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3,5-Trimethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,3-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
1,4-Dichlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2,2-Dichloropropane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Butanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
2-Chloroethyl vinyl ether	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
2-Hexanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
4-Chlorotoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
4-Methyl-2-pentanone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Acetone	ND	µg/Kg	25	1	SW8260B		10/01/02	PXC-LV
Benzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromodichloromethane	**6.5**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
Bromoform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Bromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon disulfide	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Carbon tetrachloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chlorobenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloroform	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Chloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
cis-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromochloromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Dibromomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: N/A
PROJECT #: 00-43367-02
MATRIX: SOIL

CLIENT ID: MW-12
DATE SAMPLED: 9/20/02
NEL SAMPLE ID: L0209284-007A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Dichlorodifluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Diisopropyl ether (DIPE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethyl t-butyl ether (ETBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Ethylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexachlorobutadiene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Hexane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Iodomethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Isopropylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
m,p-Xylene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
Methyl t-butyl ether (MTBE)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Methylene chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
n-Propylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Naphthalene	ND	µg/Kg	10	1	SW8260B		10/01/02	PXC-LV
o-Xylene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
p-Isopropyltoluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
sec-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Styrene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Amyl methyl ether (TAME)	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
t-Butyl alcohol (TBA)	ND	µg/Kg	50	1	SW8260B		10/01/02	PXC-LV
tert-Butylbenzene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Tetrachloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Toluene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Total THM	**6.5**	**µg/Kg**	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,2-Dichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
trans-1,3-Dichloropropene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichloroethene	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Trichlorofluoromethane	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl acetate	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Vinyl chloride	ND	µg/Kg	5.0	1	SW8260B		10/01/02	PXC-LV
Surr: 4-Bromofluorobenzene	**98.5**	**%REC**	34.3-133	1	SW8260B		10/01/02	PXC-LV
Surr: Dibromofluoromethane	**101**	**%REC**	82-123	1	SW8260B		10/01/02	PXC-LV
Surr: Toluene-d8	**94.4**	**%REC**	77.2-119	1	SW8260B		10/01/02	PXC-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *10-Oct-02*

L0209284

9/27

CONVERSE CONSULTANTS
731 Pilot Road, Suite H
Las Vegas, Nevada 89119
(702) 269-8336 • Fax: (702) 269-8353

CHAIN OF CUSTODY FORM

Client Name/Address: Maryland Square Ctr. 3661 S. Maryland Parkway

Project/PO Number: 00-43367-02

Project Manager: Andrea Moenicke

Phone Number:

Sampler: Andrew Kirk

Fax Number:

Analysis Required

	Sample Description	Sample Matrix	Container Type	# of Cont.	Sampling Date/Time	Preservatives	Method 8260 Full range VOCs									Special Instructions
01	MW-7	Soil	sleve	1	9/19/02	—	X									Normal TAT
02	MW-8	↓	"	1	"	—	X									
03	MW-9	↓	"	1	"	—	X									
04	MW-10	↓	"	1	9/20/02	—	X									
05	MW-11A	↓	"	1	↓	—	X									
06	MW-11B	↓	8 oz	1	↓	—	X									
07	MW-12	↓	sleve	1	↓	—	X									

Custody Seal Intact? Y N (None) Temp. 16°
Condition when received (good)

Relinquished By:	Date/Time:	Received By:	Date/Time:
Andrew Kirk	9/20/02 1300	[signature]	9-20-02 1400
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

Turnaround Time: (Check)
- ☐ Same day
- ☐ 24 hours
- ☐ 48 hours
- ☐ 72 hours
- ☐ 5 days
- ☑ Normal

Sample Integrity: (Check)
- ☐ Intact
- ☑ On ice

Note: By relinquishing samples to Converse Consultants, client agrees to pay for the services requested on this chain of custody form and any additional analysis performed on this project. Payment for services is due within 30 days from the date of invoice. Sample(s) will be disposed of after 30 days.

NEL LABORATORIES

Corporate Headquarters / Reno Laboratory
4750 Longley Lane, Suite 106
Reno, NV 89502
Phone: 775.348.2522
Fax: 775.348.2546

Las Vegas Laboratory
4208 Arcata Way, Suite A
Las Vegas, NV 89030
Phone: 702.657.1010
Fax: 702.657.1577

Andrea Moericke
Converse Consultants
731 Pilot Road, Ste. H
Las Vegas, NV 89119

TEL: (702) 263-7600

RE Project: **Maryland Square** Order No.: **L0209326**

Dear Andrea Moericke:

NEL Laboratories, Las Vegas received 12 samples on 9/24/02 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications unless noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Rod T. Miller
Laboratory Director

10/7/02
Date

Certifications:

Arizona	AZ0518
California	2002
Idaho	Certified
Montana	Certified
Nevada	NV052
New Mexico	Certified

NEL Laboratories, Las Vegas

Date: *07-Oct-02*

CLIENT: Converse Consultants
Project: Maryland Square
Lab Order: L0209326

CASE NARRATIVE

Attached are the analytical results for samples in support of the above referenced project.

The samples submitted for this project were not sampled by NEL. Should you have any questions or comments, please feel free to contact our Client Services Department.

Analytical Comments: None.

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-1
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-001A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	**6.7**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-1
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-001A

Parameter	Result	Units		Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L		25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L		10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**2000**	**µg/L**		100	20	SW8260B		10/04/02	DRM-LV
Toluene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L		5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L		10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**102**	**%REC**		80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**102**	**%REC**		75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**122**	**%REC**	S	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-2
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-002A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	**13**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-2
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-002A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**3000**	**µg/L**	250	50	SW8260B		10/04/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	**13**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**104**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**102**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**119**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-3
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-003A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	**13**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-3
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-003A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**104**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**102**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**120**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-4
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-004A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT:	Converse Consultants	**CLIENT ID:**	MW-4
PROJECT ID:	Maryland Square	**DATE SAMPLED:**	9/24/02
PROJECT #:	00-43367-02	**NEL SAMPLE ID:**	L0209326-004A
MATRIX:	AQUEOUS		

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**25**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**106**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**103**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**122**	**%REC**	71.7-124	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit

DF - Dilution Factor

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-5
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-005A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	**5.6**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-5
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-005A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**110**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**100**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**98.4**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**117**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-6
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-006A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	**14**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT:	Converse Consultants	**CLIENT ID:**	MW-6
PROJECT ID:	Maryland Square	**DATE SAMPLED:**	9/24/02
PROJECT #:	00-43367-02	**NEL SAMPLE ID:**	L0209326-006A
MATRIX:	AQUEOUS		

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**1000**	**µg/L**	50	10	SW8260B		10/04/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	**41**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	**14**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**102**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**100**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**118**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit

DF - Dilution Factor

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-7
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-007A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-7
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-007A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**102**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**99.6**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**117**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
Date: *07-Oct-02*

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-8
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-008A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	**6.4**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-8
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-008A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**5.4**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**102**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**100**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**118**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-9
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-009A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	43	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-9
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-009A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	**670**	**µg/L**	50	10	SW8260B		10/04/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**101**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**98.6**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**117**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-10
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-010A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT:	Converse Consultants	**CLIENT ID:**	**MW-10**
PROJECT ID:	Maryland Square	**DATE SAMPLED:**	9/24/02
PROJECT #:	00-43367-02	**NEL SAMPLE ID:**	L0209326-010A
MATRIX:	AQUEOUS		

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**101**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**99.2**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**117**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit

DF - Dilution Factor

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-11
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-011A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	**58**	**µg/L**	25	1	SW8260B		10/03/02	DRM-LV
Benzene	**85**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	**150**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	**10**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit

DF - Dilution Factor

B - Analyte detected in the associated Method Blank

S - Spike Recovery outside accepted recovery limits

E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-11
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-011A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	**29**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	**20**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	**28**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	**42**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	**350**	**µg/L**	50	10	SW8260B		10/04/02	DRM-LV
m,p-Xylene	**49**	**µg/L**	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**102**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**101**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**121**	**%REC**	71.7-124	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor
B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-12
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-012A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
Acetone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Benzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromodichloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromoform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Bromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Butanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
n-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
sec-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
tert-Butylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon disulfide	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Carbon tetrachloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chloroethyl vinyl ether	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloroform	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Chloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Chlorotoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromochloromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromo-3-chloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dibromoethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dibromomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,4-Dichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Dichlorodifluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,2-Dichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2,2-Dichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
cis-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
trans-1,3-Dichloropropene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Ethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Hexachlorobutadiene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
2-Hexanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Iodomethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Isopropylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

NEL LABORATORIES

CLIENT: Converse Consultants
PROJECT ID: Maryland Square
PROJECT #: 00-43367-02
MATRIX: AQUEOUS

CLIENT ID: MW-12
DATE SAMPLED: 9/24/02
NEL SAMPLE ID: L0209326-012A

Parameter	Result	Units	Reporting Limit	DF	Method	Prep Date	Analyzed	Analyst
p-Isopropyltoluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Methylene chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
4-Methyl-2-pentanone	ND	µg/L	25	1	SW8260B		10/03/02	DRM-LV
Methyl t-butyl ether (MTBE)	**31**	**µg/L**	5.0	1	SW8260B		10/03/02	DRM-LV
Naphthalene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
n-Propylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Styrene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2,2-Tetrachloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Tetrachloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Toluene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trichlorobenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,1-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,1,2-Trichloroethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichloroethene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Trichlorofluoromethane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,3-Trichloropropane	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,2,4-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
1,3,5-Trimethylbenzene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl acetate	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
Vinyl chloride	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
o-Xylene	ND	µg/L	5.0	1	SW8260B		10/03/02	DRM-LV
m,p-Xylene	ND	µg/L	10	1	SW8260B		10/03/02	DRM-LV
Surr: Dibromofluoromethane	**103**	**%REC**	80.2-106	1	SW8260B		10/03/02	DRM-LV
Surr: Toluene-d8	**101**	**%REC**	75.5-105	1	SW8260B		10/03/02	DRM-LV
Surr: 4-Bromofluorobenzene	**119**	**%REC**	71.7-120	1	SW8260B		10/03/02	DRM-LV

ND - Not Detected at the Reporting Limit
DF - Dilution Factor

B - Analyte detected in the associated Method Blank
S - Spike Recovery outside accepted recovery limits
E - Value above quantitation range

Date: *07-Oct-02*

#L020932b

CONVERSE CONSULTANTS
731 Pilot Road, Suite H
Las Vegas, Nevada 89119
(702) 269-8336 • Fax: (702) 269-8353

CHAIN OF CUSTODY FORM

Client Name/Address: Maryland Square

Project/PO Number: 00-43367-02

Project Manager: Andrea Moericke

Phone Number:

Sampler: Andrew Kirk

Fax Number:

Sample Description	Sample Matrix	Container Type	# of Cont.	Sampling Date/Time	Preservatives	Analysis Required: Method 8260 Full Range VOC's	Special Instructions
MW-1	AQ	VOA's	3	9/24/02 0800	HCl	X	
MW-2			3	9/24/02 0840		X	NTAT
MW-3			3	9/24/02 0935		X	
MW-4			3	9/24/02 1010		X	
MW-5			3	9/24/02 1100		X	
MW-6			3	9/24/02 1140		X	
MW-7			3	9/24/02 0800		X	
MW-8			3	9/24/02 0830		X	
MW-9			3	9/24/02 0910		X	
MW-10			3	9/24/02 0940		X	
MW-11			3	9/24/02 1015		X	
MW-12			3	9/24/02 1100		X	

Relinquished By:	Date/Time:	Received By:	Date/Time:
Andrew Kirk	9/24/02 1410 ~~1330~~		9-24-02/1410
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

Turnaround Time: (Check)
- ☐ Same day
- ☐ 24 hours
- ☐ 48 hours
- ☐ 72 hours
- ☐ 5 days
- ☒ Normal

Sample Integrity: (Check)
- ☐ Intact
- ☒ On ice

Note: By relinquishing samples to Converse Consultants, client agrees to pay for the services requested on this chain of custody form and any additional analysis performed on this project. Payment for services is due within 30 days from the date of invoice. Sample(s) will be disposed of after 30 days.