ALLEN BIAGGI, *Administrator*

(775) 687-4670
TDD 687-4678
Administration
Facsimile 687-5856
Water Pollution Control
Facsimile 687-4684
Mining Regulation and Reclamation
Facsimile 684-5259

Letter from Golf Course

STATE OF NEVADA
KENNY C. GUINN
Governor

rec'd in CC Jan 2007

R. MICHAEL TURNIPSEED, *Director*

Waste Management
Corrective Actions
Federal Facilities
Air Pollution Control
Air Quality Planning
Water Quality Planning
Facsimile 687-6396

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL PROTECTION
333 W. Nye Lane, Room 138
Carson City, Nevada 89706

***** FAX *****

5/400

DATE: May 20, 2004

TO: Ken Croft

FAX NUMBER: (702) 486-2863

FROM:
BUREAU OF CORRECTIVE ACTION
CARSON CITY, NEVADA

SUBJECT/COMMENTS:

Let's talk about this,

Original being sent snail mail

NUMBER OF PAGES INCLUDING COVER PAGE: 11

IF YOU HAVE ANY QUESTIONS CALL: (775) 687-

rec'd in CC
Jan 2007

RECEIVED
ENVIRONMENTAL
PROTECTION
04 MAY 14 AM 10:55

NGP REALTY SUB, L.P.

Confidential Business Information

May 12, 2004

R. Michael Turnipseed, Director
Department of Conservation and Natural Resources
123 W. Nye Lane, Room 230
Carson City, Nevada 89706-0818

Allen Biaggi, Administrator
Nevada Department of Environmental Protection
333 W. Nye Lane, Room 138
Carson City, Nevada 89706-0851

Re: Notification of Perchloroethylene Groundwater Results – Las Vegas National Golf Course

Dear Mr. Turnipseed and Mr. Biaggi:

American Golf Corporation ("AGC"), owner of the golf course located at 1911 E. Desert Inn Rd., Las Vegas, 89109 (the "Property"), provides notice to the Nevada Department of Conservation and Natural Resources ("Department") and the Nevada Department of Environmental Protection ("NDEP") of the detection of perchloroethylene ("PCE") at our Property. Although our reading of Nevada Administrative Code section 445A.347 indicates that AGC does not have an affirmative obligation to report these results, in light of the importance in protecting Nevada's valuable groundwater resources, AGC has chosen to provide such notice.

Over time, groundwater from a deep irrigation well (PW-1) at the Property has yielded the following data:

2/14/90
- 1990 - 8.1 parts per billion (ppb)[1]
- 2002 - 130 ppb
- 2003 - 120 ppb
- 3/10/04 2004 - 5.6 ppb

[1] Notification of the1990 PCE result was provided to the Department when discovered. We understand the Department indicated that these results did not warrant any further action at that time.

3201363v1

2951-28th Street • Santa Monica, California 90405
Telephone 310.664.4000 • Fax 310.664.6170

NATIONAL GOLF PROPERTIES™

As shown, recent analytical results demonstrate that the concentration of PCE has decreased to a level below the 1990 result. Additionally, and in order to more fully assess whether there were other PCE issues exist at the Property, we recently commissioned additional soil and groundwater samples. Those results are also enclosed for your information. In short, out of an additional four (4) soil samples and sixteen (16) water samples, no other sample revealed more than 2.6 ppb PCE (sampling results and a site map are enclosed).

We have also conducted an evaluation of operations at the Property and have not identified any PCE use in connection with our golf course operations at the Property, or for any other purpose. Nor are we aware of any PCE release at the Property. As a consequence of these facts, our consultant is of the opinion that the PCE identified must be from offsite sources. A review and analysis of public records obtained from the NDEP, reveal the existence of two distinct offsite, hydrologically upgradient sources for the PCE results at the Property.

1. The former Dr. Clean dry cleaning facility located at 1195 East Desert Inn Road, Las Vegas, Nevada (at the corner of East Desert Inn Road and Maryland Parkway, Las Vegas). This facility is approximately 0.5 miles west of the Las Vegas National Golf Course. In particular, an environmental consultant working for the former shopping center owner indicated that historical housekeeping practices at the dry cleaners had been sloppy, and that most of the PCE had likely been released in the early to mid-1980s. Also, a 1993 letter from the NDEP to a former owner of the shopping center indicated that releases of PCE in the area behind the dry cleaning facility may cumulatively have been quite large (perhaps a couple of hundred gallons); and

2. The Maryland Square Shopping Center located at 3661 South Maryland Parkway, Las Vegas, Nevada. This facility is also approximately 0.5 miles west of the Las Vegas National Golf Course. We understand that the Maryland Square Shopping Center formerly housed a dry cleaning facility referred to as "Al Phillips the Cleaners".

Either, or both, of these known sources of PCE contamination appear to be the cause of the PCE encountered in PW-1 at our golf course. Based on the documents obtained from NDEP, both sites have only been partially investigated and little, if any, cleanup has actually occurred. Additionally, we understand that the Dr. Clean site may have been referred to the Deputy Attorney General's Office for handling.

In short, though from the record we understand there have been some difficulties identifying and getting those responsible to step up, we are concerned that neither site investigation or remediation has been conducted as expeditiously or as comprehensively as the facts seem to warrant. In light of the information described above, we urge the Department and the NDEP to

NATIONAL GOLF PROPERTIES™

pursue the relevant responsible parties to more fully investigate and remediate the PCE impacted soil and groundwater associated with the known PCE releases.

Finally, we request that the Department keep us apprised of any developments in these matters as we would like to see the contamination investigated and remediated in due course.

Thank you for your understanding and cooperation. Please do not hesitate to contact me should you have any questions.

Very truly yours,

Mark Friedman, Esq.
General Counsel
American Golf Corp.

Enclosures
cc: Malcolm Weiss, Esq. (w/o encls.)

Alpha Analytical, Inc.
255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

American Golf Corp. c/o Archon Group GPLP
600 E. Las Colinas Blvd. Ste. 400
Irving, CA 75039

Attn: Greg Hoffmann
Phone: (972) 368-2631
Fax: (972) 368-3299
Date Received 03/10/04

Job#: 85.75003.0002

Volatile Organic Compounds (VOCs) EPA Method SW8260B

		Parameter	Concentration	Reporting Limit	Date Sampled	Date Analyzed
Client ID:	S-2 site					
Lab ID:	AGC04031046-01A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-3					
Lab ID:	AGC04031046-02A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-4 site					
Lab ID:	AGC04031046-03A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-4					
Lab ID:	AGC04031046-04A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-5 site					
Lab ID:	AGC04031046-05A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-6					
Lab ID:	AGC04031046-06A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-7 site					
Lab ID:	AGC04031046-07A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04
Client ID:	S-8					
Lab ID:	AGC04031046-08A	Vinyl chloride	ND	20 µg/Kg	03/09/04	03/11/04
		1,1-Dichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Trichloroethane	ND	20 µg/Kg	03/09/04	03/11/04
		Tetrachloroethene	ND	20 µg/Kg	03/09/04	03/11/04

Alpha Analytical, Inc.
255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID: SPR-2					
Lab ID: AGC04031046-09A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.2	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-4					
Lab ID: AGC04031046-10A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.1	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-6					
Lab ID: AGC04031046-11A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-8					
Lab ID: AGC04031046-12A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.3	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-10					
Lab ID: AGC04031046-13A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-12					
Lab ID: AGC04031046-14A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-14					
Lab ID: AGC04031046-15A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-16					
Lab ID: AGC04031046-16A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: SPR-18					
Lab ID: AGC04031046-17A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID: DR-1					
Lab ID: AGC04031046-18A					
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.5	1.0 µg/L	03/09/04	03/11/04

85.75003.0002

Alpha Analytical, Inc.
255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1189

Client ID:	HS-1				
Lab ID:	AGC04031046-19A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.1	1.0 µg/L	03/09/04	03/11/04
Client ID:	HS-2				
Lab ID:	AGC04031046-20A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.3	1.0 µg/L	03/09/04	03/11/04
Client ID:	HS-3				
Lab ID:	AGC04031046-21A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	1.7	1.0 µg/L	03/09/04	03/11/04
Client ID:	MAIN-CTR				
Lab ID:	AGC04031046-22A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	2.4	1.0 µg/L	03/09/04	03/11/04
Client ID:	MAIN-PUMP OUTLET				
Lab ID:	AGC04031046-23A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	2.4	1.0 µg/L	03/09/04	03/11/04
Client ID:	MAIN-PUMP INTAKE				
Lab ID:	AGC04031046-24A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID:	2nd POND-CTR				
Lab ID:	AGC04031046-25A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	2.6	1.0 µg/L	03/09/04	03/11/04
Client ID:	2nd POND-PUMP OUTLET				
Lab ID:	AGC04031046-26A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/11/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/11/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/11/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/11/04
Client ID:	2nd POND-PUMP INLET				
Lab ID:	AGC04031046-27A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/12/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/12/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/12/04
	Tetrachloroethene	ND	1.0 µg/L	03/09/04	03/12/04
Client ID:	FW-1				
Lab ID:	AGC04031046-28A				
	Vinyl chloride	ND	1.0 µg/L	03/09/04	03/12/04
	1,1-Dichloroethane	ND	1.0 µg/L	03/09/04	03/12/04
	Trichloroethene	ND	1.0 µg/L	03/09/04	03/12/04
	Tetrachloroethene	3.6	1.0 µg/L	03/09/04	03/12/04

85.75003.0002

Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

This replaces the report signed 3/16/04, due to a change in the analyte list, per client request.
ND – Not Detected

Roger L. Schall, Ph.D., Laboratory Director • • Randy Gardner, Laboratory Manager • • Walter Hirshman, Quality Assurance Officer
Sacramento, CA • (916) 366-5089 / Las Vegas, NV • (702) 281-4848 / Wichita, KS • (316) 722-5890 / info@alpha-analytical.com

3/22/04
Report Date

85.75003.0002

Alpha Analytical, Inc.
255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC pH Report

Work Order AGC04031046 Project: 85.75003.0002

Alpha's Sample ID	Client's Sample ID	Matrix	pH
04031046-09A	SPR-2	Aqueous	2
04031046-10A	SPR-4	Aqueous	2
04031046-11A	SPR-6	Aqueous	2
04031046-12A	SPR-8	Aqueous	2
04031046-13A	SPR-10	Aqueous	2
04031046-14A	SPR-12	Aqueous	2
04031046-15A	SPR-14	Aqueous	2
04031046-16A	SPR-16	Aqueous	2
04031046-17A	SPR-18	Aqueous	2
04031046-18A	DR-1	Aqueous	2
04031046-19A	HS-1	Aqueous	2
04031046-20A	HS-2	Aqueous	2
04031046-21A	HS-3	Aqueous	2
04031046-22A	MAIN-CTR	Aqueous	2
04031046-23A	MAIN-PUMP OUTLET	Aqueous	2
04031046-24A	MAIN-PUMP INTAKE	Aqueous	2
04031046-25A	2nd POND-CTR	Aqueous	2
04031046-26A	2nd POND-PUMP OUTLET	Aqueous	2
04031046-27A	2nd POND-PUMP INLET	Aqueous	2
04031046-28A	FW-1	Aqueous	2

3/16/04
Report Date

Billing Information:
Name: ATC ASSOCIATES INC
Address: 6000 S EASTERN AVE #12A
City, State, Zip: LAS VEGAS, NV 89119
Phone Number: 702 798 5150 Fax: 702 798 5142

Alpha Analytical, Inc.
255 Glendale Avenue, Suite 21
Sparks, Nevada 89431-5778
Phone (775) 355-1044
Fax (775) 355-0406

Page # 1 of 3

06381

Client Name: AMERICAN GOLF CORP, C/O ARCHON GROUP
Address: 600 E. LAS COLINAS BLVD, STE 400
City, State, Zip: IRVING, TX 75039
P.O. #: 0304-85-1023
Job #: 85-75003.0002
PWS #:
DWS #:
Phone #: 972 368 2631
Fax #: 972 368 3299
Sampled by: M RAPPAPORT
Report Attention: GREG HOFFMANN

Analyses Required: PCB 8260

Time Sampled	Date Sampled	Matrix* See Key Below	Office Use Only Lab ID Number	Sample Description	Total and type of containers** Size/Qty	PCB 8260	REMARKS
0735	3/4/04	SO	AGC0403040416-01	S-2 SFC	1S	X	
0740		SO	-02	S-2	1S	X	
0645		SO	-03	S-4 SFC	1S	X	
0653		SO	-04	S-4	1S	X	
0705		SO	-05	S-6 SFC	1S	X	
0710		SO	-06	S-6	1S	X	
0719		SO	-07	S-8 SFC	1S	X	
0725		SO	-08	S-8	1S	X	
0800		AQ	-09	SPR-2	3V	X	
0805		AQ	-10	SPR-4	3V	X	
0810		AQ	-11	SPR-6	3V	X	
0733		AQ	-12	SPR-8	3V	X	
0836		AQ	-13	SPR-10	3V	X	

ADDITIONAL INSTRUCTIONS:
NORMAL TAT
SEND RPT TO AMERICAN GOLF ON
SEND INVOICE TO ATC ONLY

	Signature	Print Name	Company	Date	Time
Relinquished by	Monica Rappaport	MONICA RAPPAPORT	ATC ASSOC INC	3-9-04	1400
Received by	U. Smith	U. SMITH	Alpha	3-9-04	2:40
Relinquished by	U. Smith	U. SMITH	Alpha	3-9-04	4:10
Received by	D Baker	D Baker	Alpha	3/10/04	1125
Relinquished by					
Received by					

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other

**: L-Liter V-Vial S-Soil Jar O-Cube T-Tedlar B-Brass P-Plastic OT-Other

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.

Billing Information:
Name ATC ASSOC INC
Address
City, State, Zip
Phone Number Fax

Alpha Analytical, Inc.
255 Glendale Avenue, Suite 21
Sparks, Nevada 89431-5778
Phone (775) 355-1044
Fax (775) 355-0408

Page # 2 of 3

06379

Client Name [illegible]	P.O. # 0304-85-1023	Job # 85.75003.0002	
Address AMERICAN GOLF CORP C/O	PWS #	DWR #	
City, State, Zip ARCHON GROUP, L.P.	Phone #	Fax #	
Sampled by M. RAPPAPORT	Report Attention GREG HOFFMANN		

Analyses Required: PCE 8260

Time Sampled	Date Sampled	Matrix* See Key Below	Office Use Only / Lab ID Number	Sample Description	Total and type of containers **Sample Size	PCE 8260	REMARKS
0903	3/9/04	AQ	AGC0403104G-14	SPR-12	3V	X	
0845			-15	SPR-14	3V	X	
0828			-16	SPR-16	3V	X	
0835			-17	SPR-18	3V	X	
0925			-18	DR-1	3V	X	
0948			-19	HS-1	3V	X	
1000			-20	HS-2	3V	X	
1020			-21	HS-3	3V	X	
1115			-22	MAIN - CTR	3V	X	
1120			-23	MAIN - PUMP OUTLET	3V	X	
1125			-24	MAIN - PUMP INTAKE	3V	X	
1150			-25	2nd POND - CTR	3V	X	
1200			-26	2nd POND - PUMP OUTLET	3V	X	

ADDITIONAL INSTRUCTIONS:

NORMAL TAT

SEND RPT TO AMERICAN GOLF O.
SEND INVOICE TO ATC ONLY

	Signature	Print Name	Company	Date	Time
Relinquished by	Monica Rappaport	MONICA RAPPAPORT	ATC ASSOC INC	3-9-04	1400
Received by	[signature]	V. SMITH	Alpha	3-9-04	2:40
Relinquished by	[signature]	V. SMITH	Alpha	3-9-04	4:10
Received by	DSBaker	DSBaker	Alpha	3/10/04	1125
Relinquished by					
Received by					

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other **: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.

Billing Information:
Name ATC ASSOC INC
Address
City, State, Zip
Phone Number Fax

Alpha Analytical, Inc.
255 Glendale Avenue, Suite 21
Sparks, Nevada 89431-5778
Phone (775) 355-1044
Fax (775) 355-0406

Page # 3 of 3

06380

Client Name [illegible]
Address AMERICAN GOLF CORP c/o
City, State, Zip ARCHON GROUP, LP.
P.O. # 0304-85-1023
PWS #
Phone #
Job # 85.75003.0002
DWR #
Fax #
Sampled by MRAPPAPORT
Report Attention GREG HOFFMANN

Analyses Required: PCE 8260

Time Sampled	Date Sampled	Matrix Sm Key Below	Office Use Only / Lab ID Number	Sample Description	Total and type of containers **Sections	PCE 8260	REMARKS
1155	3/9/04	AQ	AGC040310046-27	2nd POND - PUMP INLET	3V	X	
1250	↓	AQ	-28	PW-1	3V	X	

ADDITIONAL INSTRUCTIONS: NORMAL TAT SEND RPT TO AMER GOLF ONLY
SEND INVOICE TO ATC ONLY

	Signature	Print Name	Company	Date	Time
Relinquished by	Monica Rappaport	MONICA RAPPAPORT	ATC ASSOC INC	3-9-04	1400
Received by	[signature]	USMITH	Alpha	3-9-04	2:40
Relinquished by	[signature]	V. SMITH	Alpha	3-9-04	4:10
Received by	DSBaker	DSBaker	Alpha	3/10/04	1125
Relinquished by					
Received by					

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other **: L-Liter V-Vos S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

NOTE: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.