

Third Quarter 2014 Groundwater Monitoring and Sampling Report

Maryland Square PCE Site
3661 South Maryland Parkway
Las Vegas, Nevada
Facility ID: H-000086

Cardno ATC Project No. 085.42620.0001



Prepared for
Herman Kishner Trust
c/o Mr. Tom Vandenberg, Esq.
707 Wilshire Boulevard, 45th Floor
Los Angeles, California 90017

Prepared by
Cardno ATC
7115 Amigo Street, Suite 100
Las Vegas, Nevada 89119
Phone: 702-990-9300
Fax: 702-990-9305

October 30, 2014

Executive Summary

October 30, 2014

Herman Kishner Trust
c/o Mr. Tom Vandenberg, Esq.
707 Wilshire Boulevard, 45th Floor
Los Angeles, California 90017

Re: Third Quarter 2014 Groundwater Monitoring and Sampling Report
Maryland Square PCE Site
3661 South Maryland Parkway
Las Vegas, Nevada
NDEP Facility ID No. H-000086

Dear Mr. Vandenberg:

Cardno ATC is submitting this report documenting the results of a recent quarterly groundwater monitoring event conducted at the Maryland Square PCE Site (site). The groundwater monitoring was conducted to evaluate dissolved chlorinated ethenes, specifically tetrachloroethene (PCE), detected in the soil and groundwater in the vicinity of the above referenced site in accordance with requests from the Nevada Division of Environmental Protection (NDEP).

Work Performed Third Quarter 2014

Cardno ATC performed quarterly monitoring and sampling activities at 31 of the 59 site groundwater monitoring wells.

Current Phase of Project:	<u>Monitoring and Sampling</u>
Frequency of Sampling:	<u>Groundwater: Select Wells Quarterly (Semi-annual or Annual for 2014)</u>
Frequency of Monitoring:	<u>Groundwater: Select Wells Quarterly (Semi-annual or Annual for 2014)</u>
Purge Water Removed This Quarter:	<u>37.25 gallons</u>
Approximate Depth to Groundwater:	<u>21.52 ft btoc</u>
Groundwater Gradient:	<u>Site Monitoring Network: 0.012 feet/foot</u>
Groundwater Flow Direction:	<u>Site Monitoring Network: East</u>
Groundwater Analytical Methods:	<u>Select VOCs by EPA 8260B, metals by EPA 6020, and hexavalent chromium (Cr(VI)) by EPA 218.6</u>
Monitoring Wells Sampled with PCE Concentrations Greater than 5.0 µg/L:	<u>24 of 31 monitoring points</u>
Maximum PCE Concentration (µg/L):	<u>9,300 (MW-14I)</u>
Monitoring Wells Sampled with PCE Concentrations Greater than 5.0 µg/L Previous Quarter:	<u>17 of 23 monitoring points</u>
Maximum PCE Concentration Previous Quarter (µg/L):	<u>9,800 (MW-14I)</u>

Historical groundwater elevation data and analytical results are summarized in Table A-1. Current groundwater elevation data and analytical results are summarized in Table A-2. Site figures and groundwater analytical isoconcentration maps, are included as Figures 1 and 2. Groundwater field sampling forms and laboratory analytical reports are included in Appendix A and B, respectively. Mann-Kendall Trend Tests for Plume Stability are included in Appendix C.

Table of Contents

Executive Summary	ii
1 Background	4
2 Groundwater Monitoring and Sampling	6
2.1 Deviations	7
2.2 Groundwater Conditions	8
2.2.1 Vertical Gradient Assessment	8
2.3 Groundwater Analytical Results	9
3 Summary	18
3.1 Recommendations	19
3.2 Limitations	19
4 Environmental Certification Jurat	20

Tables

Current Groundwater Gauging and Analytical Data
Historical Groundwater Gauging and Analytical Data

Figures

Site Vicinity Map
Groundwater Potentiometric Map
PCE Isoconcentration Map

Appendix A

Field Sheets

Appendix B

Laboratory Analytical Reports

Appendix C

Mann-Kendall Trend Test for Plume Stability

1 Background

The source area for the Maryland Square Tetrachloroethylene (PCE) Site is located at 3661 South Maryland Parkway in Las Vegas, Nevada. The source area is the location of a former dry cleaner (Al Phillips the Cleaner) that was contained within the former Maryland Square Shopping Center. Al Phillips the Cleaner operated at the site from 1969 through 2000.

The parent parcel for the former shopping center is located at the northwest corner of Maryland Parkway and Twain Avenue, and lies within the Southeast $\frac{1}{4}$ of the Northeast $\frac{1}{4}$ of Section 15, Township 21 South, Range 61 East. This parcel is designated as assessor's parcel number (APN) 162-15-602-009 and is a 6.57-acre tract of land. The parcel lies northwest of the corner of South Maryland Parkway and East Twain Avenue.

Properties surrounding the former Maryland Square Shopping Center consist primarily of commercial developments, as well as some residential areas. The Boulevard Mall lies directly east of the source area, across South Maryland Parkway. A residential neighborhood and a golf course are located east of The Boulevard Mall.

The initial spill report for PCE in groundwater was reported to NDEP in November 2000. The contamination was discovered during environmental investigations being performed for a property transaction. A soil boring installed during the initial environmental investigation at the former shopping center was converted into a monitoring well (MW-1). Analysis of the groundwater sample collected from MW-1 found 2,300 micrograms per liter ($\mu\text{g/L}$) or parts per billion (ppb) of PCE in groundwater. This concentration of PCE exceeded Nevada's action level of 5 $\mu\text{g/L}$, as defined in NAC445A.2273.5(1)(c), which adopts the primary maximum contamination level (MCL) of 5 $\mu\text{g/L}$ for PCE in drinking water, as defined by the U.S. Environmental Protection Agency (EPA).

From 2000 through 2004, additional soil borings and monitoring wells were installed at the former Maryland Square Shopping Center and to the east on the Boulevard Mall property in an attempt to find the eastern extent of the PCE plume. In February, the parent company (DCI) of the former dry cleaners accepted responsibility for the PCE contamination and assumed control of assessment activities, using URS Corporation (URS) to perform additional characterization and groundwater monitoring.

In March 2005, after not finding the eastern extent of the PCE plume on mall property, URS installed five monitoring wells within the residential neighborhood east of the Boulevard Mall (see: http://ndep.nv.gov/pce/graphic/2012_Map_Well_History.pdf). Concentrations of PCE exceeded the action level (5 $\mu\text{g/L}$) in groundwater samples collected from three of these five wells, with the highest concentration at 1,430 $\mu\text{g/L}$. In 2006, two additional wells were installed farther east in the neighborhood, and groundwater samples from the wells confirmed the presence of the PCE plume in groundwater beneath the neighborhood.

In early 2007, the NDEP performed vapor transport modeling using the analytical data for wells within the neighborhood. The results of modeling indicated the potential for unacceptable level of PCE vapors in indoor air, via the process of vapor intrusion. In response to a NDEP requirement to sample soil gas for PCE, URS conducted a soil vapor study in March 2007. Soil borings were installed along three transects across the inferred extent of the PCE plume; one transect in the eastern parking lot of the Boulevard Mall, and two within the residential neighborhood east of the mall. Soil gas samples were collected at multiple depths within each boring. The concentrations of PCE in soil vapor samples ranged from not detected to 170,000 micrograms per cubic meter ($\mu\text{g/m}^3$), with the maximum concentration measured for a vapor sample collected at 20 feet bgs from boring SVB-14.

The dry cleaner's parent company (DCI) declared bankruptcy in July 2008, and URS discontinued work at the site. Converse, on behalf of the Trust, resumed quarterly monitoring as required by the NDEP. Converse continued with monitoring until July 2010, when field activities and responsibilities were transferred from Converse to Tetra Tech EM Inc. (Tetra Tech) during the second quarter of 2010. Groundwater monitoring

protocol and procedures used by Converse and accepted by NDEP were continued to maintain data consistency.

On December 27, 2010, the U.S District Court issued a Permanent Injunction that dictated the schedule for remediation of source-area soils and PCE-contaminated groundwater across the site. The injunction also decreed that groundwater monitoring should continue based on the schedule previously defined by the NDEP.

Responsibilities for groundwater monitoring and sampling were transferred from Tetra Tech to Cardno ATC in the fourth quarter of 2011. Tetra Tech continued to provide the Trust with support for indoor air testing and performed field pilot testing for groundwater remedies in early 2013. Pilot testing focused on in situ chemical oxidation (ISCO).

As of the date of this quarterly report, there are 59 monitoring wells (some of which include nested and multi-depth wells) located across the site. The site spans approximately 6,000 feet in length, from the source area to the terminus of the plume, as defined by the 5 µg/L boundary.

Additional information, including the full administrative record detailing correspondence with NDEP can be found at http://ndep.nv.gov/pce/maryland_square.htm and clicking on the Administrative Record link.

2 Groundwater Monitoring and Sampling

NDEP has directed monitoring of the site-related groundwater monitoring well network as outlined in its response letter to the Converse report titled "Groundwater Monitoring Report, 3rd Quarter 2009, Maryland Square Shopping Center," dated December 22, 2009.

Select monitoring wells are sampled in 2014 on a quarterly, semi-annual, or annual basis as per agreement with NDEP. The sampling schedule is based on the relative PCE concentrations detected in individual monitoring wells in addition to the proximity of a monitoring well to the ascertained plume area. The 2014 sampling schedule has been modified and approved by NDEP.

The NDEP modified the sampling schedule in response to Cardno ATC's request in the "Fourth Quarter 2013 Groundwater Monitoring and Sampling Report," dated January 28, 2014. The letter proposed that the 2014 monitoring be revised to include all site wells as the annual sampling event. The NDEP concurred with Cardno ATC's recommended sampling schedule, with minor changes, in the response letter dated February 21, 2014.

The NDEP approved 2014 annual sampling schedule for monitoring wells in the groundwater monitoring program is as follows:

- First Quarter – MW-1 through MW-3, MW-5 through MW-39, MW-40 (all depths), MW-41, MW-42, MW-43 MW-14I, MW-19I, MW-6D1, MW-6D2, MW-6D3, MW-19D1, MW-19D2, MW-19D3, MW-20D1, MW-20D2, and MW-20D3.
- Second Quarter – MW-1, MW-5, MW-6, MW-18, MW-38, MW-41, MW-42, MW-43, MW-14I, MW-19I, MW-6D1, MW-19D1, MW-19D2, MW-19D3, MW-20D2, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60 (plus any newly installed wells).
- Third Quarter – MW-1, MW-5, MW-6, MW-13, MW-14, MW-18, MW-19, MW-23, MW-25, MW-26, MW-32, MW-38, MW-41, MW-42, MW-43, MW-14I, MW-19I, MW-6D1, MW-6D3, MW-19D1, MW-19D2, MW-19D3, MW-20D1, MW-20D2, MW-20D3, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60 (plus any newly installed wells).
- Fourth Quarter – MW-1, MW-5, MW-6, MW-18, MW-38, MW-41, MW-42, MW-43, MW-14I, MW-19I, MW-6D1, MW-19D1, MW-19D2, MW-19D3, MW-20D2, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60 (plus any newly installed wells).

The groundwater monitoring procedures are consistent with the protocol presented by URS in its August 2007 letter and accepted by NDEP in its September 10, 2007 letter. The prescribed groundwater monitoring protocol used at the site was revised to employ the ASTM D6771-02 method in the fourth quarter of 2007. This sampling method relies on low flow pumping that moderates the velocity of water entering the pump intake from the formation pore water surrounding the well. Minimized stress and turbulence within the water-bearing unit during pumping allows collection of groundwater samples generally considered more representative of water quality in the formation than the conventional method, which calls for evacuation of three well volumes of groundwater using downhole pumps or bailers.

Cardno ATC may look to work with NDEP on a modified sampling procedure to ensure consistent groundwater sampling including establishing a consistent sampling depth for the pump to be placed in each well.

Groundwater parameters (i.e., pH, temperature, dissolved oxygen (DO), oxidation reduction potential (ORP), and electrical conductivity) were measured to evaluate the entrance of actual formation water into the well. Cardno ATC placed the inlet of the pump in the middle of the saturated zone for each well (between top of groundwater and bottom of well) for consistency with previous events. Groundwater was pumped at a flow rate of 0.25 L/min. The pump rate was lowered following the stabilization of groundwater parameters to minimize turbulence, and groundwater was transferred to clean laboratory-supplied 40-milliliter glass volatile organic analysis vials

(VOAs), sealed, labeled, and placed in a cool environment for transport to an NDEP-certified laboratory for analysis.

The groundwater monitoring procedure for MW-40 CMT wells had to be modified due to the well construction of MW-40 CMT. CMT is a product manufactured by Solinst that stands for continuous multichannel tubing, meaning that there are multiple tubings set at different depths in one borehole. The benefits of a CMT well is that each channel of tubing allows for discrete sampling at a particular depth which in turn gives a three dimensional view of contamination through the entire range of sampling depths, rather than an average of the entire well length. The method used for groundwater sampling all depths of MW-40 CMT was a 3/8 inch Model 408M Micro Double Valve Pump. The double-valve pump is a pneumatic pump which was set to the bottom of each well depth, and pumped at each depth until groundwater parameters stabilized, and then groundwater was transferred to clean laboratory-supplied 40-milliliter glass volatile organic analysis vials (VOAs), sealed, labeled, and placed in a cool environment for transport to an NDEP-certified laboratory for analysis.

Decontamination procedures were performed throughout sampling. The pump, water level meter, and field meter probe were decontaminated after sampling each well. Purge water generated during the sampling of the monitoring wells was containerized in properly labeled steel 55-gallon drums and stored onsite pending off-site disposal.

Cardno ATC submitted the collected groundwater samples to an NDEP-certified analytical laboratory for the analysis of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 8260B. The analysis of metals (arsenic, chromium, and manganese) using EPA method 6020 for wells MW-19I, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60, and the analysis of hexavalent chromium using EPA method 218.6 for wells MW-19I, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60 was also performed.

Groundwater data collected during this sampling event are summarized in Table 1 and Table A-1. Monitoring and sampling field sheets are included in Appendix A.

2.1 Deviations

MW-27 and MW-39 were added to the sampling schedule to confirm that PCE concentrations had not significantly dropped at the site after the First Quarter 2014 sampling event.

Trip, field, and equipment blanks were sent to the lab along with the groundwater samples collected at each monitoring well in order to insure quality control. Cardno ATC also collected a duplicate groundwater sample from monitoring well MW-19D3.

Laboratory analysis of each groundwater sample produced quantitative data within quality assurance standards, with the exception of the analysis for hexavalent chromium from MW-19I and two comments made about sample issues. The sample for MW-19I was purple, most likely due to saturation from the prior nearby potassium permanganate pilot test, and therefore the analysis could not be performed. Other comments made were:

- EPA 6020: Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) are outside recovery criteria for Arsenic and Manganese on QC samples N013409-001DMS and N013409-001DMSD possibly due to matrix interference. The associated Laboratory Control Sample (LCS) recovery was acceptable.
- EPA 6020: Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) are outside recovery criteria for Chromium on QC samples N013409-001DMS and N013409-001DMSD since the analyte concentration in the sample is disproportionate to the spike level. The associated Laboratory Control Sample (LCS) recovery was acceptable.
- EPA 8260B: Analyte Tetrachloroethene in sample MW-18 (N013424-011) was reported outside of calibration range. Sample was analyzed at 10X and 20X dilution using the second and third vial but the readings were significantly lower. The higher number was reported as it matches more the historical data.

After reanalysis, no laboratory quality control data were flagged outside of established tolerances. The analytical data on water quality for the third quarter were accepted as representative of actual site conditions.

2.2 Groundwater Conditions

Groundwater elevations for this sampling event are summarized in Table 1, while historical groundwater data are summarized in Table A-1. Depths to groundwater in the wells sampled during this quarterly event ranged from 13.97 feet bgs (MW-18) to 31.52 feet bgs (MW-20D3). The average groundwater elevation of monitored wells (excluding MW-40 CMT-35 through CMT-60) was 21.52 feet bgs. There was a 0.03 foot increase when comparing similar monitoring wells that had groundwater measurements for both the Second Quarter 2014 and Third Quarter 2014. Based on the third quarter results, the local hydraulic gradient across the site is generally toward the east.

DO readings for across the site ranged from 12.43 to 7.43 milligrams per liter (mg/L). ORP readings from across the site ranged from -113.6 to 630.6 millivolts (mV).

2.2.1 Vertical Gradient Assessment

Cardno ATC utilized measured groundwater elevations to determine vertical gradients within two of the five sets of clustered wells at the site (MW-1/MW-9, MW-6D, MW-19D, MW-20D, and MW-40 CMT). Vertical gradients are measured to determine the upward or downward flow of groundwater. Clustered wells measured will have a deep and shallow well that are screened at different lengths which shows the vertical movement of the water within the adjacent geologic units. The EPA On-Line Vertical Gradient Calculator (<http://www.epa.gov/athens/learn2model/part-two/onsite/vgradient.html>) was used to determine the vertical gradient at the various well clusters.

Table 2-1 Vertical Gradient Calculation, 3rd Quarter 2014

Clustered/ Nested Well	Surface Elevation (feet asml)	Depth to Well Screen (feet bgs)	Screen Length (feet)	Depth to Water (feet bgs)	Magnitude (Screen mid-point value)	Flow Direction
MW-1 MW-9	MW-1: 1992.01 MW-9: 1992.25	MW-1: 10 MW-9: 48.5	MW-1: 20 MW-9: 1.5	MW-1: 20.15 MW-9: 20.55	0.006685	Down
MW-6D1 MW-6D3	MW-6D1: 1988.72 MW-6D3: 1988.72	MW-6D1: 50 MW-6D3: 100	MW-6D1: 10 MW-6D3: 10	MW-6D1: 20.40 MW-6D3: 26.93	0.1306	Down
MW-19D1 MW-19D2	MW-19D1: 1979.25 MW-19D2: 1979.28	MW-19D1: 31 MW-19D2: 60	MW-19D1: 20 MW-19D2: 10	MW-19D1: 27.06 MW-19D2: 27.67	0.02420	Down
MW-19D2 MW-19D3	MW-19D2: 1979.28 MW-19D3: 1979.32	MW-19D1: 60 MW-19D3: 92	MW-19D1: 10 MW-19D3: 10	MW-19D2: 27.67 MW-19D3: 29.00	0.04036	Down
MW-19D1 MW-19D3	MW-19D1: 1979.25 MW-19D3: 1979.32	MW-19D1: 31 MW-19D3: 92	MW-19D1: 20 MW-19D3: 10	MW-19D1: 27.06 MW-19D3: 29.00	0.03343	Down
MW-20D1 MW-20D2	MW-20D1: 1978.81 MW-20D2: 1978.66	MW-20D1: 25 MW-20D2: 55	MW-20D1: 20 MW-20D2: 10	MW-20D1: 27.05 MW-20D2: 27.21	0.01285	Down
MW-20D2 MW-20D3	MW-20D2: 1978.66 MW-20D3: 1978.69	MW-20D2: 55 MW-20D3: 90	MW-20D2: 10 MW-20D3: 10	MW-20D2: 27.21 MW-20D3: 31.52	0.1224	Down
MW-20D1 MW-20D3	MW-20D1: 1978.81	MW-20D1: 25	MW-20D1: 20	MW-20D1: 27.05	0.07767	Down

Clustered/ Nested Well	Surface Elevation (feet asml)	Depth to Well Screen (feet bgs)	Screen Length (feet)	Depth to Water (feet bgs)	Magnitude (Screen mid-point value)	Flow Direction
	MW-20D3: 1978.69	MW-20D3: 90	MW-20D3: 10	MW-20D3: 31.52		
MW-40 CMT-30 MW-40 CMT-45	MW-40 CMT-30: 1978.48 MW-40 CMT-45: 1978.48	MW-40 CMT-30: 30 MW-40 CMT-45: 45	MW-40 CMT-30: 0.6 MW-40 CMT-45: 0.6	MW-40 CMT-30: 26.65 MW-40 CMT-45: 26.50	0.01000	Up
MW-40 CMT-45 MW-40 CMT-60	MW-40 CMT-45: 1978.48 MW-40 CMT-60: 1978.48	MW-40 CMT-45: 45 MW-40 CMT-60: 60	MW-40 CMT-45: 0.6 MW-40 CMT-60: 0.6	MW-40 CMT-45: 26.50 MW-40 CMT-60: 26.52	0.001333	Down
MW-40 CMT-30 MW-40 CMT-60	MW-40 CMT-30: 1978.48 MW-40 CMT-60: 1978.48	MW-40 CMT-30: 30 MW-40 CMT-60: 60	MW-40 CMT-30: 0.6 MW-40 CMT-60: 0.6	MW-40 CMT-30: 26.65 MW-40 CMT-60: 26.52	0.004333	Up

Bold: Direction change from previous quarter

2.3 Groundwater Analytical Results

Cardno ATC collected groundwater samples on September 15th through 19th, 2014 from the existing groundwater monitoring wells (MW-1, MW-5, MW-6, MW-7, MW-9, MW-13, MW-14, MW-18, MW-19, MW-23, MW-25, MW-26, MW-27, MW-38, MW-39, MW-41, MW-42, MW-43, MW-14I, MW-19I, MW-6D1, MW-6D3, MW-19D1, MW-19D2, MW-19D3, MW-20D1, MW-20D2, MW-20D3, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60.) over the vicinity of the site (Figure 2).

Groundwater samples were submitted to Asset Laboratories of Las Vegas, Nevada, an NDEP-certified laboratory, for the analysis of VOCs using EPA method 8260B for samples collected, the analysis of metals (arsenic, chromium, and manganese) using EPA method 6020 for wells MW-19I, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60, and the analysis of hexavalent chromium using EPA method 218.6 for wells MW-19I, MW-40 CMT-30, MW-40 CMT-45, and MW-40 CMT-60.

The laboratory analytical results compared with qualitative changes in groundwater elevation and concentrations are summarized in Table 1. Laboratory analytical reports are provided in Appendix B.

Table 2-2 Groundwater Elevations, Current PCE/TCE Concentrations, and PCE Plume Stability Test

Well ID	Depth to GW Level (feet)	Groundwater Elevation (feet asml)	PCE (µg/L)	TCE (µg/L)	Mann-Kendall Trend (Since Well Installation)
MW-1	20.15	1971.86	96	<0.50	Decreasing
MW-2	NM	NM	NS	NS	Decreasing
MW-3	NM	NM	NS	NS	No Trend
MW-5	19.08	1969.61	350	0.94	Increasing
MW-6	19.27	1968.85	700	4.0	Increasing
MW-6D1	20.40	1968.32	120	<0.50	No Trend

Well ID	Depth to GW Level (feet)	Groundwater Elevation (feet amsl)	PCE (µg/L)	TCE (µg/L)	Mann-Kendall Trend (Since Well Installation)
MW-6D2	NM	NM	NS	NS	No Trend
MW-6D3	26.93	1961.79	10	<0.50	Increasing (No Trend 2 nd Quarter 2014)
MW-7	18.23	1972.55	4.7	<0.50	Increasing
MW-8	NM	NM	NS	NS	Decreasing
MW-9	20.55	1971.70	7.9	<0.50	Decreasing
MW-10	NM	NM	NS	NS	No Trend
MW-11	NM	NM	NS	NS	N/A ¹
MW-12	NM	NM	NS	NS	No Trend
MW-13	18.31	1965.00	640	2.8	Decreasing
MW-14	18.95	1968.38	330	1.0	Decreasing
MW-14I	19.41	1968.13	9,300	21	No Trend
MW-15	NM	NM	NS	NS	Stable
MW-16	NM	NM	NS	NS	N/A ¹
MW-17	NM	NM	NS	NS	Decreasing
MW-18	13.97	1948.93	620	0.78	Decreasing
MW-19	NM	NM	NS	NS	Probably Decreasing
MW-19I	26.81	1951.56	<0.50	<0.50	No Trend
MW-19D1	27.06	1952.19	240	1.5	Stable (No Trend 2 nd Quarter 2014)
MW-19D2	27.67	1951.61	10	<0.50	Probably Increasing (No Trend 2 nd Quarter 2014)
MW-19D3	29.00	1950.32	710	4.7	No Trend
MW-20	NM	NM	NS	NS	Decreasing
MW-20D1	27.05	1952.76	160	0.62	No Trend
MW-20D2	27.21	1951.45	140	0.84	Stable
MW-20D3	31.52	1947.17	9.6	<0.50	No Trend
MW-21	NM	NM	NS	NS	Decreasing
MW-22	NM	NM	NS	NS	N/A ¹
MW-23	17.89	1944.56	120	<0.50	Decreasing
MW-24	NM	NM	NS	NS	Probably Decreasing
MW-25	20.82	1938.47	550	<0.50	Decreasing
MW-26	18.60	1934.85	360	<0.50	Decreasing (Probably Decreasing 2 nd Quarter 2014)
MW-27	17.94	1926.21	290	<0.50	No Trend
MW-28	NM	NM	NS	NS	Decreasing
MW-29	NM	NM	NS	NS	Decreasing
MW-30	NM	NM	NS	NS	Probably Decreasing

Well ID	Depth to GW Level (feet)	Groundwater Elevation (feet amsl)	PCE (µg/L)	TCE (µg/L)	Mann-Kendall Trend (Since Well Installation)
MW-31	NM	NM	NS	NS	No Trend
MW-32	20.15	1932.75	360	1.0	Decreasing
MW-33	NM	NM	NS	NS	Decreasing
MW-34	NM	NM	NS	NS	Decreasing
MW-35	NM	NM	NS	NS	Decreasing
MW-36	NM	NM	NS	NS	Stable
MW-37	NM	NM	NS	NS	No Trend
MW-38	15.12	1893.26	5.8	<0.50	No Trend
MW-39	26.15	1941.40	120	<0.50	Stable
MW-40 CMT-30	26.65	1951.84	4.6	<0.50	No Trend (Probably Decreasing 2 nd Quarter 2014)
MW-40 CMT-35	NM	NM	NS	NS	No Trend
MW-40 CMT-40	NM	NM	NS	NS	Decreasing
MW-40 CMT-45	26.50	1951.99	240	3.0	Stable
MW-40 CMT-50	NM	NM	NS	NS	Stable
MW-40 CMT-55	NM	NM	NS	NS	Stable
MW-40 CMT-60	26.52	1951.97	700	10	Probably Decreasing
MW-41	15.50	1893.39	2.8	<0.50	No Trend
MW-42	16.45	1893.86	0.53	<0.50	Stable
MW-43	17.33	1941.00	<0.50	<0.50	No Trend

Notes: ¹ Mann-Kendall Trend Test was not utilized on MW-11, MW-16, and MW-22 because they had historically been reported under laboratory detection limits
 NM = Not sampled and dtw measurements not taken
 Amsl: Above Mean Sea Level
Bold: Trend change from previous quarter

The groundwater locations selected for quarterly monitoring represent the most recently installed wells and wells that cover the groundwater conditions at the Maryland Square site. The range of groundwater elevations spanned from 1893.26 feet above mean sea level (amsl) (MW-38) to 1972.55 feet amsl (MW-7). Groundwater elevations are summarized in Tables 1, A-1, and A-2.

Groundwater elevations decreased across groundwater monitoring wells located on the Maryland Square property by 0.05 feet compared with similar wells with Second Quarter 2014 data. Groundwater elevations across the Boulevard Mall property decreased by an average of 0.99 feet. Groundwater elevations decreased across groundwater monitoring wells located on the surrounding streets and golf course area by 0.83 feet when compared with similar wells with Second Quarter 2014 data. Application of a large volume of irrigation water at the golf course, especially during summer months, may influence water elevation in shallow groundwater measured in the monitoring wells. This influence is historically observed in MW-27, MW-28, MW-30, MW-31, MW-32, and MW-33.

PCE was detected in the groundwater samples collected from monitoring wells except MW-6D1, MW-19I, and MW-43. PCE was detected at concentrations ranging from 0.53 µg/L (MW-42) to 9,300 µg/L (MW-14I). PCE concentrations identified by the laboratory in the groundwater samples collected from wells MW-1, MW-5, MW-6, MW-9, MW-13, MW-14, MW-18, MW-23, MW-25, MW-26, MW-27, MW-32, MW-38, MW-39, MW-6D3, MW-14I, MW-19D1, MW-19D2, MW-19D3, MW-20D1, MW-20D2, MW-20D3, MW-40 CMT-45, and MW-40 CMT-60 exceeded the maximum contaminant levels (MCL) for PCE in groundwater of 5 µg/L.

Although sampling procedures remained consistent with previous sampling events, the Third Quarter 2014 sampling results resulted in wells experiencing decreases in PCE concentrations while other wells remained relatively unchanged. Most of the wells that experienced the largest decrease in PCE concentrations were shallow screened wells that traditionally had PCE concentrations greater than 500 µg/L. The following table shows wells that were outside of the observed historical values of PCE at the site and experienced a greater than 30 percent decrease when compared with the previous sampling results from the well.

Table 2-3 3rd Quarter PCE Concentrations Versus Historical PCE Concentrations

Well ID	Quarter	PCE Current Quarter	PCE Previous Quarter Sampled	Percent Change	Total Number of Samples	Minimum PCE Concentration	Overall PCE Average	Overall PCE % Change	PCE Average (2012-2014)	PCE % Change (2012-2014)
MW-1	3Q14	96	350	-73	30	96	840	-89	292	-67
MW-5	3Q14	350	780	-55	29	67	412	-15	604	-42
MW-6	3Q14	700	3,000	-77	30	530	1,951	-64	2,500	-72
MW-13	3Q14	640	1,800	-64	26	640	2,425	-74	1,310	-51
MW-14	3Q14	330	1,500	-78	28	330	1,750	-81	1,341	-75
MW-18	3Q14	620	1,100	-44	29	620	1,419	-56	1,000	-38
MW-23	3Q14	120	850	-86	29	2	1,120	-89	756	-84
MW-26	3Q14	360	860	-58	27	360	799	-55	694	-48
MW-27	3Q14	290	430	-33	32	160	417	-30	398	-27
MW-32	3Q14	360	610	-41	19	360	730	-51	583	-38

Note: First Quarter 2014 results were not included in any calculations

These wells are distributed over the entire site and were sampled on different days. While most of the wells with a higher PCE concentration, shallow screens showed PCE decreases of greater than 50%, deeper screened wells such as MW-14I and MW-40 CMT-60 only experienced PCE decreases of 5.1% and 6.7% respectively while being sampled on the same day as other wells that showed large decreases. The only wells that experienced increases in PCE concentrations compared with the previous quarter were deeper screened wells. Cardno ATC believes that sampling error is not the cause of the anomalous result in multiple wells due to the fact that the decreases did not occur in all well types and were not limited to a specific area or date of sampling.

A potential reason for the inconsistent sampling results has to do with the pump depth placement between quarters. Historically, in accordance with NDEP approved sampling techniques, Cardno ATC has measured the depth to water and total depth of the well, and if the well screen was not submerged we would place the pump depth halfway between the depth to water measurement and total depth measurement. With changing groundwater depths, this would result in the pump drawing water from a potential pathway of a higher or lower permeable zone which could result in higher or lower concentrations over time. Due to the heterogeneous soil conditions present at across the site, it is possible that the pump depth could have been placed in a higher or lower permeability zone that led to varying PCE results. In additional vertical gradients have changed to downward in some of the nested wells indicating that PCE may be also migrating vertically and that

concentrations could alter with depth of screen or length of the screen (greater than 10 feet impacts the effectiveness of low flow sampling).

Additional sampling was recommended at well MW-19D following pilot testing activities utilizing potassium permanganate. Pilot testing activities seemed to have unintended consequences in the movement of contamination due to the injection that warranted further investigation. The following table shows the results of testing following pilot testing activities that occurred in March 2013.

Table 2-4 Summary of MW-19D Groundwater Testing, 1st Quarter 2013 to 3rd Quarter 2014

Well ID	Date	PCE (µg/L)	TCE (µg/L)
MW-19D1	03/08/13	300	2.9
	06/13/13	690	4.2
	09/09/13	990	4.2
	11/08/13	620	3.5
	01/27/14	490	2.4
	02/19/14	210	1.1
	03/12/14	3.7	<0.50
	06/11/14	730	4.2
MW-19D2	03/08/13	170	1.5
	06/13/13	<0.50	<0.50
	09/09/13	<0.50	<0.50
	11/08/13	<0.50	<0.50
	01/27/14	<0.50	<0.50
	02/19/14	<0.50	<0.50
	03/12/14	0.53	<0.50
	06/11/14	6.0	<0.50
MW-19D3	03/08/13	0.50	<0.50
	06/13/13	0.68	<0.50
	09/09/13	710	4.8
	11/08/13	160	0.75
	01/27/14	32	<0.50
	02/19/14	36	<0.50
	03/12/14	17	<0.50
	06/11/14	40	<0.50
09/19/14	710	4.7	

Shaded row represents results prior to pilot testing

Grey text represents First Quarter 2014 sampling event, not deemed representative of site conditions.

After potassium permanganate pilot testing, by the Third Quarter 2013 sampling event, PCE concentrations had increased significantly at MW-19D1 and MW-19D3 while decreasing significantly at MW-19D2. After monthly and quarterly monitoring of MW-19D, it appeared that PCE concentrations had either stabilized or were decreasing from the high points observed during the Third Quarter 2013 sampling at MW-19D2 and MW-19D3, but may still have been increasing at MW-19D1. After the Third Quarter 2014 sampling however, a large increase in PCE concentration occurred in MW-19D3 with a corresponding decrease in MW-19D1. The primary concern from the Third Quarter 2014 sampling event was the substantial increase in PCE concentration noted at MW-19D3, which was previously thought to have stabilized. When the initial spike happened in Third Quarter 2013, it was assumed that the nearby injection of large volumes of potassium permanganate had displaced the existing PCE contamination in the area and caused the PCE plume to travel deeper to areas it had not formerly thought to exist. Cardno ATC notes that both spikes occurred during the third quarter of the year. Cardno ATC assessed the vertical gradients between MW-19D1 and MW-19D3 for each quarter from First Quarter 2013 to Third Quarter 2014. The vertical gradient between the two wells was “up” every quarter monitored, except for Third

Quarter 2013 and Third Quarter 2014 when the vertical gradient was “down”. Groundwater extraction planned to be performed in this area next year should control vertical and horizontal gradients.

A duplicate sample was collected from MW-19D3. MW-19D3 PCE concentrations were measured at 710 µg/L and 720 µg/L, a relative percent difference (RPD) of 1.4%. The duplicate sample result did not show significant statistical variation based on the levels of the concentrations.

Trichloroethene (TCE) was detected at concentrations ranging from 0.62 µg/L to 21 µg/L in the groundwater samples collected from wells MW-5, MW-6, MW-13, MW-14 MW-14I, MW-18, MW-19D1, MW-19D3, MW-20D1, MW-20D2, MW-32, MW-40 CMT-45 and MW-40 CMT-60. The detected concentrations were below the MCL for TCE in groundwater of 5 µg/L, with the exception of MW-14I (21 µg/L) and MW-40 CMT-60 (10 µg/L).

Cis-1,2-dichloroethene (DCE) was detected in monitoring wells MW-6 (1.2 µg/L), MW-14I (1.4 µg/L), and MW-40 CMT-60 (2.8 µg/L). The detected concentrations were below the MCL for DCE in groundwater of 70 µg/L.

Vinyl chloride (VC) was not detected at concentrations in excess of laboratory detection levels (0.50 µg/L). The presence of small amounts of TCE and cis-1,2 DCE suggests that reductive dechlorination is not significant at the site.

Metals and Hexavalent Chromium were also analyzed this quarter, to compare with concentrations obtained by Tetra Tech after pilot tests were conducted using potassium permanganate (KMnO₄) and PulseOx in early 2013. The following table shows Tetra Tech data along with concentrations detected during Cardno ATC’s successive sampling events.

Table 2-5 Summary of Metals Concentrations in Select Wells, 1st Quarter 2013 to 3rd Quarter 2014

Well ID	Date	PCE (µg/L)	Arsenic (µg/L)	Manganese (µg/L)	Chromium (µg/L)	Hexavalent Chromium (µg/L)
MW-19 (KMnO ₄ Pilot Test, upgradient)	03/08/13	520	7.4	170	17	NA
	03/12/13	390	2	120,000	25	NA
	03/27/13	14	0.33	43,000	130	NA
	04/04/13	110	2	7,100	79	NA
	04/11/13	220	1.8	5,400	44	NA
	05/02/13	810	2.7	460	9.7	NA
	06/14/13	530	2.3	68	4.6	2.5
	09/09/13	840	4.0	<0.50	1.8	1.9
	11/07/13	440	3.3	<0.50	1.3	1.7
	03/07/14	910	3.2	<0.50	1.7	2.0
MW-19I (KMnO ₄ Pilot Test, downgradient)	06/09/14	NS	NS	NS	NS	NS
	09/15/14	NS	NS	NS	NS	NS
	03/08/13	710	2.0	ND	1.6	NA
	03/12/13	280	1.7	2,700	14	NA
	03/26/13	9.4	0.93	27,000	44	NA
	04/04/13	3.5	3	4,700	170	NA
	04/11/13	1.7	0.19	9,400	52	NA
	05/02/13	0.61	1.2	20,000	43	NA
	06/12/13	<0.50	0.34	62,000	87	NA*
	09/09/13	<0.50	0.24	26,000	12	NA*
11/08/13	<0.50	1.1	48,000	290	NA*	
03/12/14	<0.50	<0.10	51,000	300	NA*	
06/11/14	<0.50	0.97	260,000	370	NA*	
09/18/14	<0.50	<0.10	14,000	260	NA*	
MW-20 (PulseOx Pilot Test, upgradient)	03/26/13	290	4.7	NA	4.3	NA
	04/10/13	480	5.6	NA	9.7	NA
	04/23/13	850	6.1	NA	8.8	NA
	05/02/13	470	4	NA	2.7	NA
	06/12/13	660	2.4	<0.50	1.6	1.1
	09/09/13	570	3.2	<0.50	1.1	1.2

Well ID	Date	PCE (µg/L)	Arsenic (µg/L)	Manganese (µg/L)	Chromium (µg/L)	Hexavalent Chromium (µg/L)
	11/07/13	530	2.6	<0.50	<1.0	1.3
	03/12/14	170	3.6	64	5.1	3.5
	06/09/14	NS	NS	NS	NS	NS
	09/15/14	NS	NS	NS	NS	NS
MW-40 CMT-30 (PulseOx Pilot Test, downgradient)	03/25/13	4.7	4	NA	ND	NA
	04/10/13	0.86	7.2	NA	65	NA
	04/23/13	8.8	4.6	NA	180	NA
	05/01/13	1.2	5.9	NA	210	NA
	06/14/13	10	3.9	<0.50	140	140
	09/04/13	2.1	2.3	43	55	120
	11/06/13	1.3	3.6	77	110	110
	03/06/14	4.5	3.6	83	15	17
06/10/14	3.2	3.6	25	5.0	5.5	
09/18/14	4.6	4.3	70	1.6	1.1	
MW-40 CMT-35 (PulseOx Pilot Test, downgradient)	03/25/13	14	14	NA	ND	NA
	04/10/13	6.9	6.9	NA	ND	NA
	04/23/13	2.6	2.6	NA	5.7	NA
	05/01/13	3.5	3.5	NA	25	NA
	06/14/13	3.6	4	250	2.9	1.1
	09/04/13	9.6	9.6	450	<1.0	0.23
	11/06/13	12	7.8	430	<1.0	<0.20
	03/06/14	2.6	4.6	370	<1.0	0.31
06/09/14	NS	NS	NS	NS	NS	
09/15/14	NS	NS	NS	NS	NS	
MW-40 CMT-40 (PulseOx Pilot Test, downgradient)	03/25/13	270	2.5	NA	3.2	NA
	04/10/13	94	2.5	NA	6.6	NA
	04/23/13	150	2.4	NA	20	NA
	05/01/13	96	3.3	NA	38	NA
	06/14/13	53	3.0	26	9.8	22
	09/04/13	37	2.7	100	22	25
	11/06/13	51	1.9	61	14	15
	03/06/14	27	1.9	360	1.3	2.0
06/09/14	NS	NS	NS	NS	NS	
09/15/14	NS	NS	NS	NS	NS	
MW-40 CMT-45 (PulseOx Pilot Test, downgradient)	03/25/13	310	2.4	NA	ND	NA
	04/10/13	120	2.0	NA	15	NA
	04/23/13	100	1.8	NA	41	NA
	05/01/13	78	2.7	NA	47	NA
	06/17/13	47	1.6	<0.50	39	43
	09/04/13	110	2.4	100	7.6	8.3
	11/06/13	77	1.5	110	6.0	6.1
	03/06/14	24	1.8	160	4.0	5.1
06/10/14	250	1.6	250	<1.0	0.85	
09/18/14	240	1.5	70	<1.0	<0.20	
MW-40 CMT-50 (PulseOx Pilot Test, downgradient)	03/25/13	280	4.1	NA	ND	NA
	04/10/13	110	2.2	NA	14	NA
	04/23/13	120	2	NA	38	NA
	05/01/13	79	3.1	NA	41	NA
	06/17/13	64	2.2	<0.50	8.2	8.9
	09/11/13	24	4.3	43	<1.0	0.39
	11/06/13	120	1.9	250	<1.0	0.35
	03/06/14	72	2.0	120	<1.0	0.25
06/09/14	NS	NS	NS	NS	NS	
09/15/14	NS	NS	NS	NS	NS	

Well ID	Date	PCE (µg/L)	Arsenic (µg/L)	Manganese (µg/L)	Chromium (µg/L)	Hexavalent Chromium (µg/L)
MW-40 CMT-55 (PulseOx Pilot Test, downgradient)	03/25/13	390	1.5	NA	ND	NA
	04/10/13	570	1.6	NA	3.9	NA
	04/23/13	510	1.5	NA	10	NA
	05/01/13	430	2.7	NA	12	NA
	06/17/13	200	1.6	<0.50	26	27
	09/11/13	38	3.4	38	<1.0	0.49
	11/06/13	110	2.4	69	20	11
	03/06/14	130	1.2	380	4.7	5.1
	06/09/14	NS	NS	NS	NS	NS
09/15/14	NS	NS	NS	NS	NS	
MW-40 CMT-60 (PulseOx Pilot Test, downgradient)	03/25/13	1,200	1.8	NA	ND	NA
	04/10/13	1,200	1.7	NA	ND	NA
	04/23/13	1,400	1.5	NA	1.1	NA
	05/01/13	1,200	2.7	NA	2	NA
	06/17/13	1,000	1.4	<0.50	5.7	6.6
	09/11/13	20	2.5	18	<1.0	0.92
	11/06/13	190	0.96	43	3.2	3.7
	03/06/14	360	1.3	470	4.4	1.3
	06/10/14	750	1.2	140	31	18
09/18/14	700	1.3	290	52	12	

Notes: NA=Not Analyzed NS= Not Sampled
 ND=Non Detect
 Shaded row represents baseline test
 Grey text represents First Quarter 2014 sampling event, not deemed representative of site conditions.
 *=Sample could not be analyzed for Cr(VI) because sample was saturated with potassium permanganate

The primary metal of concern was the effects of the oxidant on trivalent and hexavalent chromium concentrations in groundwater. Cardno ATC performed groundwater testing after the completion of the pilot testing and found elevated levels of chromium in the tested wells, except for MW-19 and MW-20, compared to before pilot testing. Both MW-19 and MW-20 are located upgradient from the pilot testing. Cardno ATC also performed analysis of hexavalent chromium (Cr(VI)), because the oxidizing effect of the two treatments has the potential to change the non-toxic, non- mobile Cr(III) into the acutely toxic, mobile Cr(VI). Hexavalent chromium levels ranged from 1.1 µg/L to 12 µg/L. Monitoring well MW-19I (260 µg/L) exceeded the MCL of 100 µg/L for total chromium in groundwater. No MCL has been established for CR(VI), but NDEP has set a basic comparison level (BCL) of 100 µg/L in groundwater, which none of the monitoring wells exceeded. Literature suggests that the increase of chromium levels may be a temporary condition.

The potassium permanganate pilot test led to an expected increase of manganese at MW-19 and MW-19I due to the injection of the solution containing manganese into the groundwater. Manganese levels in MW-19 have steadily decreased to below laboratory detection limits; however monitoring well MW-19I had reported levels of manganese at 14,000 µg/L, which is equivalent to the manganese levels observed at the start of the potassium permanganate pilot test that was conducted in early 2013. Manganese has persisted within MW-19I longer than initially anticipated. Cardno ATC also noted a corresponding increase in the chromium concentration from MW-19I. This condition will continue to be monitored in the future.

Monitoring wells affected by the pilot testing continue to have elevated results of some metals when compared with pre-pilot testing conditions. Metals will continue to be monitored in the wells affected by the pilot testing until pre-pilot test conditions are identified. PCE concentrations also appear to have undergone some rebound in wells MW-40 CMT-45 and MW-40 CMT-60, even though there is some residual manganese left from the pilot testing. Although the timeframe of the manganese within the wells lasted significantly longer than previously

anticipated, rebound should be expected, especially in the deeper wells that proved difficult to administer the potassium permanganate injection effectively.

2.4 Mann-Kendall Trend Test for Plume Stability

The Mann-Kendall Trend Test for Plume Stability was used to determine whether the plume is increasing, probably increasing, decreasing, probably decreasing, stable, or showing no trend at each particular well. At least four quarters of sampling data is needed for the test to determine whether the plume is increasing or decreasing at a well, so the wells installed this year were not included in the analysis. A confidence factor greater than 95% was needed to state whether PCE concentrations at a given well are increasing or decreasing. A confidence factor between 90% and 95% was needed to state PCE concentrations at a given well are increasing or decreasing. Past sample data was gathered for each well. Results of the Mann-Kendall Test indicated that the PCE plume was decreasing at twenty wells and increasing at four wells. The Mann-Kendall Test also showed that the plume was probably decreasing at four wells, probably increasing at one well, stable at ten wells, and showed no trend at seventeen wells (twenty including MW-11, MW-16, and MW-22 which weren't analyzed due to historically low readings). Many wells have just reached or are close to the minimum amount of sampling data necessary for the Mann-Kendall Trend Test to give an output and therefore many currently show no trend.

Four wells currently are increasing to the trend test at the site (MW-5, MW-6, MW-7, and MW-6D3). Concentrations of MW-7 fluctuate between 1 and 11 µg/L over the span of twelve years. The low concentrations of PCE and small range of concentrations of MW-7 represent a low concern at the site, however the continued PCE results from the well could show that some residual source material still remains at the Maryland Square property. Although concentrations are also low at MW-6D3, ranging from less than the laboratory detection limit to 10 µg/L, MW-6D3 is screened from 100 feet to 110 feet below ground surface and could demonstrate that PCE contamination is deeper than originally thought or is migrating downward. The vertical gradient analysis between MW-6D1 and MW-6D3 showed a large magnitude of downward movement between the two wells. However, only five sampling events are used in the Mann-Kendall model currently so the model lacks precision at this time. Wells MW-5 and MW-6 both have higher PCE concentrations (approximately 800 µg/L in MW-5 and approximately 3,000 µg/L in MW-6). MW-6 is located directly along the centerline of the plume and MW-5 is south of MW-6 by approximately 90 feet. The two wells have exhibited the increasing trend over the span of fourteen years. Based on their location, to the east of Maryland Parkway, it is possible that additional source material remains under the road and is continuing to contribute to the plume. The future remediation plan for the site should address the possibility of source material being present under Maryland Parkway and be prepared for the possible migration on to the Boulevard Mall Property.

3 Summary

Cardno ATC provides the following summary based on the results of the Third Quarter 2014 groundwater sampling event:

- Tetrachloroethene (PCE) was detected at concentrations ranging from 0.53 µg/L to 9,300 µg/L. The MCL for PCE in groundwater is 5 µg/L. PCE concentrations are summarized in the following table:

Table 3-1 Summary of PCE Concentrations in Monitoring Wells across the Site, 3rd Quarter 2014

Non Detect (<0.50 µg/L)	>0.50 µg/L to <5.0 µg/L	5.0 µg/L to 9,300 µg/L	
MW-6D1	MW-7	MW-1	MW-20D1
MW-19I	MW-40 CMT-30	MW-5	MW-20D2
MW-43	MW-41	MW-6	MW-20D3
	MW-42	MW-9	MW-23
		MW-6D3	MW-25
		MW-13	MW-26
		MW-14	MW-27
		MW-14I	MW-32
		MW-18	MW-38
		MW-19D1	MW-39
		MW-19D2	MW-40 CMT-45
		MW-19D3	MW-40 CMT-60

- Trichloroethene (TCE) was detected at concentrations ranging from 0.62 µg/L to 21 µg/L. The MCL for TCE in groundwater is 5 µg/L. TCE concentrations are summarized in the following table:

Table 3-2 Summary of TCE Concentrations in Monitoring Wells across the Site, 3rd Quarter 2014

Non Detect (<0.50 µg/L)	>0.5 µg/L to <5.0 µg/L	5.0 µg/L to 21 µg/L	
MW-1	MW-27	MW-5	MW-14I
MW-6D1	MW-38	MW-6	MW-40 CMT-60
MW-6D3	MW-39	MW-13	
MW-7	MW-40 CMT-30	MW-14	
MW-9	MW-41	MW-18	
MW-19D2	MW-42	MW-19D1	
MW-19I	MW-43	MW-19D3	
MW-20D3		MW-20D1	
MW-23		MW-20D2	
MW-25		MW-32	
MW-26		MW-40 CMT-45	

- Cis-1,2-dichloroethene (DCE) was detected in monitoring wells MW-6 (1.2 µg/L), and MW-14I (1.4 µg/L), and MW-40 CMT-60 (2.8 µg/L). The detected concentrations were below the MCL for DCE in groundwater of 70 µg/L.

- Hexavalent Chromium (Cr(VI)) was detected in monitoring wells MW-40 CMT-30 (1.1 µg/L) and MW-40 CMT-60 (12 µg/L). Tested monitoring wells were below the NDEP basic comparison level (BCL) of 110 µg/L in groundwater. However, the total chromium concentration measured in MW-19I (260 µg/L) exceeded the MCL of 100 µg/L in groundwater. MW-19I was not able to be analyzed for hexavalent chromium content due to the color of the groundwater sample.

3.2 Recommendations

Cardno ATC recommends continuing monitoring and sampling of the site monitoring wells in accordance with the NDEP approved 2014 schedule.

Monitoring wells affected by the pilot testing continue to have elevated results of some metals when compared with pre-pilot testing conditions. Metals will continue to be monitored in the wells affected by the pilot testing until pre-pilot test conditions are identified.

Cardno ATC recommends working with NDEP to evaluate and determine if modifications to the sampling methodology are warranted to support consistent sample results to allow for comparison over time.

A copy of this report has been forwarded to the NDEP case officer for review.

3.3 Limitations

This report has been prepared for the exclusive use of Herman Kishner Trust, as it pertains to Maryland Square PCE Site located at 3661 South Maryland Parkway, in Las Vegas, Nevada. Our professional services have been performed, our findings obtained, and our recommendations prepared in accordance with customary principles and practices in the fields of environmental science and engineering. This warranty is in lieu of all other warranties either expressed or implied. This company is not responsible for the independent conclusions, opinions, or recommendations made by others based on the records review, site inspection, field exploration, and laboratory test data presented in this report.

It should be noted that all surficial environmental assessments are inherently limited in the sense that conclusions are drawn and recommendations developed from information obtained from limited research and site evaluation. For these types of evaluations, it is often necessary to use information prepared by others and Cardno ATC cannot be responsible for the accuracy of such information. In addition, the passage of time may result in a change in the environmental characteristics at this site and surrounding properties. This report does not warrant against future operations or conditions, nor does it warrant operations or conditions present of a type or at a location not investigated. This report is not a regulatory compliance audit and is not intended to satisfy the requirements of any state, federal, or local real estate transfer laws.

It must be noted that no investigation can absolutely rule out the existence of any hazardous materials at a given site. This assessment has been based upon prior site history, observable conditions, and the subsurface soil sampling described in this report. Existing hazardous materials and contaminants can escape detection using these methods.

4 Environmental Certification Jurat

This Third Quarter 2014 Groundwater Monitoring and Sampling Report for Maryland Square PCE Site located at 3661 South Maryland Parkway, Las Vegas, Nevada, has been prepared in accordance with Nevada Administrative Code (NAC), Chapter 459, Section 9717.

I hereby certify that I am responsible for the services described in this document and for the preparation of this document. The services described in this document have been provided in a manner consistent with the current standards of the profession and, to the best of my knowledge, comply with all applicable Federal, State and local statutes, regulations and ordinances.

If you have any questions or require additional information, please feel free to contact the undersigned at (702) 990-9300.

Sincerely,

Cardno ATC



Adam Katlein
Senior Staff Scientist



Andrew D. Stuart
Branch Manager
Nevada Certified Environmental Manager
No. EM-1905 (Expires 01/26/15)

cc: Dr. Mary Siders, Nevada Division of Environmental Protection-Carson City, Nevada

Maryland Square PCE Site

TABLES

**Table A-1: Current Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date of Well Installation	Date of Sampling	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	Screen Interval (feet bgs)	Dissolved Oxygen (mg/L)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)
Project Monitoring Wells Located on Maryland Square Property												
MW-1	Aug 00	Sep 14	1992.01	20.15	1971.86	10-30	6.41	2.3	65.8	96	<0.50	<0.50
MW-7	Sep 02	Sep 14	1990.78	18.23	1972.55	10-30	6.32	2.3	108.3	4.7	<0.50	<0.50
MW-8	Sep 02	Sep 14	1991.71	NM	NM	10-30	NM	NM	NM	NS	NS	NS
MW-9	Sep 02	Sep 14	1992.25	20.55	1971.70	48.5-50	3.98	0.9	58.5	7.9	<0.50	<0.50
MW-12	Sep 02	Sep 14	1995.95	NM	NM	13.5-33.5	NM	NM	NM	NS	NS	NS
MW-17	Nov 03	Sep 14	1991.04	NM	NM	15-30	NM	NM	NM	NS	NS	NS
MW-34	Dec 11	Sep 14	1993.88	NM	NM	--	NM	NM	NM	NS	NS	NS
MW-35	Dec 11	Sep 14	1991.37	NM	NM	--	NM	NM	NM	NS	NS	NS
Project Monitoring Wells Located on Boulevard Mall Property												
MW-2	Oct 00	Sep 14	1983.53	NM	NM	10-32	NM	NM	NM	NS	NS	NS
MW-3	Oct 00	Sep 14	1983.81	NM	NM	10-31	NM	NM	NM	NS	NS	NS
MW-5	Oct 00	Sep 14	1988.69	19.08	1969.61	10-32	6.56	2.2	70.4	350	0.94	<0.50
MW-6	Oct 00	Sep 14	1988.12	19.27	1968.85	10-32	6.47	2.1	63.5	700	4.0	1.2
MW-6D1	Jan 13	Sep 14	1988.72	20.40	1968.32	50-60	4.24	0.5	120.0	120	<0.50	<0.50
MW-6D2	Jan 13	Sep 14	1988.72	NM	NM	80-90	NM	NM	NM	NS	NS	NS

**Table A-1: Current Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date of Well Installation	Date of Sampling	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	Screen Interval (feet bgs)	Dissolved Oxygen (mg/L)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)
Project Monitoring Wells Located on Boulevard Mall Property												
MW-6D3	Jan 13	Sep 14	1988.72	26.93	1961.79	100-110	6.17	0.3	65.4	10	<0.50	<0.50
MW-10	Sep 02	Sep 14	1983.28	NM	NM	10-30	NM	NM	NM	NS	NS	NS
MW-11	Sep 02	Sep 14	1979.87	NM	NM	13.5-33.5	NM	NM	NM	NS	NS	NS
MW-13	May 03	Sep 14	1983.31	18.31	1965.00	9-29	5.92	2.3	133.2	640	2.8	<0.50
MW-14	Nov 03	Sep 14	1987.33	18.95	1968.38	15-40	3.53	2.3	122.2	330	1.0	<0.50
MW-14I	Jul 12	Sep 14	1987.54	19.41	1968.13	40-55	4.00	0.9	93.2	9,300	21	1.4
MW-15	Nov 03	Sep 14	1982.74	NM	NM	15-32	NM	NM	NM	NS	NS	NS
MW-16	Nov 03	Sep 14	1980.53	NM	NM	19-32	NM	NM	NM	NS	NS	NS
MW-19	Nov 03	Sep 14	1980.13	NM	NM	19-35	NM	NM	NM	NS	NS	NS
MW-19D1	Jan 13	Sep 14	1979.25	27.06	1952.19	31-51	6.39	2.1	332.7	240	1.5	<0.50
MW-19D2	Jan 13	Sep 14	1979.28	27.67	1951.61	60-70	4.82	1.4	530.6	10	<0.50	<0.50
MW-19D3	Jan 13	Sep 14	1979.32	29.00	1950.32	92-102	6.47	2.0	256.0	710	4.7	<0.50
MW-19I	Jul 12	Sep 14	1978.37	26.81	1951.56	34-54	7.34	2.1	630.6	<0.50	<0.50	<0.50
MW-20	Nov 03	Sep 14	1979.82	NM	NM	19-35	NM	NM	NM	NS	NS	NS
MW-20D1	Jan 13	Sep 14	1978.81	27.05	1952.76	25-45	3.95	2.0	212.5	160	0.62	<0.50

**Table A-1: Current Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date of Well Installation	Date of Sampling	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	Screen Interval (feet bgs)	Dissolved Oxygen (mg/L)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)
Project Monitoring Wells Located on Boulevard Mall Property												
MW-20D2	Jan 13	Sep 14	1978.66	27.21	1951.45	55-65	3.92	2.2	228.5	140	0.84	<0.50
MW-20D3	Jan 13	Sep 14	1978.69	31.52	1947.17	90-100	3.86	0.5	215.2	9.6	<0.50	<0.50
MW-21	Nov 03	Sep 14	1979.25	NM	NM	19-36	NM	NM	NM	NS	NS	NS
MW-40 CMT-30	Jul 12	Sep 14	1978.49	26.65	1951.84	30-30.6	5.07	1.8	313.4	4.6	<0.50	<0.50
MW-40 CMT-35	Jul 12	Sep 14	1978.49	NM	NM	35-35.6	NM	NM	NM	NS	NS	NS
MW-40 CMT-40	Jul 12	Sep 14	1978.49	NM	NM	40-40.7	NM	NM	NM	NS	NS	NS
MW-40 CMT-45	Jul 12	Sep 14	1978.49	26.50	1951.99	45-45.6	3.34	1.3	-50.5	240	3.0	<0.50
MW-40 CMT-50	Jul 12	Sep 14	1978.49	NM	NM	50-50.6	NM	NM	NM	NS	NS	NS
MW-40 CMT-55	Jul 12	Sep 14	1978.49	NM	NM	55-55.6	NM	NM	NM	NS	NS	NS
MW-40 CMT-60	Jul 12	Sep 14	1978.49	26.52	1951.97	60-60.6	3.39	1.9	-113.6	700	10.0	2.8
Project Monitoring Wells Located on Surrounding Streets and Golf Course												
MW-18	Nov 03	Sep 14	1962.90	13.97	1948.93	5-26	2.46	1.8	91.5	620	0.78	<0.50
MW-22	Mar 05	Sep 14	1975.19	NM	NM	15-36	NM	NM	NM	NS	NS	NS
MW-23	Mar 05	Sep 14	1962.45	17.89	1944.56	5-26	3.15	1.9	95.3	120	<0.50	<0.50
MW-24	Mar 05	Sep 14	1960.82	NM	NM	5-26	NM	NM	NM	NS	NS	NS
MW-25	Mar 05	Sep 14	1959.29	20.82	1938.47	5-26	NM	2.3	89.7	550	<0.50	<0.50

**Table A-1: Current Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date of Well Installation	Date of Sampling	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	Screen Interval (feet bgs)	Dissolved Oxygen (mg/L)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)
Project Monitoring Wells Located on Surrounding Streets and Golf Course												
MW-26	Mar 06	Sep 14	1953.45	18.60	1934.85	10-36	NM	2.4	80.2	360	<0.50	<0.50
MW-27	Mar 06	Sep 14	1944.15	17.94	1926.21	10-36	NM	2.1	96.1	290	<0.50	<0.50
MW-28	Oct 07	Sep 14	1943.07	NM	NM	15-36	NM	NM	NM	NS	NS	NS
MW-29	Oct 07	Sep 14	1932.35	NM	NM	15-36	NM	NM	NM	NS	NS	NS
MW-30	Oct 07	Sep 14	1940.59	NM	NM	20-41	NM	NM	NM	NS	NS	NS
MW-31	Mar 08	Sep 14	1937.66	NM	NM	13.5-33.6	NM	NM	NM	NS	NS	NS
MW-32	Mar 08	Sep 14	1952.90	20.15	1932.75	13.5-33.7	NM	2.2	77.8	360	1.0	<0.50
MW-33	Mar 08	Sep 14	1950.98	NM	NM	13.5-33.8	NM	NM	NM	NS	NS	NS
MW-36	Jan 12	Sep 14	1955.30	NM	NM	17-38	NM	NM	NM	NS	NS	NS
MW-37	Jan 12	Sep 14	1929.98	NM	NM	17-38	NM	NM	NM	NS	NS	NS
MW-38	Apr 12	Sep 14	1908.38	15.12	1893.26	15-36	6.11	2.5	81.6	5.8	<0.50	<0.50
MW-39	Apr 12	Sep 14	1967.55	26.15	1941.40	15-36	4.78	2.0	134.8	120	<0.50	<0.50
MW-41	Aug 13	Sep 14	1908.89	15.50	1893.39	10-35	2.43	2.3	53.6	2.8	<0.50	<0.50
MW-42	Sep 13	Sep 14	1910.31	16.45	1893.86	10-35	3.15	2.6	106.7	0.53	<0.50	<0.50
MW-43	Sep 13	Sep 14	1958.33	17.33	1941.00	10-35	2.65	2.0	170.4	<0.50	<0.50	<0.50

Notes:

NM = Not Measured
msl = mean sea level
ND = Non Detect
NS = Not Sampled

°C = degrees Celsius
g/L = gallons per liter
mg/L = milligrams per liter
mS/cm = milli Siemens per centimeter

Bold value indicates concentration that exceeds regulatory standard.

µg/L = micrograms per liter mV = millivolts
NTU = Nephelometric Turbidity Units

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-1	Aug 00	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	2,300	ND	ND	ND
	Oct 00	1991.81	17.54	1974.27	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 02	1992.04	17.90	1974.14	NM	NM	NM	NM	NM	NM	NM	2,000	ND	ND	ND
	May 03	1992.04	18.70	1973.34	NM	NM	NM	NM	NM	NM	NM	870	ND	ND	ND
	Sep 03	1992.04	18.97	1973.07	NM	NM	NM	NM	NM	NM	NM	2,300	ND	ND	ND
	Jan 04	1992.04	19.30	1972.74	7.0	3.5	NM	0.9	22.50	NM	NM	1,700	ND	ND	ND
	May 05	1992.04	15.24	1976.8	7.0	4.0	441.0	5.4	26.00	NM	110	3,500	ND	ND	ND
	Sep 05	1992.04	16.74	1975.3	7.1	4.2	64.0	7.0	27.50	2.7	129	1,700	ND	ND	ND
	Dec 05	1992.04	17.61	1974.43	7.0	5.1	290.0	2.0	26.90	3.2	404	820	ND	ND	ND
	Mar 06	1992.04	18.42	1973.62	NM	5.6	>999	NM	23.10	3.7	545	420	ND	ND	ND
	Jun 06	1992.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 06	1992.04	18.30	1973.74	6.3	3.7	81.0	4.6	26.70	2.4	129	1,100	ND	ND	ND
	Dec 06	1992.04	18.88	1973.16	6.7	4.4	>999	5.1	26.90	2.8	111	1,300	ND	ND	ND
	Mar 07	1992.04	20.08	1971.96	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1992.04	19.81	1972.23	7.0	2.3	611.0	6.2	25.70	1.4	468	450	ND	ND	ND
	Sep 07	1992.04	18.39	1973.65	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1992.04	19.01	1973.03	6.4	3.9	15.0	5.5	22.20	2.5	223	710	ND	ND	ND
	Mar 08	1992.04	20.03	1972.01	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1992.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	260	ND	ND	ND
	Oct 08	1992.01	19.82	1972.19	6.6	3.7	62.4	1.1	27.10	2.4	130	460	ND	ND	ND
	Feb 09	1992.01	19.65	1972.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1992.01	19.88	1972.13	7.1	3.7	39.6	1.6	26.20	2.4	101	NS	NS	NS	NS
	Jul 09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	590	ND	ND	ND
	Sep 09	1992.01	19.90	1970.11	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1992.01	20.33	1971.68	6.3	3.4	-10.0	1.5	26.90	2.2	126	390	ND	ND	ND
	Feb 10	1992.01	20.04	1971.97	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1992.01	19.98	1972.03	7.0	3.3	0.0	3.2	26.13	NM	NM	400	ND	ND	ND
	Oct 10	1992.01	19.44	1972.57	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1992.01	19.54	1972.47	6.7	3.5	1.2	1.4	27.56	NM	212	430	ND	ND	ND
	Mar 11	1992.01	20.10	1971.91	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1992.01	20.18	1971.83	7.2	3.6	0.0	1.7	25.58	NM	259	460	ND	ND	ND
	Sep 11	1992.01	19.85	1972.16	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1992.01	19.65	1972.36	7.0	3.4	NM	1.3	25.97	2.2	266	410	ND	ND	ND
Mar 12	1992.01	20.41	1971.60	7.2	3.5	5.4	1.3	25.48	2.3	-70	370	NS	NS	NS	
Jun 12	1992.01	19.18	1972.83	7.3	3.5	15.9	3.0	25.97	2.3	90	410	ND	ND	ND	
Sep 12	1992.01	19.97	1972.04	7.6	3.6	NM	1.2	27.28	2.3	98	390	ND	ND	ND	
Nov 12	1992.01	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1992.01	20.35	1971.66	6.97	3.9	NM	0.90	24.80	2.5	59	260	<0.50	<0.50	<0.50	
Jun 13	1992.01	20.69	1971.32	7.16	3.9	NM	1.72	25.43	2.5	78	240	<0.50	<0.50	<0.50	
Sep 13	1992.01	20.52	1971.49	7.06	3.8	NM	0.76	26.95	2.4	-14	240	<0.50	<0.50	<0.50	
Nov 13	1992.01	20.31	1971.70	5.97	3.5	2.9	0.31	25.51	2.2	166	270	<0.50	<0.50	<0.50	
Mar 14	1992.01	20.10	1971.91	7.23	3.3	28.7	1.71	24.14	2.2	1	350	<0.50	<0.50	<0.50	
Jun 14	1992.01	20.29	1971.72	6.94	3.3	28.7	2.61	28.57	2.4	133	350	<0.50	<0.50	<0.50	
Sep 14	1992.01	20.15	1971.86	7.68	3.6	10.6	6.41	29.16	2.3	66	96	<0.50	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-2	Oct 00	1983.79	15.52	1968.27	NM	NM	NM	NM	NM	NM	NM	3,000	18.0	18.0	ND
	Sep 02	1983.99	16.62	1967.37	NM	NM	NM	NM	NM	NM	NM	3,000	13.0	13.0	ND
	May 03	1983.99	17.15	1966.84	NM	NM	NM	NM	NM	NM	NM	1,400	ND	ND	ND
	Sep 03	1983.97	17.70	1966.27	NM	NM	NM	NM	NM	NM	NM	1,700	ND	ND	ND
	Jan 04	1983.97	18.25	1965.72	7.1	3.1	NM	1.1	23.20	NM	NM	1,700	ND	ND	ND
	May 05	1983.97	14.65	1969.32	6.9	3.5	698.0	4.8	23.40	NM	193	2,050	17.0	9.7	ND
	Dec 05	1983.97	16.00	1967.97	6.6	4.8	360.0	2.7	25.40	3.1	264	2,900	ND	ND	ND
	Mar 06	1983.97	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1983.97	17.55	1966.42	NM	3.7	728.0	7.0	24.90	2.4	116	1,600	ND	ND	ND
	Oct 06	1983.97	17.25	1966.72	6.1	3.5	20.0	5.1	24.40	2.2	161	1,900	ND	ND	ND
	Dec 06	1983.97	17.60	1966.37	6.8	4.2	28.0	4.9	24.50	2.7	241	1,300	ND	ND	ND
	Mar 07	1983.97	18.84	1965.13	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1983.97	19.01	1964.96	7.0	3.5	539.0	5.7	24.40	2.3	305	1,400	ND	ND	ND
	Sep 07	1983.97	17.94	1966.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1983.97	18.04	1965.93	6.3	3.6	144.0	6.9	21.80	2.3	314	1,000	ND	ND	ND
	Mar 08	1983.97	18.82	1965.15	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1983.97	NM	NM	NM	NM	NM	NM	NM	NM	NM	900	ND	ND	ND
	Oct 08	1983.97	18.54	1965.43	6.9	3.5	44.7	3.4	24.80	2.3	103	960	3.4	1.2	ND
	Feb 09	1983.97	18.68	1965.29	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1983.97	18.95	1965.02	7.0	3.7	15.4	1.9	24.50	2.4	116	880	3.2	1.1	ND
	Sep 09	1983.97	18.95	1965.02	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1983.97	19.32	1964.65	5.6	3.3	280.0	1.9	24.40	2.1	155	530	2.4	ND	ND
	Feb 10	1983.97	19.68	1964.29	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1983.97	19.08	1964.89	7.0	3.1	14.8	3.5	24.19	NM	NM	570	2.1	0.8	ND
	Oct 10	1983.97	18.76	1965.21	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1983.97	18.78	1965.19	6.9	3.4	32.8	3.0	24.11	NM	92	560	2.4	0.7	ND
	Mar 11	1983.97	19.19	1964.78	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1983.97	19.50	1964.47	7.2	3.4	25.9	2.6	24.47	NM	273	680	2.2	0.6	ND
	Sep 11	1983.97	19.11	1964.86	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1983.97	19.08	1964.89	7.0	3.3	NM	2.7	23.55	2.1	168	610	2.1	0.66	NS
*	Mar 12	1983.97	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1983.53	19.11	1964.42	7.2	3.3	57.1	2.6	23.57	2.2	87	490	2	0.6	ND
	Sep 12	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1983.53	19.29	1964.24	7.1	3.5	NM	2.7	23.24	2.3	205	580	2.5	1.0	<0.50
	Jun 13	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 13	1983.53	19.27	1964.26	7.3	3.7	36.9	2.0	24.28	2.4	83	720	2.3	0.9	<0.50
	Mar 14	1983.53	19.15	1964.38	7.3	3.1	39.2	1.6	23.05	2.0	-65	340	1.8	<0.50	<0.50
	Jun 14	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1983.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-3	Oct 00	1984.19	15.95	1968.24	NM	NM	NM	NM	NM	NM	NM	98	ND	ND	ND
	Sep 02	1984.46	17.20	1967.26	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	May 03	1984.46	17.70	1966.76	NM	NM	NM	NM	NM	NM	NM	6.9	ND	ND	ND
	Sep 03	1984.46	18.35	1966.08	NM	NM	NM	NM	NM	NM	NM	12	ND	ND	ND
	Jan 04	1984.46	19.25	1965.18	6.9	2.9	NM	1.0	22.40	NM	NM	6.7	ND	ND	ND
	May 05	1984.46	15.22	1969.21	7.0	2.9	NM	2.5	26.00	NM	149	ND	ND	ND	ND
	Dec 05	1984.46	16.45	1967.98	6.6	4.7	100.0	0.9	27.30	3.0	33	ND	ND	ND	ND
	Mar 06	1984.46	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1984.46	18.38	1966.05	NM	3.8	285.0	5.6	26.40	2.4	-32	ND	ND	ND	ND
	Oct 06	1984.46	17.88	1966.55	5.9	3.9	26.0	2.0	26.70	2.5	279	ND	ND	ND	ND
	Dec 06	1984.46	18.26	1966.17	6.7	4.8	272.0	2.9	26.70	3.1	9	1.2	ND	ND	ND
	Mar 07	1984.46	19.86	1964.57	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1984.46	20.23	1964.2	7.1	3.7	605.0	3.6	25.90	2.4	43	ND	ND	ND	ND
	Sep 07	1984.46	18.99	1965.44	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1984.46	18.99	1965.44	6.1	3.9	55.1	2.2	21.90	2.5	135	1.4	ND	ND	ND
	Mar 08	1984.46	19.94	1964.49	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1984.46	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1984.41	19.46	1964.95	6.7	3.8	44.2	0.4	27.50	2.4	99	6.5	ND	ND	ND
	Feb 09	1984.41	19.80	1964.61	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1984.41	20.20	1964.21	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1984.41	20.16	1964.25	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1984.41	20.48	1963.93	6.0	3.8	180.0	1.3	26.60	2.4	143	5.1	ND	ND	ND
	Feb 10	1984.41	21.07	1963.34	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1984.41	13.91	1970.50	6.8	3.5	2.2	2.0	27.36	NM	NM	NS	NS	NS	NS
	Oct 10	1984.41	19.95	1964.46	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1984.41	19.91	1964.50	6.7	3.9	12.5	0.6	27.29	NM	106	5.8	ND	ND	ND
	Mar 11	1984.41	20.47	1963.94	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1984.41	20.86	1963.55	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1984.41	20.45	1963.96	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1984.41	20.35	1964.06	6.7	4.5	NM	3.3	26.17	NM	-38	16	ND	ND	NS
	Mar 12	1984.41	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1983.81	20.43	1963.38	7.0	4.0	102.0	2.6	25.50	2.6	122	25	ND	ND	ND
	Sep 12	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1983.81	20.37	1963.44	6.9	4.5	NM	1.7	25.15	2.9	153	12	<0.50	<0.50	<0.50	
Jun 13	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1983.81	20.25	1963.56	7.2	4.3	107.0	2.0	24.79	2.8	149	11	<0.50	<0.50	<0.50	
Jun 14	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-4	Oct 00	1989.68	16.95	1972.73	NM	NM	NM	NM	NM	NM	NM	14	ND	ND	ND
	Sep 02	1989.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	25	ND	ND	ND
	May 03	1989.87	18.71	1971.16	NM	NM	NM	NM	NM	NM	NM	24	ND	ND	ND
	Sep 03	1989.85	19.05	1970.8	NM	NM	NM	NM	NM	NM	NM	100	ND	ND	ND
	Jan 04	1989.85	19.86	1969.99	7.0	2.7	NM	1.2	22.00	NM	NM	220	ND	ND	ND
	May 05	1989.85	15.83	1974.02	6.8	3.7	664.0	3.7	24.20	NM	160	25	ND	ND	ND
	Dec 05	1989.85	17.62	1972.23	6.7	4.9	670.0	3.2	25.90	3.1	219	15	ND	ND	ND
	Mar 06	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1989.85	18.36	1971.49	NM	NM	NM	NM	NM	NM	NM	27	ND	ND	ND
	Oct 06	1989.85	18.34	1971.51	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 06	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 07	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 07	1989.85	18.96	1970.89	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 08	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1989.85	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Feb 09	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1989.86	Dry	Dry	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1989.86	Dry	Dry	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1989.86	Dry	Dry	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Feb 10	1989.86	Dry	Dry	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 11	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Sep 11	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 11	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 12	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Jun 14	1989.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

Abandoned June 4, 2012

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-5	Oct 00	1988.93	16.20	1972.73	NM	NM	NM	NM	NM	NM	NM	100	ND	ND	ND
	Sep 02	1989.18	17.00	1972.18	NM	NM	NM	NM	NM	NM	NM	110	ND	ND	ND
	May 03	1989.18	17.80	1971.38	NM	NM	NM	NM	NM	NM	NM	240	ND	ND	ND
	Sep 03	1989.18	18.07	1971.11	NM	NM	NM	NM	NM	NM	NM	220	ND	ND	ND
	Jan 04	1989.18	18.65	1970.53	6.7	2.6	NM	1.2	22.30	NM	NM	370	ND	ND	ND
	May 05	1989.18	14.87	1974.31	7.1	2.6	NM	4.6	25.40	NM	184	146	ND	ND	ND
	Dec 05	1989.18	16.80	1972.38	6.8	5.3	>999	1.5	26.80	3.3	377	93	ND	ND	ND
	Mar 06	1989.18	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1989.18	17.40	1971.78	NM	3.8	>999	6.9	26.60	2.4	126	220	ND	ND	ND
	Oct 06	1989.18	17.46	1971.72	6.2	3.5	21.0	4.8	26.70	2.2	99	67	ND	ND	ND
	Dec 06	1989.18	18.01	1971.17	6.8	4.5	134.0	5.4	26.50	2.9	93	130	ND	ND	ND
	Mar 07	1989.18	19.30	1969.88	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1989.18	19.12	1970.06	7.0	3.4	375.0	6.5	25.20	2.2	460	550	ND	ND	ND
	Sep 07	1989.18	17.85	1971.33	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1989.18	18.33	1970.85	6.3	3.8	28.3	5.7	24.40	2.4	159	170	ND	ND	ND
	Mar 08	1989.18	19.31	1969.87	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1989.18	NM	NM	NM	NM	NM	NM	NM	NM	NM	400	ND	ND	ND
	Oct 08	1989.15	18.99	1970.16	6.8	3.5	21.4	4.8	27.40	2.3	119	340	2.7	1.2	ND
	Feb 09	1989.15	18.99	1970.16	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1989.15	19.17	1969.98	7.0	3.6	0.0	5.6	26.20	2.3	125	700	4.6	1.3	ND
	Sep 09	1989.15	19.14	1970.01	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1989.15	19.55	1969.6	5.8	3.2	-6.0	3.8	27.10	2.1	132	520	3.9	1.4	ND
	Feb 10	1989.15	19.57	1969.58	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1989.15	19.21	1969.94	7.1	3.1	7.0	6.7	25.60	NM	273	550	2.9	1.3	ND
	Oct 10	1989.15	18.67	1970.48	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1989.15	18.85	1970.30	7.0	5.4	2.0	4.7	25.64	NM	104	360	2.4	1.0	ND
	Mar 11	1989.15	19.41	1969.74	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1989.15	19.50	1969.65	6.9	3.5	14.0	4.9	26.58	NM	412	670	2.7	1.1	ND
	Sep 11	1989.15	19.19	1969.96	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1989.15	19.22	1969.93	6.9	4.0	NM	3.8	25.54	NM	-30	540	2.5	1.1	ND
	Mar 12	1989.15	19.74	1969.41	7.2	3.3	123.0	5.6	23.51	2.4	-38	800	NS	NS	NS
	Jun 12	1988.69	19.25	1969.44	7.3	3.3	50.1	6.0	25.30	2.1	106	520	2.5	1.2	ND
	Sep 12	1988.69	18.25	1970.44	7.3	3.3	NM	5.3	26.25	2.2	129	340	2.2	0.95	ND
Nov 12	1988.69	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1988.69	19.69	1969.00	7.1	3.6	NM	4.4	25.23	2.3	134	530	2.3	0.67	<0.50	
Jun 13	1988.69	20.00	1968.69	7.2	3.5	NM	4.7	27.60	2.3	126	600	2.9	0.95	<0.50	
Sep 13	1988.69	19.60	1969.09	7.0	3.4	NM	4.3	26.63	2.2	167	830	3.7	1.3	<0.50	
Nov 13	1988.69	19.52	1969.17	7.8	3.6	9.7	4.1	25.37	2.3	90	690	2.8	1.2	<0.50	
Mar 14	1988.69	19.37	1969.32	7.3	3.1	18.3	5.1	24.90	2.0	-85	440	2.2	<0.50	<0.50	
Jun 14	1988.69	19.68	1969.01	7.0	3.4	37.4	5.1	27.98	2.2	87	780	2.6	1.1	<0.50	
Sep 14	1988.69	19.08	1969.61	7.5	3.4	4.2	6.6	28.41	2.2	70	350	0.94	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-6	Oct 00	1988.72	17.41	1971.31	NM	NM	NM	NM	NM	NM	NM	2,200	13.0	8.1	ND
	Sep 02	1989.01	18.26	1970.75	NM	NM	NM	NM	NM	nM	NM	1,000	41.0	14.0	ND
	May 03	1989.01	18.87	1970.14	NM	NM	NM	NM	NM	NM	NM	710	22.0	ND	ND
	Sep 03	1989.01	19.25	1969.76	NM	NM	NM	NM	NM	NM	NM	1,300	ND	ND	ND
	Jan 04	1989.01	19.74	1969.27	7.0	2.3	NM	1.2	22.40	NM	NM	2,400	ND	ND	ND
	May 05	1989.01	16.21	1972.8	6.9	2.4	NM	2.8	25.90	NM	123	2,090	13.0	11.0	ND
	Sep 05	1989.01	17.26	1971.75	7.0	4.0	34.0	6.2	26.90	2.3	-119	890	13.0	23.0	ND
	Dec 05	1989.01	17.88	1971.13	6.8	4.9	220.0	1.1	26.50	3.2	163	530	41.0	21.0	ND
	Mar 06	1989.01	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1989.01	18.80	1970.21	NM	4.0	707.0	6.3	26.70	2.4	172	1,100	ND	ND	ND
	Oct 06	1989.01	18.73	1970.28	6.3	3.6	7.0	4.1	26.50	2.3	61	1,300	ND	ND	ND
	Dec 06	1989.01	19.18	1969.83	6.7	4.2	96.0	4.4	26.20	2.7	239	810	9.9	8.9	ND
	Mar 07	1989.01	20.40	1968.61	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1989.01	20.28	1968.73	7.1	3.5	352.0	5.6	24.90	2.2	241	1,300	ND	ND	ND
	Sep 07	1989.01	19.00	1970.01	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1989.01	19.29	1969.72	6.2	3.8	4.3	5.4	24.80	2.4	277	1,500	ND	ND	ND
	Mar 08	1989.01	20.26	1968.75	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1989.01	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,900	ND	ND	ND
	Oct 08	1989.03	20.00	1969.03	6.8	3.5	46.3	3.3	26.30	2.3	117	2,000	13.0	3.9	ND
	Feb 09	1989.03	20.03	1969	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1989.03	20.20	1968.83	7.0	3.5	76.3	2.8	26.70	2.2	121	2,800	14.0	4.1	ND
	Sep 09	1989.03	20.27	1968.76	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1989.03	20.66	1968.37	5.9	3.1	87.0	2.5	26.30	1.9	132	2,100	14.0	6.4	ND
	Feb 10	1989.03	20.77	1968.26	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1989.03	20.38	1968.65	7.0	3.0	23.2	4.1	26.32	NM	NM	2,500	13.0	6.2	NS
	Oct 10	1989.03	19.94	1969.09	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1989.03	20.02	1969.01	6.9	3.3	7.0	3.5	25.26	NM	86	2,300	13.0	8.2	ND
	Mar 11	1989.03	20.49	1968.54	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1989.03	20.66	1968.37	7.0	3.3	8.2	3.7	26.52	NM	365	2,400	10.0	3.7	ND
	Sep 11	1989.03	20.30	1968.73	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1989.03	20.30	1968.73	7.0	3.2	NM	3.4	25.16	2.1	113	2,900	12	5.6	ND
	Mar 12	1989.03	20.84	1968.19	7.3	3.2	107.0	4.4	24.30	2.1	-44	3,500	NS	NS	NS
	Jun 12	1988.12	19.71	1968.41	7.6	3.1	57.1	7.5	27.25	2.0	114	1,700	8.5	5.4	ND
Sep 12	1988.12	19.23	1968.89	7.3	3.1	NM	3.7	26.27	2.0	122	3,000	17	8.1	ND	
Nov 12	1988.12	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1988.12	20.23	1967.89	7.1	3.4	NM	3.3	24.83	2.2	100	2,600	10	2.2	<0.50	
Jun 13	1988.12	20.58	1967.54	7.3	3.4	NM	3.6	30.62	2.2	130	2,400	7.7	1.3	<0.50	
Sep 13	1988.12	20.25	1967.87	7.0	3.3	NM	3.0	29.86	2.2	90	2,500	11	11	<0.50	
Nov 13	1988.12	20.14	1967.98	7.8	3.5	16.2	3.1	25.27	2.3	97	3,100	12	3.5	<0.50	
Mar 14	1988.12	20.00	1968.12	7.2	2.9	152.0	4.8	24.30	1.9	-108	2,700	11	2.3	<0.50	
Jun 14	1988.12	20.30	1967.82	7.2	3.2	21.3	6.7	26.43	2.1	158	3,000	8.7	2.6	<0.50	
Sep 14	1988.12	19.27	1968.85	7.4	3.2	56.6	6.5	32.77	2.1	64	700	4.0	1.2	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-6D1	Mar 13	1988.72	16.29	1972.43	7.6	0.6	NM	5.7	23.48	0.4	86	<0.50	<0.50	<0.50	<0.50
	Jun 13	1988.72	20.20	1968.52	7.5	0.7	NM	5.2	25.82	0.4	280	<0.50	<0.50	<0.50	<0.50
	Sep 13	1988.72	21.40	1967.32	7.4	0.9	NM	4.4	27.20	0.6	61	58	<0.50	<0.50	<0.50
	Nov 13	1988.72	19.24	1969.48	6.9	0.6	49.3	5.0	23.81	0.4	84	3.2	<0.50	<0.50	<0.50
	Mar 14	1988.72	16.20	1972.52	7.4	0.5	62.4	4.3	26.16	0.3	87	1.2	<0.50	<0.50	<0.50
	Jun 14	1988.72	19.60	1969.12	7.3	0.6	47.4	5.8	26.70	0.4	200	0.67	<0.50	<0.50	<0.50
	Sep 14	1988.72	20.40	1968.32	7.2	0.8	51.3	4.2	25.75	0.5	120	120	<0.50	<0.50	<0.50
MW-6D2	Mar 13	1988.72	14.94	1973.78	7.6	0.6	NM	4.3	22.93	0.4	55	<0.50	<0.50	<0.50	<0.50
	Jun 13	1988.72	20.40	1968.32	7.5	0.7	NM	5.9	25.49	0.4	142	<0.50	<0.50	<0.50	<0.50
	Sep 13	1988.72	21.61	1967.11	7.4	0.7	NM	5.0	26.61	0.5	58	33	<0.50	<0.50	<0.50
	Nov 13	1988.72	18.94	1969.78	7.5	0.6	18.0	NM	23.22	0.4	24	3.3	<0.50	<0.50	<0.50
	Mar 14	1988.72	15.90	1972.82	7.3	0.5	52.3	4.4	24.76	0.3	88	1.6	<0.50	<0.50	<0.50
	Jun 14	1988.72	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1988.72	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
MW-6D3	Mar 13	1988.72	14.04	1974.68	7.6	0.5	NM	0.7	22.18	0.3	29	<0.50	<0.50	<0.50	<0.50
	Jun 13	1988.72	24.40	1964.32	7.7	0.5	NM	2.8	31.09	0.4	155	<0.50	<0.50	<0.50	<0.50
	Sep 13	1988.72	24.89	1963.83	7.2	0.6	NM	2.2	28.92	0.4	112	2.0	<0.50	<0.50	<0.50
	Nov 13	1988.72	22.16	1966.56	6.9	0.5	43.6	5.7	23.58	0.3	78	3.0	<0.50	<0.50	<0.50
	Mar 14	1988.72	16.70	1972.02	7.3	0.5	86.4	5.4	24.62	0.3	61	1.9	<0.50	<0.50	<0.50
	Jun 14	1988.72	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1988.72	26.93	1961.79	7.42	0.49	67.50	6.17	27.28	0.32	65.40	10.0	<0.50	<0.50	<0.50

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-7	Sep 02	1990.28	18.27	1972.01	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	May 03	1990.28	16.60	1973.68	NM	NM	NM	NM	NM	NM	NM	1.7	ND	ND	ND
	Sep 03	1990.25	16.79	1973.46	NM	NM	NM	NM	NM	NM	NM	2.0	ND	ND	ND
	Jan 04	1990.25	17.32	1972.93	7.0	2.2	NM	0.9	22.40	NM	NM	11	ND	ND	ND
	May 05	1990.25	13.86	1976.39	7.1	1.8	NM	4.0	24.80	NM	129	ND	ND	ND	ND
	Sep 05	1990.25	14.97	1975.28	7.0	4.6	140.0	6.2	26.60	3.0	144	3.3	ND	ND	ND
	Dec 05	1990.25	15.45	1974.80	6.7	5.3	5.0	1.8	23.80	3.4	472	1.2	ND	ND	ND
	Mar 06	1990.25	16.41	1973.84	4.7	6.7	428.0	NM	22.40	4.2	634	1.5	ND	ND	ND
	Jun 06	1990.25	16.50	1973.75	NM	4.1	>999	6.6	26.20	2.6	-14	2.2	ND	ND	ND
	Oct 06	1990.25	16.50	1973.75	6.2	3.7	>999	4.4	25.00	2.3	92	2.9	ND	ND	ND
	Dec 06	1990.25	16.87	1973.38	6.9	4.8	>999	5.7	25.10	3.0	65	2.1	ND	ND	ND
	Mar 07	1990.25	18.19	1972.06	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1990.25	18.08	1972.17	7.1	3.6	450.0	6.3	25.10	2.2	129	1.1	ND	ND	ND
	Sep 07	1990.25	16.31	1973.94	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1990.25	16.60	1973.65	6.2	4.0	0.0	2.3	22.50	2.6	161	1.3	ND	ND	ND
	Mar 08	1990.25	17.93	1972.32	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1990.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1990.22	17.57	1972.65	6.6	3.8	204.0	3.5	26.70	2.4	134	2.5	ND	ND	ND
	Feb 09	1990.22	17.52	1972.70	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1990.22	17.92	1972.30	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1990.22	18.13	1972.09	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1990.22	18.50	1971.72	5.8	3.4	46.0	3.2	26.70	2.2	160	7.9	ND	ND	ND
	Feb 10	1990.22	18.36	1971.86	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1990.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1990.22	17.54	1972.68	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1990.22	17.65	1972.57	6.9	3.7	230.8	4.9	26.17	NM	98	2.0	ND	ND	ND
	Mar 11	1990.22	18.19	1972.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1990.22	18.40	1971.82	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1990.22	18.02	1972.20	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1990.22	17.86	1972.36	7.0	3.5	NM	3.7	25.20	2.2	302	8.9	ND	ND	ND
	Mar 12	1990.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1989.78	17.78	1972.00	7.3	3.5	8.0	4.8	27.56	2.3	-42	10	ND	ND	ND
	Sep 12	1989.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12	1989.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1989.78	18.47	1971.31	7.0	3.8	NM	3.4	25.22	2.5	70	10	<0.50	<0.50	<0.50	
Jun 13	1989.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1989.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1990.78	18.40	1972.38	6.1	3.4	53.0	1.64	26.34	2.17	165	8.4	<0.50	<0.50	<0.50	
Mar 14	1990.78	18.12	1972.66	7.3	3.3	39.0	4.18	24.49	2.11	90	1.3	<0.50	<0.50	<0.50	
Jun 14	1990.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1990.78	18.23	1972.55	7.42	3.48	59.40	6.32	28.59	2.25	108	4.7	<0.50	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-8	Sep 02	1994.25	18.55	1975.70	NM	NM	NM	NM	NM	NM	NM	5.4	ND	ND	ND
	May 03	1994.25	19.50	1974.75	NM	NM	NM	NM	NM	NM	NM	3.2	ND	ND	ND
	Sep 03	1994.23	19.55	1974.68	NM	NM	NM	NM	NM	NM	NM	3.7	ND	ND	ND
	Jan 04	1994.23	19.91	1974.32	7.0	2.2	NM	1.0	22.00	NM	NM	4.7	ND	ND	ND
	May 05	1994.23	15.51	1978.72	7.0	1.8	NM	3.6	27.70	NM	107	5.6	5.6	ND	ND
	Dec 05	1994.23	18.48	1975.75	6.7	4.2	>999	2.1	24.10	2.7	483	3.6	ND	ND	ND
	Mar 06	1994.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1994.23	18.89	1975.34	NM	3.7	>999	6.9	27.40	2.3	185	2.6	ND	ND	ND
	Oct 06	1994.23	19.12	1975.11	6.2	3.4	>999	5.9	26.70	2.2	108	3.4	ND	ND	ND
	Dec 06	1994.23	19.60	1974.63	6.2	3.4	>999	5.9	26.70	2.2	108	4.3	ND	ND	ND
	Mar 07	1994.23	20.56	1973.67	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1994.23	20.31	1973.92	7.1	3.5	259.0	7.3	27.30	2.3	287	2.8	ND	ND	ND
	Sep 07	1994.23	19.14	1975.09	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1994.23	19.81	1974.42	6.5	3.7	0.0	3.5	25.50	2.4	158	2.8	ND	ND	ND
	Mar 08	1994.23	20.61	1973.62	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1994.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1994.22	20.79	1973.43	6.8	3.5	421.0	5.2	26.90	2.2	154	3.7	ND	ND	ND
	Feb 09	1994.22	20.29	1973.93	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1994.22	20.44	1973.78	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1994.22	20.41	1973.81	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1994.22	20.71	1973.51	6.7	3.2	450.0	5.0	26.80	2.0	133	2.8	ND	ND	ND
	Feb 10	1994.22	20.86	1973.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1994.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1994.22	19.68	1974.54	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1994.22	19.94	1974.28	7.0	3.5	39.5	5.3	26.65	NM	98	4	ND	ND	ND
	Mar 11	1994.22	20.41	1973.81	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1994.22	20.50	1973.72	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1994.22	20.27	1973.95	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 12	1994.22	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1991.71	19.32	1972.39	7.4	3.2	93.1	6.6	27.55	2.1	17	3.5	ND	ND	ND
Sep 12	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 12	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1991.71	20.65	1971.06	7.0	3.5	NM	5.0	25.97	2.3	78	1.5	<0.50	<0.50	<0.50	
Jun 13	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1991.71	20.60	1971.11	6.1	3.2	95.0	2.3	26.12	2.1	194	2.2	<0.50	<0.50	<0.50	
Mar 14	1991.71	20.45	1971.26	7.3	3.1	92.9	5.4	24.07	2.0	89	1.6	<0.50	<0.50	<0.50	
Jun 14	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1991.71	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-9	Sep 02	1992.26	18.46	1973.80	NM	NM	NM	NM	NM	NM	NM	670	ND	ND	ND
	May 03	1992.26	19.15	1973.11	NM	NM	NM	NM	NM	NM	NM	59	ND	ND	ND
	Sep 03	1992.26	19.02	1973.24	NM	NM	NM	NM	NM	NM	NM	9.2	ND	ND	ND
	Jan 04	1992.26	19.05	1973.21	7.0	2.5	NM	1.2	22.60	NM	NM	10	ND	ND	ND
	May 05	1992.26	15.36	1976.90	7.1	2.7	296.0	7.6	26.10	NM	130	353	ND	ND	ND
	Sep 05	1992.26	17.85	1974.41	7.2	1.8	4.0	6.6	27.10	1.2	111	64	ND	ND	ND
	Dec 05	1992.26	17.68	1974.58	6.9	2.5	33.0	2.5	26.60	1.6	123	190	ND	ND	ND
	Mar 06	1992.26	18.55	1973.71	5.1	2.1	>999	NM	25.90	1.3	496	ND	ND	ND	ND
	Jun 06	1992.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 06	1992.26	18.40	1973.86	6.3	2.4	0.0	4.1	25.70	1.5	86	160	ND	ND	ND
	Dec 06	1992.26	19.00	1973.26	6.8	3.0	0.0	5.1	25.50	1.9	233	45	ND	ND	ND
	Mar 07	1992.26	20.19	1972.07	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1992.26	19.95	1972.31	7.1	2.5	0.0	5.6	26.10	1.6	428	170	ND	ND	ND
	Sep 07	1992.26	18.51	1973.75	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1992.26	19.20	1973.06	NM	NM	NM	NM	NM	NM	NM	110	ND	ND	ND
	Mar 08	1992.26	20.16	1972.10	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1992.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1992.25	19.87	1972.38	7.0	1.4	162.0	4.7	26.60	0.9	58	12	ND	ND	ND
	Feb 09	1992.25	19.76	1972.49	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1992.25	20.00	1972.25	7.5	1.4	>-5.0	4.0	26.50	0.8	-9	13	ND	ND	ND
	Sep 09	1992.25	20.20	1972.05	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1992.25	20.45	1971.80	7.0	1.1	-10.0	4.0	26.40	0.7	-157	5.5	ND	ND	ND
	Feb 10	1992.25	20.21	1972.04	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1992.25	20.10	1972.15	7.3	1.2	12.0	5.1	27.67	NM	NM	6.6	ND	ND	ND
	Oct 10	1992.25	19.44	1972.81	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1992.25	19.63	1972.62	7.1	1.2	7.0	3.5	27.31	NM	50	3.7	ND	ND	ND
	Mar 11	1992.25	20.13	1972.12	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1992.25	20.40	1971.85	7.1	1.2	0.4	0.5	31.96	NM	286	2.3	ND	ND	ND
	Sep 11	1992.25	19.99	1972.26	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1992.25	19.91	1972.34	7.3	1.2	NM	2.2	24.70	0.8	265	5.6	ND	ND	ND
	Mar 12	1992.25	20.50	1971.75	7.5	1.2	17.8	1.7	26.86	0.8	-79	5.2	NS	NS	NS
	Jun 12	1992.25	19.45	1972.80	7.6	1.0	13.4	4.7	30.27	0.8	-8	5.7	ND	ND	ND
	Sep 12	1992.25	19.07	1973.18	7.7	1.2	NM	2.2	27.57	0.8	118	3.7	ND	ND	ND
Nov 12	1992.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1992.25	20.56	1971.69	7.2	1.4	NM	0.6	25.53	0.9	-0.1	6.6	<0.50	<0.50	<0.50	
Jun 13	1992.25	20.91	1971.34	7.2	1.4	NM	2.3	25.44	0.9	110	9.8	<0.50	<0.50	<0.50	
Sep 13	1992.25	20.69	1971.56	7.3	1.4	NM	2.4	27.88	0.9	-81	6.6	<0.50	<0.50	<0.50	
Nov 13	1992.25	20.53	1971.72	6.4	1.3	35.3	0.6	25.32	0.8	56	11	<0.50	<0.50	<0.50	
Mar 14	1992.25	20.36	1971.89	7.3	1.4	13.8	4.1	24.73	0.9	75	11	<0.50	<0.50	<0.50	
Jun 14	1992.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1992.25	20.55	1971.70	7.25	1.31	17.60	3.98	29.12	0.86	58.50	7.9	<0.50	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-10	Sep 02	1983.81	18.51	1965.30	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	May 03	1983.81	18.65	1965.16	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	Sep 03	1983.81	19.45	1964.36	NM	NM	NM	NM	NM	NM	NM	15	ND	ND	ND
	Jan 04	1983.81	20.32	1963.49	7.0	3.1	NM	1.0	24.40	NM	NM	ND	ND	ND	ND
	May 05	1983.81	16.76	1967.05	6.8	3.2	25.0	1.5	28.10	NM	-253	ND	ND	ND	ND
	Sep 05	1983.81	16.95	1966.86	7.0	2.9	28.0	3.9	27.90	1.9	-239	ND	ND	ND	ND
	Dec 05	1983.81	17.64	1966.17	6.7	3.7	57.0	1.5	23.90	2.3	-140	ND	ND	ND	ND
	Mar 06	1983.81	19.25	1964.56	5.7	1.8	153.0	NM	21.30	1.2	-154	ND	ND	ND	ND
	Jun 06	1983.81	17.90	1965.91	NM	2.1	>999	3.5	28.10	1.5	-303	ND	ND	ND	ND
	Oct 06	1983.81	19.00	1964.81	6.2	1.4	86.0	1.6	27.10	0.9	-272	ND	ND	ND	ND
	Dec 06	1983.81	19.21	1964.60	6.8	3.9	144.0	3.9	26.60	2.5	-321	1	ND	ND	ND
	Mar 07	1983.81	20.84	1962.97	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1983.81	21.39	1962.42	7.0	3.5	>999	2.7	27.30	2.1	-179	ND	ND	ND	ND
	Sep 07	1983.81	20.38	1963.43	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1983.81	20.26	1963.55	6.9	3.6	0.0	0.6	24.50	2.3	-170	1	ND	ND	ND
	Mar 08	1983.81	21.06	1962.75	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1983.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1983.78	20.45	1963.33	6.8	2.9	100.0	0.0	27.70	1.9	-226	ND	ND	ND	ND
	Feb 09	1983.78	20.90	1962.88	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1983.78	21.42	1962.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1983.78	21.46	1962.32	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1983.78	21.67	1962.11	6.3	2.6	-10.0	0.2	27.40	1.6	-330	ND	ND	ND	ND
	Feb 10	1983.78	22.47	1961.31	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1983.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1983.78	21.23	1962.55	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1983.78	21.10	1962.68	7.1	1.0	1.0	0.1	28.00	NM	-274	ND	ND	ND	ND
	Mar 11	1983.78	21.76	1962.02	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1983.78	22.18	1961.60	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1983.78	21.75	1962.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1983.78	21.62	1962.16	6.9	1.3	NM	0.2	26.91	NM	-335	ND	ND	ND	ND
	Mar 12	1983.78	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1983.28	21.76	1961.52	7.4	3.0	11.0	1.0	27.50	2.0	-283	0.9	ND	ND	ND
	Sep 12	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1983.28	21.36	1961.92	7.1	2.7	NM	0.7	26.34	1.7	-238	<0.50	<0.50	<0.50	<0.50	
Jun 13	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1983.28	21.43	1961.85	7.3	3.0	76.1	4.7	27.18	1.9	-78	<0.50	<0.50	<0.50	<0.50	
Jun 14	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-11	Sep 02	1980.24	24.22	1956.02	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	May 03	1980.24	24.25	1955.99	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	Sep 03	1980.24	25.62	1954.62	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jan 04	1980.24	26.22	1954.02	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	May 05	1980.24	22.55	1957.69	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 06	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 06	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 06	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 07	1980.24	25.51	1954.73	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 07	1980.24	26.13	1954.11	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 08	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Feb 09	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Feb 10	1980.21	27.54	1952.67	6.7	3.3	3.0	5.0	24.30	2.1	-134	ND	ND	ND	ND
	Jun 10	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1980.21	26.69	1953.52	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 11	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1980.21	27.36	1952.85	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1980.21	27.45	1952.76	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1980.21	27.28	1952.93	6.9	3.3	NM	0.2	24.72	21.3	-94	1.4	ND	ND	ND
	Mar 12	1980.21	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1979.87	27.37	1952.50	7.3	3.4	3.9	0.9	26.07	2.2	-194	1.4	ND	ND	ND
	Sep 12	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1979.87	25.81	1954.06	7.0	3.7	NM	1.2	24.43	2.4	-104	<0.50	<0.50	<0.50	<0.50
Jun 13	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1979.87	26.32	1953.55	7.2	3.2	13.2	0.9	24.93	2.1	-19	<0.50	<0.50	<0.50	<0.50	
Jun 14	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1979.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-12	Sep 02	1996.59	14.90	1981.69	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	May 03	1996.59	15.07	1981.52	NM	NM	NM	NM	NM	NM	NM	1.3	ND	ND	ND
	Sep 03	1996.59	15.30	1981.29	NM	NM	NM	NM	NM	NM	NM	14	ND	ND	ND
	Jan 04	1996.59	15.40	1981.19	7.0	2.2	NM	NM	22.40	NM	NM	6.1	ND	ND	ND
	May 05	1996.59	12.34	1984.25	6.8	2.6	NM	3.2	24.90	NM	219	ND	ND	ND	ND
	Sep 05	1996.59	13.45	1983.14	7.0	4.2	160.0	5.0	25.60	2.7	95	1.1	ND	ND	ND
	Dec 05	1996.59	14.20	1982.39	6.7	5.0	210.0	2.0	22.50	3.2	523	1.2	ND	ND	ND
	Mar 06	1996.59	15.00	1981.59	NM	6.7	91.0	NM	23.50	4.2	503	1.1	ND	ND	ND
	Jun 06	1996.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 06	1996.59	14.71	1981.88	6.3	3.9	>999	3.9	26.10	2.5	112	ND	ND	ND	ND
	Dec 06	1996.59	15.05	1981.54	6.6	4.4	>999	6.2	25.30	2.8	206	1.4	ND	ND	ND
	Mar 07	1996.59	16.55	1980.04	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1996.59	16.31	1980.28	7.1	3.8	>999	3.5	25.50	2.4	-39	ND	ND	ND	ND
	Sep 07	1996.59	14.27	1982.32	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1996.59	15.04	1981.55	6.3	3.9	286.0	2.6	24.70	2.5	207	ND	ND	ND	ND
	Mar 08	1996.59	16.51	1980.08	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1996.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1996.48	15.73	1980.75	6.7	3.8	366.0	0.8	26.90	2.4	119	2	ND	ND	ND
	Feb 09	1996.48	15.61	1980.87	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1996.48	16.26	1980.22	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1996.48	16.29	1980.19	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1996.48	16.76	1979.72	6.0	3.5	370.0	1.5	27.60	2.2	54	1.2	ND	ND	ND
	Feb 10	1996.48	16.92	1979.56	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1996.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1996.48	15.58	1980.90	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1996.48	15.85	1980.63	6.8	3.6	20.4	1.6	26.18	NM	109	0.76	ND	ND	ND
	Mar 11	1996.48	16.49	1979.99	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1996.48	16.66	1979.82	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1996.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1996.48	15.93	1980.55	7.0	3.5	NM	2.0	24.82	2.3	315	0.95	ND	ND	ND
	Mar 12	1996.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1995.95	15.37	1980.58	7.3	3.5	15.3	2.8	28.24	2.3	-18	1.2	ND	ND	ND
	Sep 12	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1995.95	16.76	1979.19	7.0	3.8	NM	2.4	25.55	2.5	46	0.65	<0.50	<0.50	<0.50	
Jun 13	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1995.95	16.66	1979.29	6.0	3.4	79.0	1.1	24.57	2.2	189	0.86	<0.50	<0.50	<0.50	
Mar 14	1995.95	16.26	1979.69	7.3	3.3	83.0	4.4	23.31	2.1	48	0.67	<0.50	<0.50	<0.50	
Jun 14	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1995.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-13	May 03	1984.23	17.25	1966.98	NM	NM	NM	NM	NM	NM	NM	2,100	ND	ND	ND
	Sep 03	1984.23	17.60	1966.63	NM	NM	NM	NM	NM	NM	NM	2,800	ND	ND	ND
	Jan 04	1984.23	18.00	1966.23	6.6	3.3	NM	1.1	22.20	NM	NM	2,700	ND	ND	ND
	May 05	1984.23	14.76	1969.47	7.0	2.1	>999	4.2	24.50	NM	118	5,310	ND	ND	ND
	Sep 05	1984.23	15.60	1968.63	7.1	4.0	270.0	6.9	25.40	2.5	144	2,600	ND	ND	ND
	Dec 05	1984.23	16.05	1968.18	6.7	5.0	330.0	2.2	24.90	3.2	250	3,400	ND	ND	ND
	Mar 06	1984.23	17.24	1966.99	5.5	3.6	44.0	NM	22.80	2.3	68	3,700	ND	ND	ND
	Jun 06	1984.23	17.40	1966.83	NM	3.7	425.0	7.1	24.20	2.4	120	2,900	NS	NS	NS
	Oct 06	1984.23	17.15	1967.08	6.2	3.6	50.0	3.8	24.60	2.3	169	2,800	ND	ND	ND
	Dec 06	1984.23	17.47	1966.76	6.8	4.3	94.0	4.2	24.50	2.7	330	3,200	ND	ND	ND
	Mar 07	1984.23	18.58	1965.65	6.9	3.5	308.0	9.5	24.00	2.3	514	2,500	ND	ND	ND
	Jun 07	1984.23	18.66	1965.57	7.0	3.5	0.0	6.1	23.60	2.2	411	3,700	ND	ND	ND
	Sep 07	1984.23	17.41	1966.82	6.7	3.3	3.0	4.7	27.70	2.1	228	2,000	ND	ND	ND
	Dec 07	1984.23	17.50	1966.73	6.4	3.7	19.7	6.5	21.30	2.4	282	2,500	ND	ND	ND
	Mar 08	1984.23	18.31	1965.92	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1984.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	2,300	ND	ND	ND
	Oct 08	1984.18	18.25	1965.93	6.8	3.5	50.3	3.1	24.80	2.2	87	2,600	5.3	ND	ND
	Feb 09	1984.18	18.28	1965.90	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1984.18	18.41	1965.77	7.0	3.8	15.7	3.0	24.40	2.4	120	2,200	2.9	ND	ND
	Sep 09	1984.18	18.63	1965.55	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1984.18	19.05	1965.13	6.0	3.4	0.0	2.0	25.20	2.1	135	1,700	3.7	ND	ND
	Feb 10	1984.18	19.22	1964.96	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1984.18	18.72	1965.46	7.0	3.2	5.2	2.9	25.27	NM	NM	1,600	3.2	ND	ND
	Oct 10	1984.18	18.44	1965.74	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1984.18	18.45	1965.73	6.9	3.5	2.0	2.3	23.79	NM	90	1,900	3.9	ND	ND
	Mar 11	1984.18	18.75	1965.43	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1984.18	19.15	1965.03	7.1	3.5	4.0	2.7	24.74	NM	284	1,600	3.2	ND	ND
	Sep 11	1984.18	18.64	1965.54	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1984.18	18.67	1965.51	6.9	3.7	NM	1.6	23.97	2.4	113	1,700	2.4	ND	ND
	Mar 12	1984.18	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	* Jun 12	1983.31	18.45	1964.86	7.2	3.5	19.6	1.9	23.36	2.3	86	1,500	3.7	ND	ND
	Sep 12	1983.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12	1983.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13	1983.31	18.53	1964.78	7.0	3.8	NM	1.6	22.69	2.5	159	1,300	2.8	<0.50	<0.50	
Jun 13	1983.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1983.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1983.31	18.50	1964.81	7.5	3.9	19.7	0.9	23.77	2.5	104	1,800	3.5	<0.50	<0.50	
Mar 14	1983.31	18.37	1964.94	7.2	3.2	12.2	3.6	23.95	2.1	-158	1,500	3.7	<0.50	<0.50	
Jun 14	1983.31	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1983.31	18.31	1965.00	7.39	3.52	7.97	5.92	29.88	2.31	133	640	2.8	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-14	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,900	ND	ND	ND
	Jan 04	1987.89	18.35	1969.54	7.0	2.3	NM	1.3	22.30	NM	NM	2,100	ND	ND	ND
	May 05	1987.89	15.02	1972.87	7.0	3.2	NM	NM	24.70	NM	140	2,920	5.5	ND	ND
	Dec 05	1987.89	16.50	1971.39	6.8	5.3	>999	2.1	26.10	3.3	206	3,400	ND	ND	ND
	Mar 06	1987.89	17.54	1970.35	5.2	6.8	898.0	NM	24.20	4.3	234	2,500	ND	ND	ND
	Jun 06	1987.89	17.61	1970.28	NM	3.9	>999	6.8	25.40	2.5	119	1,800	NS	NS	NS
	Oct 06	1987.89	17.42	1970.47	6.1	3.6	>999	7.0	24.80	2.3	297	1,900	ND	ND	ND
	Dec 06	1987.89	17.78	1970.11	6.8	4.5	350.0	4.2	25.70	2.9	226	3,500	ND	ND	ND
	Mar 07	1987.89	18.93	1968.96	6.8	3.7	455.0	8.1	25.10	2.4	501	1,900	ND	ND	ND
	Jun 07	1987.89	18.80	1969.09	7.0	3.7	259.0	6.4	24.80	2.4	299	1,700	ND	ND	ND
	Sep 07	1987.89	17.40	1970.49	6.8	3.5	103.0	4.2	32.20	2.2	220	650	ND	ND	ND
	Dec 07	1987.89	17.66	1970.23	6.4	4.0	9.7	5.7	23.30	2.6	147	1,500	ND	ND	ND
	Mar 08	1987.89	18.63	1969.26	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1987.89	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,500	ND	ND	ND
	Oct 08	1987.86	18.60	1969.26	6.8	3.7	249.0	3.1	25.70	2.4	116	1,500	2.9	ND	ND
	Feb 09	1987.86	18.47	1969.39	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1987.86	18.63	1969.23	7.0	4.0	>-5.0	2.9	25.60	2.5	118	1,900	4.4	ND	ND
	Sep 09	1987.86	18.88	1968.98	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1987.86	19.20	1968.66	5.6	3.6	300.0	1.8	26.20	2.3	132	1,200	2.1	ND	ND
	Feb 10	1987.86	19.26	1968.60	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1987.86	18.88	1968.98	7.0	3.3	84.2	3.6	25.49	NM	NM	1,500	2.4	ND	ND
	Oct 10	1987.86	18.50	1969.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1987.86	18.56	1969.30	6.9	3.6	25.8	2.9	25.07	NM	101	1,500	2.6	ND	ND
	Mar 11	1987.86	18.97	1968.89	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1987.86	19.15	1968.71	7.3	3.6	11.4	3.2	25.78	NM	259	1,700	2.0	ND	ND
	Sep 11	1987.86	18.74	1969.12	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1987.86	18.72	1969.14	7.0	3.5	NM	2.6	25.40	2.3	111	1,700	2.5	ND	ND
	Mar 12	1987.86	19.33	1968.53	7.2	3.6	87.5	4.3	23.33	2.3	-51	1,600	NS	NS	NS
	* Jun 12	1987.33	18.71	1968.62	7.3	3.5	122.0	3.9	25.77	2.3	104	1,400	2.5	ND	ND
	Sep 12	1987.33	18.28	1969.05	7.3	3.5	NM	3.2	25.71	2.3	144	1,300	2.8	ND	ND
	Nov 12	1987.33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1987.33	19.12	1968.21	7.0	3.9	NM	2.6	24.10	2.5	112	1,900	2.9	<0.50	<0.50
	Jun 13	1987.33	19.44	1967.89	7.2	3.1	NM	3.5	28.28	2.5	130	1,300	2.1	<0.50	<0.50
Sep 13	1987.33	19.16	1968.17	7.0	3.7	NM	2.8	26.13	2.4	91	1,400	2.5	<0.50	<0.50	
Nov 13	1987.33	18.96	1968.37	7.8	3.9	28.9	2.6	25.17	3.5	96	1,500	2.7	<0.50	<0.50	
Mar 14	1987.33	18.89	1968.44	7.3	3.0	165.0	6.0	24.70	2.1	-114	930	2.2	<0.50	<0.50	
Jun 14	1987.33	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1987.33	18.95	1968.38	7.34	3.60	67.60	3.53	27.45	2.34	122	330	1.0	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-14I	Mar 13	NM	19.52	NM	7.4	1.3	NM	4.1	24.19	0.9	95	7,200	51	4.9	<0.50
	Jun 13	1987.54	19.95	1967.59	7.5	1.4	NM	4.2	30.76	0.9	101	5,500	27	3.8	<0.50
	Sep 13	1987.54	19.66	1967.88	7.4	1.4	NM	2.9	35.26	0.9	82	3,700	23	1.6	<0.50
	Nov 13	1987.54	19.53	1968.01	7.8	1.4	6.3	4.0	24.38	0.9	102	10,000	38	17	<0.50
	Mar 14	1987.54	19.53	1968.01	7.3	1.1	11.3	4.4	25.36	0.7	134	7,600	32	17	<0.50
	Jun 14	1987.54	19.69	1967.85	7.2	1.3	6.5	4.4	28.29	0.9	111	9,800	21	6.9	<0.50
	Sep 14	1987.54	19.41	1968.13	7.3	1.3	6.4	4.0	30.32	0.9	93	9,300	21	1.4	<0.50

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-15	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	5.2	ND	ND	ND
	Jan 04	1983.28	15.60	1967.68	6.4	2.2	NM	1.0	22.40	NM	NM	2.7	ND	ND	ND
	May 05	1983.28	12.59	1970.69	7.0	2.3	NM	2.9	25.10	NM	164	ND	ND	ND	ND
	Sep 05	1983.28	13.45	1969.83	7.0	3.6	36.0	3.5	25.80	2.3	-24	3.6	ND	ND	ND
	Dec 05	1983.28	13.77	1969.51	6.6	4.5	140.0	1.0	25.90	2.8	-38	5	ND	ND	ND
	Mar 06	1983.28	15.00	1968.28	4.7	6.4	20.0	NM	23.90	4.0	613	4.5	ND	ND	ND
	Jun 06	1983.28	15.15	1968.13	NM	3.8	300.0	4.3	26.00	2.5	106	4.4	NS	NS	NS
	Oct 06	1983.28	14.91	1968.37	6.2	3.7	10.0	2.0	25.70	2.3	51	3.3	ND	ND	ND
	Dec 06	1983.28	15.17	1968.11	6.8	4.7	15.0	3.4	25.90	3.0	28	3.7	ND	ND	ND
	Mar 07	1983.28	16.31	1966.97	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1983.28	16.16	1967.12	7.0	3.6	37.0	3.1	25.30	2.3	362	3	ND	ND	ND
	Sep 07	1983.28	14.80	1968.48	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1983.28	14.71	1968.57	6.4	3.7	0.0	1.9	23.30	2.3	170	3	ND	ND	ND
	Mar 08	1983.28	16.62	1966.66	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1983.28	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1983.25	15.80	1967.45	6.8	3.6	132.0	2.1	27.00	2.3	112	7.8	ND	ND	ND
	Feb 09	1983.25	15.76	1967.49	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1983.25	15.89	1967.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1983.25	16.34	1966.91	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1983.25	16.68	1966.57	5.8	3.2	44.0	1.8	26.60	2.1	34	3	ND	ND	ND
	Feb 10	1983.25	16.81	1966.44	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1983.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1983.25	16.10	1967.15	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1983.25	16.08	1967.17	6.8	3.4	7.6	2.3	27.60	NM	154	2.5	ND	ND	ND
	Mar 11	1983.25	16.29	1966.96	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1983.25	16.64	1966.61	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1983.25	16.18	1967.07	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1983.25	16.17	1967.08	6.8	4.0	NM	2.1	26.75	NM	-42	3.5	ND	ND	ND
	Mar 12	1983.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1982.74	16.70	1966.04	7.3	3.1	25.4	4.1	27.82	2.1	-64	4.2	ND	ND	ND
	Sep 12	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1982.74	16.41	1966.33	7.0	3.6	NM	2.9	26.24	2.3	48	2.7	<0.50	<0.50	<0.50
Jun 13	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1982.74	16.25	1966.49	7.2	3.1	62.6	2.9	26.32	2.0	66	2.8	<0.50	<0.50	<0.50	
Jun 14	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1982.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-16	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	ND	ND	ND	ND
	Jan 04	1980.63	26.22	1954.41	7.0	2.3	NM	0.7	22.40	NM	NM	ND	ND	ND	ND
	May 05	1980.63	23.41	1957.22	7.1	2.9	NM	1.1	25.20	NM	-4	ND	ND	ND	ND
	Sep 05	1980.63	24.12	1956.51	7.0	3.4	520.0	3.5	24.60	2.3	-31	ND	ND	ND	ND
	Dec 05	1980.63	24.21	1956.42	6.7	3.8	>999	1.3	25.30	2.4	48	ND	ND	ND	ND
	Mar 06	1980.63	25.06	1955.57	5.2	5.7	199.0	NM	23.80	3.6	162	ND	ND	ND	ND
	Jun 06	1980.63	26.05	1954.58	NM	3.4	>999	5.6	27.10	2.2	-64	ND	ND	ND	ND
	Oct 06	1980.63	25.67	1954.96	6.3	3.4	32.0	2.0	24.60	2.2	-145	ND	ND	ND	ND
	Dec 06	1980.63	25.56	1955.07	6.5	3.6	271.0	2.9	24.40	1.3	-52	ND	ND	ND	ND
	Mar 07	1980.63	26.33	1954.30	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1980.63	27.28	1953.35	6.7	3.3	282.0	2.2	25.00	2.1	94	ND	ND	ND	ND
	Sep 07	1980.63	27.03	1953.60	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1980.63	26.46	1954.17	6.5	3.4	0.0	1.9	24.90	2.2	82	ND	ND	ND	ND
	Mar 08	1980.63	26.33	1954.30	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1980.63	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1980.61	27.19	1953.42	6.9	3.2	68.0	0.0	24.90	2.1	38	ND	2.8	ND	ND
	Feb 09	1980.61	26.52	1954.09	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1980.61	27.30	1953.31	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1980.61	27.86	1952.75	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1980.61	27.99	1952.62	5.7	3.0	100.0	0.4	26.00	1.9	-96	1.9	ND	ND	ND
	Feb 09	1980.61	28.43	1952.18	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1980.61	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1980.61	27.95	1952.66	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1980.61	27.68	1952.93	6.6	3.1	2.5	0.2	26.52	NM	140	ND	ND	ND	ND
	Mar 11	1980.61	27.49	1953.12	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1980.61	28.22	1952.39	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1980.61	28.36	1952.25	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1980.61	28.17	1952.44	6.9	3.5	NM	0.2	24.40	NM	-74	ND	ND	ND	ND
	Mar 12	1980.61	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1980.53	28.51	1952.02	7.2	2.9	NM	1.2	25.13	1.9	-23	ND	ND	ND	ND
	Sep 12	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1980.53	26.86	1953.67	7.0	3.3	NM	1.7	25.33	2.2	-111	<0.50	<0.50	<0.50	<0.50
Jun 13	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1980.53	27.39	1953.14	7.3	2.8	1.8	2.5	24.61	1.8	23	<0.50	<0.50	<0.50	<0.50	
Jun 14	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1980.53	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-17	May 05	1990.92	15.07	1975.85	6.9	3.5	22.0	5.9	24.10	NM	181	520	ND	ND	ND	
	Dec 05	1990.92	17.05	1973.87	6.9	4.7	6.0	2.3	26.80	3.0	240	470	ND	ND	ND	
	Mar 06	1990.92	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 06	1990.92	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Oct 06	1990.92	17.91	1973.01	6.2	3.5	2.0	7.4	24.90	2.2	174	1,300	ND	ND	ND	
	Dec 06	1990.92	18.41	1972.51	6.9	4.1	25.0	6.8	24.10	2.7	386	710	ND	ND	ND	
	Mar 07	1990.92	19.63	1971.29	7.0	3.6	87.0	8.1	24.30	2.3	350	440	ND	ND	ND	
	Jun 07	1990.92	19.48	1971.44	7.0	3.7	37.0	7.3	25.00	2.3	471	300	ND	ND	ND	
	Sep 07	1990.92	17.91	1973.01	6.7	3.4	0.0	5.0	26.70	2.2	197	380	ND	ND	ND	
	Dec 07	1990.92	18.45	1972.47	6.3	3.9	0.0	4.8	19.70	2.5	176	480	ND	ND	ND	
	Mar 08	1990.92	19.51	1971.41	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 08	1990.92	NM	NM	NM	NM	NM	NM	NM	NM	NM	360	ND	ND	ND	
	Oct 08	1990.89	18.84	1972.05	6.8	3.7	-3.1	4.1	25.00	2.4	136	290	ND	ND	ND	
	Feb 09	1990.89	19.12	1971.77	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 09	1990.89	19.44	1971.45	5.6	3.8	0.0	1.3	25.00	2.4	170	270	ND	ND	ND	
	Sep 09	1990.89	19.58	1971.31	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 09	1990.89	19.95	1970.94	6.6	3.5	-10.0	3.0	25.20	2.2	131	310	ND	ND	ND	
	Feb 10	1990.89	19.71	1971.18	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 10	1990.89	19.62	1971.27	7.0	2.9	-0.7	3.1	25.10	NM	NM	270	ND	ND	ND	
	Oct 10	1990.89	19.10	1971.79	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 10	1990.89	19.14	1971.75	6.6	3.7	1.3	1.8	26.48	NM	NM	207	240	ND	ND	ND
	Mar 11	1990.89	19.65	1971.24	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 11	1990.89	19.85	1971.04	6.7	3.7	0.5	1.7	25.89	NM	399	350	ND	ND	ND	
	Sep 11	1990.89	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 11	1990.89	19.45	1971.44	7.0	3.5	NM	2.7	24.09	2.6	274	350	ND	ND	ND	
	Mar 12	1990.89	20.03	1970.86	7.2	3.6	4.1	1.3	24.72	2.3	-92	320	NS	NS	NS	
	Jun 12	1991.04	19.09	1971.95	7.2	3.5	4.5	1.6	24.31	2.3	101	260	ND	ND	ND	
	Sep 12	1991.04	18.83	1972.21	7.5	3.5	NM	2.0	25.50	2.8	72	250	ND	ND	ND	
	Nov 12	1991.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 13	1991.04	19.94	1971.10	7.0	3.7	NM	1.0	23.75	2.4	54	190	<0.50	<0.50	<0.50	
	Jun 13	1991.04	20.30	1970.74	7.0	3.8	NM	1.1	23.43	2.4	91	150	<0.50	<0.50	<0.50	
	Sep 13	1991.04	20.18	1970.86	7.1	3.7	NM	1.4	25.61	2.4	-86	130	<0.50	<0.50	<0.50	
	Nov 13	1991.04	19.90	1971.14	6.0	3.2	1.7	0.4	24.10	2.1	154	120	<0.50	<0.50	<0.50	
Mar 14	1991.04	19.67	1971.37	7.2	3.2	2.0	2.2	23.49	2.1	47	69	<0.50	<0.50	<0.50		
Jun 14	1991.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		
Sep 14	1991.04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-18	May 05	1962.87	8.71	1954.16	7.1	3.9	>999	5.6	24.30	NM	139	1,600	ND	ND	ND	
	Sep 05	1962.87	9.69	1953.18	7.1	4.1	3.0	6.2	26.30	2.6	88	1,700	ND	ND	ND	
	Dec 05	1962.87	9.70	1953.17	6.8	4.7	NM	2.0	25.20	3.0	420	2,400	ND	ND	ND	
	Mar 06	1962.87	10.21	1952.66	5.2	6.2	3.0	NM	23.30	3.9	237	1,700	NS	NS	NS	
	Jun 06	1962.87	11.64	1951.23	NM	3.6	304.0	6.2	25.40	2.3	166	1,600	NS	NS	NS	
	Oct 06	1962.87	11.21	1951.66	6.3	3.5	0.0	4.1	25.50	2.2	127	2,100	ND	ND	ND	
	Dec 06	1962.87	10.98	1951.89	6.8	4.2	0.0	4.3	24.70	2.7	297	1,400	ND	ND	ND	
	Mar 07	1962.87	11.36	1951.51	7.0	3.4	23.0	7.5	22.80	2.2	286	1,400	ND	ND	ND	
	Jun 07	1962.87	12.53	1950.34	7.0	3.5	24.0	5.5	23.90	2.2	394	1,300	ND	ND	ND	
	Sep 07	1962.87	12.45	1950.42	6.8	3.3	22.0	5.4	29.30	2.1	210	930	ND	ND	ND	
	Dec 07	1962.87	11.54	1951.33	6.3	3.6	0.0	5.8	21.60	2.3	232	1,400	ND	ND	ND	
	Mar 08	1962.87	11.15	1951.72	6.9	3.5	0.2	4.3	21.20	2.2	212	1,800	ND	ND	ND	
	Jun 08	1962.87	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,200	ND	ND	ND
	Oct 08	1962.86	11.96	1950.90	5.5	3.5	14.3	7.8	25.50	2.2	196	950	3.7	ND	ND	
	Feb 09	1962.86	11.48	1951.38	6.7	3.3	0.0	3.8	22.70	2.1	90	1,500	5.2	ND	ND	
	Jun 09	1962.86	12.36	1950.50	7.3	3.5	20.2	3.5	23.90	2.3	131	3,500	5.1	ND	ND	
	Sep 09	1962.86	13.24	1949.62	6.6	3.9	18.9	4.3	28.00	2.5	136	1,200	ND	ND	ND	
	Nov 09	1962.86	13.27	1949.59	5.9	3.3	40.0	3.6	25.80	2.1	132	1,400	4.1	ND	ND	
	Feb 10	1962.86	13.37	1949.49	6.9	3.3	9.0	4.0	23.30	2.1	134	1,600	4.8	ND	ND	
	Jun 10	1962.86	12.90	1949.96	7.1	3.1	-0.9	8.0	25.10	NM	NM	1,100	3.5	ND	ND	
	Oct 10	1962.86	13.43	1949.43	6.7	3.3	-0.7	4.4	26.19	2.2	528	1,300	3.4	ND	ND	
	Nov 10	1962.86	13.20	1949.66	6.8	3.3	0.2	4.0	25.79	NM	192	1,200	3.8	ND	ND	
	Mar 11	1962.86	12.43	1950.43	7.5	3.4	25.7	7.8	22.14	NM	118	1,000	2.7	ND	ND	
	Jun 11	1962.86	13.32	1949.54	7.4	3.4	0.7	4.4	24.99	NM	234	1,300	2.9	ND	ND	
	Sep 11	1962.86	13.61	1949.25	7.0	3.4	39.0	6.2	26.60	2.2	276	1,300	3.2	ND	ND	
	Nov 11	1962.86	13.39	1949.47	7.0	3.2	NM	4.0	24.97	2.1	178	1,100	3.3	ND	ND	
	Mar 12	1962.86	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	* Jun 12	1962.9	13.80	1949.10	7.3	3.2	6.1	4.8	25.23	2.1	115	1,300	3.4	ND	ND	
	Sep 12	1962.9	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1962.9	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1962.9	12.06	1950.84	7.1	3.6	NM	2.6	23.54	2.3	83	1,200	2.5	<0.50	<0.50	
	Jun 13	1962.9	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1962.9	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 13	1962.9	13.62	1949.28	6.8	3.6	8.3	3.6	25.49	2.4	152	780	<0.50	<0.50	<0.50		
Mar 14	1962.9	12.75	1950.15	7.3	3.2	58.1	4.6	19.23	2.1	247	230	<0.50	<0.50	<0.50		
Jun 14	1962.9	13.78	1949.12	7.1	3.4	4.8	4.9	27.63	2.2	71	1,100	1.2	<0.50	<0.50		
Sep 14	1962.9	13.97	1948.93	8.0	2.9	7.6	2.5	30.26	1.8	92	620	0.78	<0.50	<0.50		

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-19	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,100	ND	ND	ND	
	Jan 04	1980.26	25.65	1954.61	7.0	1.9	NM	1.0	22.40	NM	NM	1,200	ND	ND	ND	
	May 05	1980.26	22.70	1957.56	7.1	1.9	NM	5.8	25.00	NM	130	873	ND	ND	ND	
	Dec 05	1980.26	23.65	1956.61	6.6	4.7	NM	2.0	24.70	3.0	388	1,300	ND	ND	ND	
	Mar 06	1980.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 06	1980.26	25.55	1954.71	NM	3.7	>999	7.9	27.10	2.4	86	910	ND	ND	ND	
	Oct 06	1980.26	25.23	1955.03	6.1	3.7	>999	4.6	23.90	2.4	175	840	ND	ND	ND	
	Dec 06	1980.26	25.01	1955.25	6.8	4.4	>999	5.7	23.90	2.8	595	1,200	ND	ND	ND	
	Mar 07	1980.26	25.77	1954.49	6.9	3.7	>999	9.1	24.30	2.3	284	890	ND	ND	ND	
	Jun 07	1980.26	26.84	1953.42	7.1	3.5	>999	6.7	24.50	2.3	551	870	ND	ND	ND	
	Sep 07	1980.26	26.41	1953.85	6.8	3.4	352.0	5.1	27.40	2.2	201	510	ND	ND	ND	
	Dec 07	1980.26	25.52	1954.74	6.4	3.8	440.0	5.6	24.30	2.4	150	990	ND	ND	ND	
	Mar 08	1980.26	25.35	1954.91	7.0	3.7	7.6	5.2	24.80	2.3	190	1,200	NS	NS	NS	
	Jun 08	1980.26	NM	NM	NM	NM	NM	NM	NM	NM	NM	930	ND	ND	ND	
	Oct 08	1980.24	26.19	1954.05	6.9	3.5	18.0	4.1	24.40	2.2	135	1,300	5.7	ND	ND	
	Feb 09	1980.24	25.76	1954.48	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 09	1980.24	26.59	1953.65	7.0	3.6	178.0	4.5	25.80	2.3	125	1,400	6.1	ND	ND	
	Sep 09	1980.24	27.34	1952.90	6.4	3.9	999.0	4.7	26.60	2.5	157	880	ND	ND	ND	
	Nov 09	1980.24	27.42	1952.82	5.9	3.4	>990	2.7	25.50	2.2	131	580	3.7	ND	ND	
	Feb 10	1980.24	27.78	1952.46	6.9	3.2	120.0	4.8	23.70	2.1	135	990	5.5	ND	ND	
	Jun 10	1980.24	27.08	1953.16	7.0	3.0	2.7	5.0	25.41	NM	NM	930	4.2	ND	ND	
	Oct 10	1980.24	27.50	1952.74	7.1	3.2	15.3	5.2	25.28	2.1	394	420	3.2	ND	ND	
	Nov 10	1980.24	27.24	1953.00	7.1	3.3	15.5	5.0	25.25	NM	241	840	4.1	ND	ND	
	Mar 11	1980.24	26.73	1953.51	6.9	3.4	71.3	5.4	24.59	NM	258	880	3.7	ND	ND	
	Jun 11	1980.24	27.55	1952.69	7.4	3.3	20.5	5.0	26.19	NM	190	1,000	3.5	ND	ND	
	Sep 11	1980.24	27.68	1952.56	7.0	3.4	570.0	6.5	26.90	2.2	250	950	3.6	ND	ND	
	Nov 11	1980.24	27.50	1952.74	7.1	3.1	NM	4.6	23.94	2.0	131	1,100	4.2	ND	ND	
	Mar 12	1980.24	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1980.13	27.88	1952.25	7.5	3.1	27.1	5.3	25.86	2.0	102	1,000	3.5	ND	ND
		Sep 12	1980.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1980.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 13	1980.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	520	3.2	<0.50	<0.50	
	Jun 13	1980.13	27.46	1952.67	7.2	3.4	NM	4.9	28.16	2.2	119	530	3.4	<0.50	<0.50	
	Sep 13	1980.13	27.94	1952.19	7.2	3.2	NM	4.7	27.22	2.1	255	840	3.2	<0.50	<0.50	
	Nov 13	1980.13	27.48	1952.65	6.3	3.1	65.8	3.2	26.49	2.0	228	440	3.2	<0.50	<0.50	
	Mar 14	1980.13	26.66	1953.47	7.3	3.0	72.1	3.2	24.47	2.0	160	910	3.7	<0.50	<0.50	
	Jun 14	1980.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Sep 14	1980.13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-191	Sep 12	1967.55	26.60	1940.95	7.7	3.0	NM	3.9	26.53	2.0	131	690	4.0	0.8	ND
	Nov 12	1967.55	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1967.55	NM	NM	NM	NM	NM	NM	NM	NM	NM	710	5.2	0.74	<0.50
	Jun 13	1967.55	26.42	1941.13	7.3	3.4	NM	4.4	26.1	2.1	589	<0.50	<0.50	<0.50	<0.50
	Sep 13	1978.37	26.92	1951.45	7.0	3.9	NM	5.2	28.5	2.5	650	<0.50	<0.50	<0.50	<0.50
	Nov 13	1978.37	26.47	1951.90	4.3	4.2	20.8	4.3	25.6	2.7	579	<0.50	<0.50	<0.50	<0.50
	Mar 14	1978.37	25.62	1952.75	7.3	3.4	69.4	3.6	23.0	2.2	626	<0.50	<0.50	<0.50	<0.50
	Jun 14	1978.37	26.71	1951.66	6.9	3.5	15.7	5.6	28.5	2.2	650	<0.50	<0.50	<0.50	<0.50
Sep 14	1978.37	26.81	1951.56	7.4	3.3	46.2	7.3	27.0	2.1	631	<0.50	<0.50	<0.50	<0.50	
MW-19D1	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	300	2.9	<0.50	<0.50
	Jun 13	1979.25	27.73	1951.52	7.3	3.0	NM	4.7	27.42	1.9	3	690	4.2	<0.50	<0.50
	Sep 13	1979.25	27.17	1952.08	7.0	3.2	NM	4.3	26.23	2.1	485	990	4.2	<0.50	<0.50
	Nov 13	1979.25	26.70	1952.55	7.3	2.4	28.1	4.7	24.24	1.7	385	620	3.5	<0.50	<0.50
	Jan 14	1979.25	25.81	1953.44	7.3	1.1	NM	4.8	23.10	0.7	274	490	2.4	<0.50	<0.50
	Feb 14	1979.25	25.83	1953.42	7.4	0.5	NM	3.7	23.68	0.4	230	210	1.1	<0.50	<0.50
	Mar 14	1979.25	25.91	1953.34	7.4	0.5	52.8	4.1	23.31	0.3	239	3.7	<0.50	<0.50	<0.50
	Jun 14	1979.25	26.97	1952.28	7.0	2.6	56.2	5.5	31.79	1.7	501	730	4.2	<0.50	<0.50
Sep 14	1979.25	27.06	1952.19	7.8	2.9	61.4	6.4	29.97	2.1	333	240	1.5	<0.50	<0.50	
MW-19D2	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	170	1.5	<0.50	<0.50
	Jun 13	1979.28	27.85	1951.43	7.4	2.7	NM	2.0	26.09	1.8	607	<0.50	<0.50	<0.50	<0.50
	Sep 13	1979.28	28.50	1950.78	7.2	2.4	NM	2.6	25.10	1.6	565	<0.50	<0.50	<0.50	<0.50
	Nov 13	1979.28	27.71	1951.57	7.5	2.6	18.0	3.3	24.83	1.7	485	<0.50	<0.50	<0.50	<0.50
	Jan 14	1979.28	26.66	1952.62	7.4	2.0	NM	3.5	22.53	1.3	531	<0.50	<0.50	<0.50	<0.50
	Feb 14	1979.28	26.85	1952.43	7.4	2.1	NM	2.1	23.04	1.3	502	<0.50	<0.50	<0.50	<0.50
	Mar 14	1979.28	26.97	1952.31	7.4	2.1	28.0	4.0	23.12	1.4	509	0.53	<0.50	<0.50	<0.50
	Jun 14	1979.28	27.88	1951.40	7.2	2.2	17.0	3.7	29.19	1.4	617	6.0	<0.50	<0.50	<0.50
Sep 14	1979.28	27.67	1951.61	7.6	2.2	7.9	4.8	26.23	1.4	531	10.0	<0.50	<0.50	<0.50	
MW-19D3	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.50	<0.50	<0.50	<0.50
	Jun 13	1979.32	25.53	1953.79	7.7	0.5	NM	4.0	28.15	0.3	68	0.68	<0.50	<0.50	<0.50
	Sep 13	1979.32	28.80	1950.52	6.9	3.2	NM	4.9	24.91	2.1	133	710	4.8	<0.50	<0.50
	Nov 13	1979.32	25.42	1953.90	7.6	1.0	10.3	4.1	24.27	0.7	424	160	0.75	<0.50	<0.50
	Jan 14	1979.32	24.87	1954.45	7.4	0.5	NM	4.8	22.46	0.3	368	32	<0.50	<0.50	<0.50
	Feb 14	1979.32	24.67	1954.65	7.4	0.5	NM	4.6	22.68	0.3	344	36	<0.50	<0.50	<0.50
	Mar 14	1979.32	24.72	1954.60	7.4	0.5	17.0	4.4	23.47	0.3	80	17	<0.50	<0.50	<0.50
	Jun 14	1979.32	26.99	1952.33	7.7	0.6	41.6	4.6	33.28	0.4	158	40	<0.50	<0.50	<0.50
Sep 14	1979.32	29.00	1950.32	7.0	3.1	6.9	6.5	26.73	2.0	256	710	4.7	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-20	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,800	ND	ND	ND	
	Jan 04	1979.99	25.50	1954.49	6.9	2.1	NM	1.1	22.60	NM	NM	290	2.8	ND	ND	
	May 05	1979.99	22.58	1957.41	7.2	1.3	NM	5.0	23.60	NM	131	1,460	ND	ND	ND	
	Dec 05	1979.99	23.55	1956.44	6.8	4.4	NM	0.8	20.50	2.8	272	1,800	ND	ND	ND	
	Mar 06	1979.99	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 06	1979.99	25.48	1954.51	NM	3.8	736.0	6.9	28.60	2.1	70	2,100	ND	ND	ND	
	Oct 06	1979.99	25.04	1954.95	6.1	2.6	>999	4.1	23.70	1.8	234	2,000	ND	ND	ND	
	Dec 06	1979.99	24.85	1955.14	6.8	4.1	284.0	4.3	23.90	2.6	245	2,500	ND	ND	ND	
	Mar 07	1979.99	26.63	1953.36	6.9	3.3	999.0	9.8	23.80	2.2	530	1,500	ND	ND	ND	
	Jun 07	1979.99	26.76	1953.23	7.0	3.5	>999	5.4	23.80	2.2	346	1,300	ND	ND	ND	
	Sep 07	1979.99	26.30	1953.69	6.8	3.3	248.0	4.4	32.50	2.1	207	730	ND	ND	ND	
	Dec 07	1979.99	25.38	1954.61	6.3	3.8	24.6	5.4	21.90	2.4	180	1,400	ND	ND	ND	
	Mar 08	1979.99	25.12	1954.87	6.9	3.5	33.0	4.0	23.60	2.3	184	1,600	NS	NS	NS	
	Jun 08	1979.99	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,200	ND	ND	ND	
	Oct 08	1979.95	26.05	1953.90	7.3	3.5	-5.0	2.3	25.20	NM	181	1,000	3.5	ND	ND	
	Feb 09	1979.95	25.57	1954.38	6.6	3.5	247.0	2.5	23.40	2.2	99	830	ND	ND	ND	
	Jun 09	1979.95	26.45	1953.50	6.9	3.7	>-5.0	2.2	23.90	2.3	140	1,100	3.3	ND	ND	
	Sep 09	1979.95	27.21	1952.74	6.5	4.1	386.0	2.5	25.70	2.6	146	940	ND	ND	ND	
	Nov 09	1979.95	27.30	1952.65	5.8	3.4	380.0	1.9	25.30	2.2	142	640	2.2	ND	ND	
	Feb 10	1979.95	27.54	1952.41	6.9	3.3	38.0	2.5	24.30	2.0	130	990	3.3	ND	ND	
	Jun 10	1979.95	27.86	1952.09	7.0	3.2	1.4	3.5	24.59	NM	NM	780	2.4	ND	ND	
	Oct 10	1979.95	27.35	1952.60	6.4	3.3	39.3	2.9	26.58	2.2	519	340	1.8	ND	ND	
	Nov 10	1979.95	27.12	1952.83	6.6	3.4	0.9	3.0	25.50	NM	194	890	2.6	ND	ND	
	Mar 11	1979.95	26.59	1953.36	6.9	3.5	49.7	3.4	25.69	NM	237	800	2.3	ND	ND	
	Jun 11	1979.95	27.40	1952.55	6.8	3.5	3.1	3.5	31.92	NM	452	740	1.9	ND	ND	
	Sep 11	1979.95	27.56	1952.39	6.9	3.6	20.0	3.4	26.50	2.2	182	680	1.8	ND	ND	
	Nov 11	1979.95	27.35	1952.60	7.0	3.3	NM	2.8	24.35	2.2	131	800	1.9	ND	ND	
	Mar 12	1979.95	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1979.82	27.62	1952.20	7.4	3.3	40.1	3.7	25.17	2.2	87	660	2.1	ND	ND
		Sep 12	1979.82	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
		Nov 12	1979.82	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
		Mar 13	1979.82	NM	NM	NM	NM	NM	NM	NM	NM	290	1.8	<0.50	<0.50	
	Jun 13	1979.82	27.20	1952.62	7.2	3.7	NM	4.7	26.67	2.4	192	660	2.1	<0.50	<0.50	
	Sep 13	1979.82	27.70	1952.12	7.0	3.5	NM	4.5	26.41	2.3	428	570	1.8	<0.50	<0.50	
	Nov 13	1979.82	27.28	1952.54	6.1	3.4	21.8	2.5	25.53	2.2	245	530	1.4	<0.50	<0.50	
	Mar 14	1979.82	26.46	1953.36	7.3	3.1	22.0	3.9	25.92	2.0	345	170	0.66	<0.50	<0.50	
	Jun 14	1979.82	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		
	Sep 14	1979.82	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-20D1	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	69	2.8	3.6	<0.50
	Jun 13	1978.81	26.17	1952.64	7.3	3.0	NM	5.2	27.38	2.0	115	110	<0.50	<0.50	<0.50
	Sep 13	1978.81	27.01	1951.80	7.1	3.4	NM	4.8	27.83	2.2	113	100	0.56	<0.50	<0.50
	Nov 13	1978.81	26.60	1952.21	7.1	3.3	83.3	4.5	25.16	2.2	57	260	0.86	<0.50	<0.50
	Mar 14	1978.81	25.70	1953.11	7.4	0.9	70.4	4.9	25.09	0.6	76	76	<0.50	<0.50	<0.50
	Jun 14	1978.81	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1979.81	27.05	1952.76	7.6	3.1	29.1	4.0	27.20	2.0	213	160	0.62	<0.50	<0.50
MW-20D2	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	25	<0.50	<0.50	<0.50
	Jun 13	1978.66	26.23	1952.43	7.4	0.8	NM	4.6	25.83	0.5	107	64	<0.50	<0.50	<0.50
	Sep 13	1978.66	26.90	1951.76	7.0	3.5	NM	4.2	27.95	2.3	114	210	0.77	<0.50	<0.50
	Nov 13	1978.66	26.92	1951.74	6.7	2.5	9.0	4.3	24.88	1.6	75	160	1.0	0.81	<0.50
	Mar 14	1978.66	26.05	1952.61	7.4	0.5	11.1	5.4	23.88	0.3	68	11	<0.50	<0.50	<0.50
	Jun 14	1978.66	26.55	1952.11	7.3	2.1	9.3	5.5	27.33	1.4	77	120	0.78	<0.50	<0.50
	Sep 14	1978.66	27.21	1951.45	7.4	3.4	7.5	3.9	25.21	2.2	229	140	0.84	<0.50	<0.50
MW-20D3	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.66	<0.50	<0.50	<0.50
	Jun 13	1978.69	26.17	1952.52	7.1	0.5	NM	3.9	24.81	0.3	119	<0.50	<0.50	<0.50	<0.50
	Sep 13	1978.69	27.28	1951.41	7.1	3.0	NM	4.9	33.54	1.9	100	25	<0.50	0.80	<0.50
	Nov 13	1978.69	26.57	1952.12	6.9	1.4	31.9	4.0	24.89	0.9	81	62	<0.50	<0.50	<0.50
	Mar 14	1978.69	22.92	1955.77	7.4	0.5	61.1	4.8	23.65	0.3	277	7.9	<0.50	<0.50	<0.50
	Jun 14	1978.69	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1978.69	31.52	1947.17	7.4	0.8	37.2	3.9	28.12	0.5	215	9.6	<0.50	<0.50	<0.50

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-21	Nov 03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	51	ND	ND	ND
	Jan 04	1979.56	24.72	1954.84	6.9	2.0	NM	1.1	22.30	NM	NM	55	ND	ND	ND
	May 05	1979.56	21.76	1957.80	7.1	2.8	NM	2.9	24.60	NM	131	30	ND	ND	ND
	Sep 05	1979.56	22.70	1956.86	7.1	4.7	39.0	4.1	25.80	2.6	109	19	2.4	1.5	ND
	Dec 05	1979.56	22.85	1956.71	6.6	4.6	>999	0.5	24.30	2.9	264	16	1.8	1.3	ND
	Mar 06	1979.56	23.46	1956.10	5.5	3.6	140.0	NM	23.00	2.3	309	43	ND	ND	ND
	Jun 06	1979.56	24.68	1954.88	NM	3.5	>999	4.7	28.50	2.3	112	32	ND	ND	ND
	Oct 06	1979.56	24.35	1955.21	6.2	3.5	>999	2.0	24.10	2.2	79	23	ND	ND	ND
	Dec 06	1979.56	24.15	1955.41	6.7	4.5	617.0	2.7	24.00	2.9	89	39	ND	ND	ND
	Mar 07	1979.56	24.87	1954.69	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1979.56	25.95	1953.61	7.0	3.4	>999	4.2	24.20	2.2	373	28	ND	ND	ND
	Sep 07	1979.56	25.44	1954.12	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1979.56	24.34	1955.22	6.2	3.7	>999	4.4	19.30	2.4	117	83	ND	ND	ND
	Mar 08	1979.56	24.19	1955.37	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1979.56	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1979.54	24.80	1954.74	7.2	3.4	545.0	0.0	24.50	NM	173	20	ND	ND	ND
	Feb 09	1979.54	24.73	1954.81	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1979.54	25.53	1954.01	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1979.54	26.39	1953.15	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1979.54	26.40	1953.14	6.0	3.4	90.0	0.9	24.90	2.2	119	11	ND	ND	ND
	Feb 10	1979.54	26.14	1953.40	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1979.54	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1979.54	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1979.54	26.32	1953.22	6.6	3.5	2.6	0.3	25.18	NM	202	13	ND	ND	ND
	Mar 11	1979.54	25.68	1953.86	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1979.54	26.57	1952.97	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1979.54	26.67	1952.87	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1979.54	26.47	1953.07	6.8	4.0	NM	0.2	24.75	NM	-38	13	ND	ND	ND
	Mar 12	1979.54	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	* Jun 12	1979.25	26.77	1952.48	7.3	3.4	8.6	1.0	26.21	2.2	-127	9.4	ND	ND	ND
	Sep 12	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1979.25	25.03	1954.22	6.9	3.7	NM	0.2	24.49	2.4	107	8.4	<0.50	<0.50	<0.50
Jun 13	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1979.25	25.58	1953.67	7.2	3.1	61.2	2.7	23.96	2.0	430	1.4	<0.50	<0.50	<0.50	
Jun 14	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1979.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-22	May 05	1974.76	23.04	1951.72	6.8	3.9	474.0	1.7	24.10	NM	46	ND	ND	ND	ND
	Sep 05	1974.76	24.18	1950.58	6.9	4.3	10.0	7.2	23.90	2.7	46	ND	ND	ND	ND
	Dec 05	1974.76	24.30	1950.46	6.4	4.2	NM	1.3	24.60	2.7	213	1	ND	ND	ND
	Mar 06	1974.76	24.68	1950.08	4.8	6.1	30.0	NM	24.00	3.8	269	ND	ND	ND	ND
	Jun 06	1974.76	25.91	1948.85	NM	3.4	287.0	6.0	26.40	2.2	376	ND	ND	ND	ND
	Oct 06	1974.76	25.79	1948.97	6.0	3.7	11.0	2.4	23.80	2.4	141	ND	ND	ND	ND
	Dec 06	1974.76	25.49	1949.27	6.5	4.5	0.0	3.5	23.50	2.9	477	ND	ND	ND	ND
	Mar 07	1974.76	24.73	1950.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 07	1974.76	26.91	1947.85	6.7	3.8	26.0	3.4	24.30	2.4	137	ND	ND	ND	ND
	Sep 07	1974.76	26.90	1947.86	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1974.76	25.88	1948.88	6.3	4.0	55.6	2.3	23.80	2.5	216	ND	ND	ND	ND
	Mar 08	1974.76	25.17	1949.59	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1974.76	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1974.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Feb 09	1974.75	25.60	1949.15	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1974.75	26.59	1948.16	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1974.75	27.58	1947.17	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1974.75	27.38	1947.37	6.0	3.6	31.0	1.4	24.50	2.3	131	1.4	ND	ND	ND
	Feb 10	1974.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1974.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1974.75	27.82	1946.93	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1974.75	27.55	1947.20	6.7	3.7	0.1	1.6	24.30	NM	129	ND	ND	ND	ND
	Mar 11	1974.75	26.58	1948.17	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1974.75	27.45	1947.30	7.2	3.4	50.2	5.2	24.89	NM	266	NS	NS	NS	NS
	Sep 11	1974.75	27.87	1946.88	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1974.75	27.57	1947.18	6.9	3.6	NM	1.6	23.70	2.3	88	0.55	ND	ND	ND
	Mar 12	1974.75	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1975.19	28.05	1947.14	6.8	4.1	250.0	4.0	26.20	2.6	102	0.58	ND	ND	ND
	Sep 12	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1975.19	26.27	1948.92	6.9	3.9	NM	1.7	23.49	2.5	140	<0.50	<0.50	<0.50	<0.50
	Jun 13	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 13	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1975.19	26.95	1948.24	7.3	3.3	120.0	5.0	24.37	2.2	17	0.58	<0.50	<0.50	<0.50	
Jun 14	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1975.19	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-23	May 05	1962.32	13.06	1949.26	7.0	3.6	NM	2.6	24.50	NM	121	1,430	ND	ND	ND
	Dec 05	1962.32	14.05	1948.27	6.7	4.9	NM	2.1	24.90	3.1	320	1,900	ND	ND	ND
	Mar 06	1962.32	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 06	1962.32	15.60	1946.72	NM	3.7	318.0	5.8	23.80	2.3	238	1,500	ND	ND	ND
	Oct 06	1962.32	15.48	1946.84	6.3	3.5	0.0	2.5	24.00	2.2	107	2,000	ND	ND	ND
	Dec 06	1962.32	15.16	1947.16	6.8	4.2	0.0	3.2	24.20	2.7	2	2,100	ND	ND	ND
	Mar 07	1962.32	15.12	1947.20	NM	NM	NM	NM	NM	NM	NM	2.1	ND	ND	ND
	Jun 07	1962.32	16.40	1945.92	7.0	3.5	31.0	4.2	23.50	2.2	301	1,300	ND	ND	ND
	Sep 07	1962.32	16.61	1945.71	6.8	3.3	1.0	3.8	25.80	2.1	204	750	ND	ND	ND
	Dec 07	1962.32	15.80	1946.52	6.3	3.7	0.0	5.5	22.10	2.4	250	1,200	ND	ND	ND
	Mar 08	1962.32	15.18	1947.14	7.0	6.3	0.4	2.2	24.00	4.1	188	1,400	ND	ND	ND
	Jun 08	1962.32	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,100	ND	ND	ND
	Oct 08	1962.29	16.34	1945.95	6.7	3.5	18.3	2.0	23.40	2.3	170	1,300	4.4	ND	ND
	Feb 09	1962.29	15.41	1946.88	6.7	3.4	0.0	1.1	23.00	2.2	82	1,100	ND	ND	ND
	Jun 09	1962.29	16.40	1945.89	7.2	3.6	7.1	0.6	23.80	2.3	124	1,400	4.6	ND	ND
	Sep 09	1962.29	17.30	1944.99	6.6	4.0	24.5	2.0	25.40	2.5	133	1,200	ND	ND	ND
	Nov 09	1962.29	17.31	1944.98	5.9	3.3	51.0	2.0	24.80	2.1	139	880	3.2	ND	ND
	Feb 10	1962.29	17.18	1945.11	6.8	3.4	9.0	1.8	23.70	2.2	135	1,000	3.8	ND	ND
	Jun 10	1962.29	16.93	1945.36	7.0	3.2	3.8	4.2	26.24	NM	NM	900	2.6	ND	ND
	Oct 10	1962.29	17.53	1944.76	5.7	3.4	-0.1	2.2	23.60	2.2	610	1,100	2.6	ND	ND
	Nov 10	1962.29	17.30	1944.99	7.0	3.4	0.1	2.5	22.72	NM	76	970	2.7	ND	ND
	Mar 11	1962.29	16.30	1945.99	6.9	3.6	2.9	1.9	23.42	NM	202	1,100	2.5	ND	ND
	Jun 11	1962.29	17.22	1945.07	NM	NM	NM	NM	NM	NM	NM	970	2.3	ND	ND
	Sep 11	1962.29	17.67	1944.62	6.9	3.5	8.0	3.0	24.50	2.2	229	1,000	2.4	ND	ND
	Nov 11	1962.29	17.41	1944.88	7.0	3.3	NM	2.3	23.58	2.1	170	1,100	2.4	ND	ND
	Mar 12	1962.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1962.45	17.83	1944.62	7.3	3.2	5.1	5.8	24.66	2.1	114	950	2.3	ND	ND
	Sep 12	1962.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1962.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1962.45	15.95	1946.50	7.0	3.6	NM	1.4	23.52	2.4	107	960	2.2	<0.50	<0.50
	Jun 13	1962.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1962.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 13	1962.45	17.57	1944.88	6.7	3.7	5.1	2.1	24.32	2.4	152	900	1.8	<0.50	<0.50
Mar 14	1962.45	16.63	1945.82	7.2	3.2	46.2	2.5	18.77	2.1	226	170	0.63	<0.50	<0.50	
Jun 14	1962.45	17.74	1944.71	6.9	3.4	6.0	2.4	27.06	2.2	151	850	1.4	<0.50	<0.50	
Sep 14	1962.45	17.89	1944.56	7.9	2.8	57.4	3.2	26.69	1.9	95	120	<0.50	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-24	May 05	1960.74	10.72	1950.02	7.0	3.6	>999	1.5	23.10	NM	76	ND	ND	ND	ND
	Sep 05	1960.74	11.75	1948.99	7.0	3.8	25.0	3.6	25.80	2.4	5	4.3	ND	ND	ND
	Dec 05	1960.74	11.65	1949.09	6.6	4.5	29.0	1.0	25.60	2.7	183	6.7	ND	ND	ND
	Mar 06	1960.74	12.10	1948.64	4.7	6.0	1.0	NM	22.60	3.8	503	6.5	ND	ND	ND
	Jun 06	1960.74	13.16	1947.58	NM	3.4	201.0	5.1	25.10	2.2	132	5.6	ND	ND	ND
	Oct 06	1960.74	13.06	1947.68	6.2	3.2	0.0	1.2	25.50	2.0	-23	2.6	ND	ND	ND
	Dec 06	1960.74	12.80	1947.94	6.9	4.1	0.0	2.6	25.10	2.6	62	2.6	ND	ND	ND
	Mar 07	1960.74	12.88	1947.86	NM	NM	NM	NM	NM	NM	NM	1	ND	ND	ND
	Jun 07	1960.74	13.94	1946.80	7.1	3.3	23.0	2.5	23.20	2.1	409	ND	ND	ND	ND
	Sep 07	1960.74	14.24	1946.50	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Dec 07	1960.74	13.58	1947.16	6.2	3.5	0.0	1.7	24.40	2.2	118	NS	NS	NS	NS
	Mar 08	1960.74	12.98	1947.76	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 08	1960.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 08	1960.73	14.03	1946.70	6.8	3.4	-2.3	1.1	25.20	2.1	152	6.1	ND	ND	ND
	Feb 09	1960.73	13.20	1947.53	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 09	1960.73	14.10	1946.63	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 09	1960.73	14.93	1945.80	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 09	1960.73	14.99	1945.74	5.9	3.1	45.0	1.4	26.50	1.9	130	2.9	ND	ND	ND
	Feb 10	1960.73	14.23	1946.50	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 10	1960.73	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Oct 10	1960.73	15.16	1945.57	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 10	1960.73	14.90	1945.83	7.0	3.2	-0.8	1.4	25.24	NM	68	0.81	ND	ND	ND
	Mar 11	1960.73	14.06	1946.67	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 11	1960.73	14.89	1945.84	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 11	1960.73	15.31	1945.42	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 11	1960.73	15.12	1945.61	7.0	3.1	NM	1.3	24.98	2.0	149	0.95	ND	ND	ND
	Mar 12	1960.73	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1960.82	15.49	1945.33	6.9	3.4	110.0	1.8	25.00	2.2	94	1.3	ND	ND	ND
	Sep 12	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1960.82	13.62	1947.20	7.1	3.6	NM	1.8	22.77	2.3	62	1.3	<0.50	<0.50	<0.50
	Jun 13	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 13	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14	1960.82	14.34	1946.48	7.3	3.0	10.2	2.4	20.18	1.9	42	2.0	<0.50	<0.50	<0.50	
Jun 14	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14	1960.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-25	May 05	1960.74	16.01	1944.73	7.0	4.0	>999	4.3	23.60	NM	141	993	ND	ND	ND
	Sep 05	1960.74	17.45	1943.29	7.0	4.2	30.0	5.1	26.20	2.7	57	920	ND	ND	ND
	Dec 05	1960.74	16.85	1943.89	6.6	5.3	0.0	1.4	24.70	3.3	417	1,000	ND	ND	ND
	Mar 06	1960.74	17.30	1943.44	5.2	6.7	94.0	NM	23.60	4.2	255	970	ND	ND	ND
	Jun 06	1960.74	18.64	1942.10	NM	3.9	228.0	5.7	23.50	2.5	376	960	ND	ND	ND
	Oct 06	1960.74	18.75	1941.99	6.2	3.7	0.0	3.1	23.60	2.4	106	1,300	ND	ND	ND
	Dec 06	1960.74	18.61	1942.13	6.7	4.5	0.0	3.8	23.90	2.8	429	1,200	ND	ND	ND
	Mar 07	1960.74	17.72	1943.02	7.0	3.7	>999	7.5	23.30	2.4	258	670	ND	ND	ND
	Jun 07	1960.74	19.31	1941.43	7.0	3.7	50.0	4.5	23.00	2.4	485	960	ND	ND	ND
	Sep 07	1960.74	19.96	1940.78	6.7	3.5	15.0	3.6	27.00	2.3	195	560	ND	ND	ND
	Dec 07	1960.74	18.92	1941.82	6.3	3.9	0.0	4.8	19.40	2.5	168	780	ND	ND	ND
	Mar 08	1960.74	17.87	1942.87	6.9	3.7	11.9	2.5	24.40	2.3	170	890	ND	ND	ND
	Jun 08	1960.74	NM	NM	NM	NM	NM	NM	NM	NM	NM	630	ND	ND	ND
	Oct 08	1960.73	19.84	1940.89	6.8	3.7	30.2	2.3	23.50	2.4	-94	730	1.5	ND	ND
	Feb 09	1960.73	18.07	1942.66	6.7	3.5	0.0	2.1	23.70	2.3	66	770	ND	ND	ND
	Jun 09	1960.73	19.35	1941.38	7.2	3.7	6.9	1.2	24.10	2.4	127	880	2.0	ND	ND
	Sep 09	1960.73	18.60	1942.13	6.5	4.2	14.2	2.5	25.90	2.7	136	770	ND	ND	ND
	Nov 09	1960.73	20.65	1940.08	5.8	3.5	66.0	2.2	24.70	2.2	140	570	1.3	ND	ND
	Feb 10	1960.73	19.81	1940.92	6.8	3.5	9.0	2.2	22.50	2.2	122	460	2.3	ND	ND
	Jun 10	1960.73	19.85	1940.88	7.0	3.3	-0.1	5.5	26.26	NM	NM	550	0.9	ND	ND
	Oct 10	1960.73	20.85	1939.88	5.9	3.5	-0.7	2.4	24.21	2.3	603	760	0.9	ND	ND
	Nov 10	1960.73	20.62	1940.11	6.7	3.5	0.5	2.8	25.16	NM	182	550	0.9	ND	ND
	Mar 11	1960.73	18.97	1941.76	7.0	3.4	0.0	4.1	20.24	NM	115	420	0.6	ND	ND
	Jun 11	1960.73	19.83	1940.90	7.3	3.6	-1.2	2.4	24.31	NM	216	700	0.8	ND	ND
	Sep 11	1960.73	20.83	1939.90	6.9	3.7	4.0	2.9	24.00	2.3	257	680	0.8	ND	ND
	Nov 11	1960.73	20.62	1940.11	7.0	3.4	NM	2.3	23.26	2.2	166	740	0.82	ND	ND
	Mar 12	1960.73	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	* Jun 12	1959.29	21.06	1938.23	6.8	3.9	56.0	2.9	25.20	2.5	89	640	0.88	ND	ND
	Sep 12	1959.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1959.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1959.29	18.75	1940.54	7.0	3.8	NM	2.3	23.84	2.5	127	660	0.75	<0.50	<0.50
	Jun 13	1959.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1959.29	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 13	1959.29	20.87	1938.42	6.2	3.9	6.5	1.4	24.38	2.5	114	700	0.88	<0.50	<0.50	
Mar 14	1959.29	19.48	1939.81	5.9	3.3	28.3	2.7	15.90	2.1	229	340	0.61	<0.50	<0.50	
Jun 14	1959.29	20.94	1938.35	6.9	3.6	3.9	2.3	27.02	2.4	258	780	0.69	<0.50	<0.50	
Sep 14	1959.29	20.82	1938.47	7.5	3.5	47.8	NM	27.69	2.3	90	550	<0.50	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-26	Mar 06	1953.48	15.60	1937.88	6.8	3.8	0.0	2.6	23.80	2.4	158	730	ND	ND	ND
	Jun 06	1953.48	17.00	1936.48	NM	2.3	229.0	4.8	24.10	1.5	305	770	ND	ND	ND
	Oct 06	1953.48	17.17	1936.31	6.2	69.4	0.0	2.9	23.70	2.4	180	1,100	ND	ND	ND
	Dec 06	1953.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 07	1953.48	15.66	1937.82	7.0	3.8	>999	7.1	23.50	2.4	422	790	ND	ND	ND
	Jun 07	1953.48	17.50	1935.98	7.0	3.5	41.0	4.8	23.60	2.5	517	960	ND	ND	ND
	Sep 07	1953.48	18.12	1935.36	6.7	3.6	5.0	3.5	27.10	2.3	176	620	ND	ND	ND
	Dec 07	1953.48	17.01	1936.47	6.4	4.0	0.0	5.1	21.70	2.5	212	910	ND	ND	ND
	Mar 08	1953.48	15.91	1937.57	7.0	3.8	0.7	7.9	24.30	2.4	176	1,100	ND	ND	ND
	Jun 08	1953.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	930	ND	ND	ND
	Oct 08	1953.48	18.34	1935.14	6.8	3.9	-7.2	2.7	24.00	2.5	86	900	1.4	ND	ND
	Feb 09	1953.48	16.04	1937.44	6.7	3.7	0.0	3.3	23.90	2.3	82	960	ND	ND	ND
	Jun 09	1953.48	17.57	1935.91	7.2	3.8	49.3	2.2	25.40	2.5	133	970	1.5	ND	ND
	Sep 09	1953.48	18.79	1934.69	6.6	4.3	10.5	2.8	26.40	2.8	137	910	ND	ND	ND
	Nov 09	1953.48	18.85	1934.63	5.8	3.6	210.0	2.8	24.30	2.3	139	690	ND	ND	ND
	Feb 10	1953.48	17.61	1935.87	6.9	3.6	7.0	2.5	22.60	2.3	143	790	1.8	ND	ND
	Jun 10	1953.48	17.95	1935.53	7.0	2.4	0.2	6.6	26.14	NM	NM	680	0.7	ND	ND
	Oct 10	1953.48	19.09	1934.39	6.8	3.7	-0.8	2.0	24.60	2.4	504	450	0.6	ND	ND
	Nov 10	1953.48	18.75	1934.73	6.9	3.7	0.6	2.6	24.91	NM	92	750	0.7	ND	ND
	Mar 11	1953.48	18.83	1934.65	6.9	3.8	0.0	2.7	23.78	NM	141	760	0.6	ND	ND
	Jun 11	1953.48	17.82	1935.66	6.7	3.7	-1.2	2.0	25.86	NM	475	860	0.67	ND	ND
	Sep 11	1953.48	19.04	1934.44	6.9	3.8	7.0	2.9	24.40	2.4	260	780	0.6	ND	ND
	Nov 11	1953.48	18.72	1934.76	7.0	3.6	NM	2.1	23.33	2.3	161	690	0.61	ND	ND
	Mar 12	1953.48	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Jun 12	1953.45	19.24	1934.21	6.8	4.1	72.0	2.8	26.00	2.6	85	740	0.54	ND	ND
	Sep 12	1953.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Nov 12	1953.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Mar 13	1953.45	16.81	1936.64	7.0	3.8	NM	2.7	24.35	2.6	118	740	0.51	<0.50	<0.50
	Jun 13	1953.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 13	1953.45	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 13	1953.45	19.02	1934.43	6.4	4.0	7.0	2.4	24.59	2.6	138	770	0.62	<0.50	<0.50	
Mar 14	1953.45	17.44	1936.01	7.3	2.2	20.3	4.8	21.08	1.4	270	210	<0.50	<0.50	<0.50	
Jun 14	1953.45	19.10	1934.35	6.9	3.7	2.1	2.8	26.43	2.4	233	860	0.50	<0.50	<0.50	
Sep 14	1953.45	18.60	1934.85	7.3	3.6	32.7	NM	25.85	2.4	80	360	<0.50	<0.50	<0.50	

*

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-27	Mar 06	1944.23	13.48	1930.75	6.8	3.3	0.0	2.4	21.90	2.1	142	220	ND	ND	ND	
	Jun 06	1944.23	18.50	1925.73	NM	3.7	626.0	4.6	26.10	2.3	69	350	ND	ND	ND	
	Oct 06	1944.23	16.16	1928.07	6.2	3.3	0.0	2.8	22.20	2.1	155	380	ND	ND	ND	
	Dec 06	1944.23	13.85	1930.38	6.8	4.0	507.0	4.5	22.20	2.6	444	380	ND	ND	ND	
	Mar 07	1944.23	12.58	1931.65	7.0	3.3	83.0	7.0	21.90	2.1	181	160	ND	ND	ND	
	Jun 07	1944.23	18.43	1925.80	7.0	3.3	238.0	4.1	22.20	2.1	392	340	ND	ND	ND	
	Sep 07	1944.23	17.85	1926.38	6.8	3.4	22.0	3.4	24.20	2.2	198	320	ND	ND	ND	
	Dec 07	1944.23	14.41	1929.82	6.4	3.8	0.0	3.5	20.60	2.5	153	430	ND	ND	ND	
	Mar 08	1944.23	13.65	1930.58	7.0	3.4	1.4	2.5	22.60	2.2	174	580	ND	ND	ND	
	Jun 08	1944.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	320	ND	ND	ND	
	Oct 08	1944.23	18.33	1925.90	6.5	3.8	25.2	1.1	22.59	2.4	105	510	2.6	ND	ND	
	Feb 09	1944.23	13.22	1931.01	6.6	3.6	0.0	0.7	21.90	2.3	108	510	ND	ND	ND	
	Jun 09	1944.23	18.39	1925.84	7.1	3.9	0.0	0.5	24.10	2.5	128	570	3.3	ND	ND	
	Sep 09	1944.23	19.73	1924.50	6.6	4.3	-6.7	0.9	24.20	2.7	131	640	ND	ND	ND	
	Nov 09	1944.23	18.92	1925.31	NM	NM	NM	NM	NM	NM	NM	400	2.0	ND	ND	
	Feb 10	1944.23	13.00	1931.23	NM	NM	NM	NM	NM	NM	NM	770	3.5	ND	ND	
	Jun 10	1944.23	17.77	1926.46	7.1	3.4	10.2	6.8	24.66	NM	NM	330	1.4	ND	ND	
	Oct 10	1944.23	18.87	1925.36	6.9	3.6	0.4	1.4	22.95	2.4	434	420	1.4	ND	ND	
	Nov 10	1944.23	17.19	1927.04	6.8	3.7	2.9	1.5	23.57	NM	115	480	1.8	ND	ND	
	Mar 11	1944.23	12.99	1931.24	7.0	3.7	259.3	6.7	21.37	NM	108	370	1.2	ND	ND	
	Jun 11	1944.23	16.68	1927.55	7.3	3.7	-1.4	1.6	23.61	NM	180	440	1.3	ND	ND	
	Sep 11	1944.23	20.23	1924.00	6.8	3.8	10.0	2.2	23.60	2.4	237	470	1.3	ND	ND	
	Nov 11	1944.23	17.32	1926.91	7.0	3.5	NM	2.1	22.62	2.3	164	380	1.3	ND	ND	
	Mar 12	1944.23	16.22	1928.01	7.2	3.6	5.9	2.5	23.10	2.4	-58	470	NS	NS	NS	
	*	Jun 12	1944.15	14.46	1929.69	6.8	3.9	230.0	2.9	23.80	2.4	108	440	0.97	ND	ND
		Sep 12	1944.15	18.54	1925.61	7.3	3.6	NM	2.1	23.06	2.3	152	430	1.2	ND	ND
		Nov 12	1944.15	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
		Mar 13	1944.15	15.33	1928.82	7.0	4.0	NM	1.8	23.16	2.6	100	450	1.0	<0.50	<0.50
		Jun 13	1944.15	20.37	1923.78	7.0	4.0	NM	2.1	25.31	2.6	95	300	1.1	<0.50	<0.50
		Sep 13	1944.15	19.67	1924.48	7.2	2.0	NM	2.4	27.75	1.3	88	350	0.79	<0.50	<0.50
		Nov 13	1944.15	17.49	1926.66	7.2	4.0	7.2	1.7	24.27	2.6	120	420	0.94	<0.50	<0.50
		Mar 14	1944.15	14.67	1929.48	7.2	3.4	29.3	4.3	23.18	2.2	15	220	0.59	<0.50	<0.50
	Jun 14	1944.15	18.96	1925.19	7.0	3.7	4.9	2.3	27.29	2.4	271	430	0.94	<0.50	<0.50	
	Sep 14	1944.15	17.94	1926.21	7.3	3.4	24.2	NM	25.78	2.1	96	290	<0.50	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-28	Nov 07	1942.97	14.02	1928.95	6.8	4.2	196.0	9.6	26.80	2.7	125	3	ND	ND	ND	
	Dec 07	1942.97	12.80	1930.17	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 08	1942.97	11.61	1931.36	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 08	1942.97	NM	NM	NM	NM	NM	NM	NM	NM	NM	1	ND	ND	ND	
	Oct 08	1942.96	14.60	1928.36	6.8	4.2	165.0	0.6	22.80	2.7	82	2.2	ND	ND	ND	
	Feb 09	1942.96	11.66	1931.30	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 09	1942.96	13.91	1929.05	7.2	4.2	63.8	0.0	23.50	2.7	119	3.3	ND	ND	ND	
	Sep 09	1942.96	14.96	1928.00	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 09	1942.96	14.83	1928.13	6.0	3.8	180.0	1.1	23.20	2.5	136	1.3	ND	ND	ND	
	Feb 10	1942.96	12.78	1930.18	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 10	1942.96	13.91	1929.05	7.0	3.7	3.7	3.3	23.89	NM	NM	0.94	ND	ND	ND	
	Oct 10	1942.96	14.93	1928.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 10	1942.96	14.31	1928.65	6.7	3.9	0.6	0.9	24.25	NM	162	0.66	ND	ND	ND	
	Mar 11	1942.96	12.10	1930.86	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 11	1942.96	13.50	1929.46	7.0	4.0	2.4	0.7	23.71	NM	185	ND	ND	ND	ND	
	Sep 11	1942.96	14.93	1928.03	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 11	1942.96	14.42	1928.54	7.0	3.7	NM	1.0	22.10	2.4	157	0.62	ND	ND	ND	
	Mar 12	1942.96	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1943.07	15.30	1927.77	6.8	4.1	32.0	1.1	22.70	2.6	133	0.73	ND	ND	ND
		Sep 12	1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13		1943.07	12.50	1930.57	7.0	4.1	NM	1.9	24.06	2.7	70	0.50	<0.50	<0.50	<0.50	
Jun 13		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14		1943.07	12.87	1930.20	7.3	3.5	20.8	1.8	22.59	2.3	66	0.69	<0.50	<0.50	<0.50	
Jun 14		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14		1943.07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-29	Nov 07	1932.27	14.20	1918.07	6.9	4.3	15.1	6.0	21.80	2.7	108	2.5	ND	ND	ND	
	Dec 07	1932.27	14.01	1918.26	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 08	1932.27	13.77	1918.50	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 08	1932.27	NM	NM	NM	NM	NM	NM	NM	NM	NM	1	ND	ND	ND	
	Oct 08	1932.25	14.44	1917.81	6.8	4.0	500.0	3.9	20.00	2.6	122	2.2	ND	ND	ND	
	Feb 09	1932.25	13.81	1918.44	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 09	1932.25	13.98	1918.27	7.2	4.0	212.0	3.3	20.50	2.6	133	1.3	ND	ND	ND	
	Sep 09	1932.25	14.38	1917.87	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 09	1932.25	14.37	1917.88	6.1	3.8	200.0	3.9	20.80	2.4	139	ND	ND	ND	ND	
	Feb 10	1932.25	14.19	1918.06	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 10	1932.25	13.92	1918.33	6.9	3.5	3.8	4.8	23.43	NM	NM	0.58	ND	ND	ND	
	Oct 10	1932.25	14.19	1918.06	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 10	1932.25	13.90	1918.35	6.8	3.9	1.5	4.0	21.09	NM	138	ND	ND	ND	ND	
	Mar 11	1932.25	13.52	1918.73	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Jun 11	1932.25	13.65	1918.60	6.9	3.9	-1.4	4.1	20.62	NM	232	ND	ND	ND	ND	
	Sep 11	1932.25	13.84	1918.41	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 11	1932.25	13.85	1918.40	7.0	3.7	NM	4.0	19.77	2.4	183	ND	ND	ND	ND	
	Mar 12	1932.25	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1932.35	13.99	1918.36	6.9	3.8	79.0	5.2	20.30	2.4	133	ND	ND	ND	ND
		Sep 12	1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13		1932.35	13.30	1919.05	7.0	4.1	NM	4.4	19.43	2.7	85	<0.50	<0.50	<0.50	<0.50	
Jun 13		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 14		1932.35	13.55	1918.80	7.3	3.6	42.3	3.6	18.53	2.4	170	<0.50	<0.50	<0.50	<0.50	
Jun 14		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14		1932.35	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-30	Nov 07	1940.56	20.11	1920.45	6.8	3.7	144.0	3.1	24.20	2.4	135	74	ND	ND	ND	
	Dec 07	1940.56	17.12	1923.44	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 08	1940.56	16.32	1924.24	6.9	3.3	7.2	3.7	18.80	2.1	204	86	ND	ND	ND	
	Jun 08	1940.56	NM	NM	NM	NM	NM	NM	NM	NM	NM	49	ND	ND	ND	
	Oct 08	1940.56	20.91	1919.65	6.7	3.7	221.0	0.9	20.10	2.4	124	100	1.8	ND	ND	
	Feb 09	1940.56	16.05	1924.51	6.6	3.3	7.2	3.2	19.60	2.1	97	71	ND	ND	ND	
	Jun 09	1940.56	19.88	1920.68	7.1	3.7	34.3	1.2	21.40	2.3	141	110	2.0	ND	ND	
	Sep 09	1940.56	21.57	1918.99	6.6	4.2	0.8	2.0	23.40	2.7	127	70	1.1	ND	ND	
	Nov 09	1940.56	20.55	1920.01	5.9	3.3	-10.0	2.3	20.40	2.1	167	85	1.4	ND	ND	
	Feb 10	1940.56	16.49	1924.07	6.7	3.2	12.0	3.9	19.60	2.1	162	60	ND	ND	ND	
	Jun 10	1940.56	18.98	1921.58	6.9	2.9	1.0	5.3	25.04	NM	NM	41	ND	ND	ND	
	Oct 10	1940.56	20.63	1919.93	6.0	3.1	0.1	4.2	21.95	2.0	595	62	ND	ND	ND	
	Nov 10	1940.56	19.32	1921.24	6.6	3.1	0.7	4.4	22.09	NM	212	54	ND	ND	ND	
	Mar 11	1940.56	15.85	1924.71	6.5	3.3	0.0	4.7	19.41	NM	142	50	ND	ND	ND	
	Jun 11	1940.56	18.17	1922.39	6.3	3.1	-1.1	4.2	22.48	NM	446	50	ND	ND	ND	
	Sep 11	1940.56	21.28	1919.28	7.1	2.9	16.0	7.9	22.20	1.9	237	25	ND	ND	ND	
	Nov 11	1940.56	19.47	1921.09	7.0	2.8	NM	4.7	20.48	1.8	182	38	ND	ND	ND	
	Mar 12	1940.56	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1940.59	21.42	1919.17	6.9	3.2	210.0	3.7	21.00	2.0	125	84	0.73	ND	ND
		Sep 12	1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Nov 12		1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Mar 13		1940.59	17.38	1923.21	6.9	3.3	NM	4.2	19.45	2.1	144	62	<0.50	<0.50	<0.50	
Jun 13		1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13		1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13		1940.59	19.89	1920.70	6.6	3.3	7.6	3.3	22.07	2.1	141	96	0.58	<0.50	<0.50	
Mar 14		1940.59	17.14	1923.45	7.2	2.9	3.8	3.5	21.39	1.9	166	42	<0.50	<0.50	<0.50	
Jun 14		1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14		1940.59	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-31	Mar 08	1937.93	15.23	1922.70	7.0	4.7	125.0	6.0	22.50	2.9	152	49	ND	ND	ND	
	Jun 08	1937.93	NM	NM	NM	NM	NM	NM	NM	NM	NM	31	ND	ND	ND	
	Oct 08	1937.93	18.94	1918.99	6.7	4.2	265.0	3.6	22.40	2.7	123	39	ND	ND	ND	
	Feb 09	1937.93	15.59	1922.34	6.5	4.0	11.0	3.4	21.90	2.6	99	44	ND	ND	ND	
	Jun 09	1937.93	17.30	1920.63	7.0	4.3	77.9	4.6	21.10	2.8	137	45	ND	ND	ND	
	Sep 09	1937.93	19.08	1918.85	6.6	4.8	45.2	4.9	23.60	3.0	124	38	ND	ND	ND	
	Nov 09	1937.93	18.40	1919.53	6.0	4.0	230.0	4.0	22.90	2.5	141	24	ND	ND	ND	
	Feb 10	1937.93	16.41	1921.52	6.7	4.0	18.0	3.9	21.10	2.5	148	34	1.2	ND	ND	
	Jun 10	1937.93	16.94	1920.99	6.9	3.7	14.8	5.2	23.60	NM	NM	34	ND	ND	ND	
	Oct 10	1937.93	18.80	1919.13	5.9	4.0	3.5	3.9	22.86	2.6	582	30	ND	ND	ND	
	Nov 10	1937.93	18.33	1919.60	6.5	4.0	10.1	3.9	24.41	NM	225	27	ND	ND	ND	
	Mar 11	1937.93	15.70	1922.23	6.9	4.1	22.7	5.0	22.63	NM	145	26	ND	ND	ND	
	Jun 11	1937.93	16.76	1921.17	6.2	4.0	9.8	4.2	25.43	NM	480	64	ND	ND	ND	
	Sep 11	1937.93	18.73	1919.20	6.8	4.1	9.5	4.8	24.90	2.6	256	57	ND	ND	ND	
	Nov 11	1937.93	17.93	1920.00	6.9	3.8	NM	3.9	21.23	2.5	178	58	ND	ND	ND	
	Mar 12	1937.93	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1937.66	18.37	1919.29	6.8	4.1	440.0	3.9	23.20	2.6	121	44	0.52	ND	ND
	Sep 12	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Nov 12	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	Mar 13	1937.66	16.27	1921.39	6.9	4.2	NM	2.9	21.34	2.7	139	61	<0.50	<0.50	<0.50	
Jun 13	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		
Sep 13	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		
Nov 13	1937.66	18.55	1919.11	6.4	4.2	12.7	2.4	24.30	2.7	192	54	<0.50	<0.50	<0.50		
Mar 14	1937.66	16.45	1921.21	7.2	3.6	16.7	2.3	25.83	2.4	92	35	<0.50	<0.50	<0.50		
Jun 14	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		
Sep 14	1937.66	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS		

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-32	Mar 08	1952.82	17.25	1935.57	7.4	3.6	5.4	2.4	23.30	2.3	136	720	ND	ND	ND	
	Jun 08	1952.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	750	ND	ND	ND	
	Oct 08	1952.82	19.95	1932.87	6.9	3.8	23.7	1.0	23.80	2.4	-101	990	6.1	ND	ND	
	Feb 09	1952.82	17.22	1935.60	6.7	3.6	22.5	1.0	23.40	2.3	75	1,000	7.2	ND	ND	
	Jun 09	1952.82	19.14	1933.68	7.1	3.7	32.7	2.7	23.40	2.4	120	1,000	5.3	ND	ND	
	Sep 09	1952.82	20.47	1932.35	6.5	4.2	4.1	1.2	25.30	2.7	157	1,000	ND	ND	ND	
	Nov 09	1952.82	20.44	1932.38	5.8	3.4	180.0	2.8	24.10	2.2	145	660	3.7	ND	ND	
	Feb 10	1952.82	18.81	1934.01	6.8	3.5	16.0	1.6	22.70	2.2	158	830	5.4	ND	ND	
	Jun 10	1952.82	19.46	1933.36	7.0	3.2	1.2	6.3	26.41	NM	NM	480	2.6	ND	ND	
	Oct 10	1952.82	20.77	1932.05	6.5	3.5	8.2	2.7	24.89	2.3	585	660	2.7	ND	ND	
	Nov 10	1952.82	20.40	1932.42	6.6	3.5	1.9	2.4	24.50	NM	244	740	3.3	ND	ND	
	Mar 11	1952.82	18.21	1934.61	7.1	3.5	4.3	6.7	23.41	NM	111	610	2.3	ND	ND	
	Jun 11	1952.82	19.40	1933.42	6.8	3.5	-1.3	3.4	24.82	NM	424	790	2.3	ND	ND	
	Sep 11	1952.82	20.91	1931.91	6.9	3.6	10.0	5.1	24.40	2.3	274	610	1.9	ND	ND	
	Nov 11	1952.82	20.24	1932.58	7.0	3.3	NM	3.3	23.32	2.2	161	700	2.7	ND	ND	
	Mar 12	1952.82	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1952.90	20.94	1931.96	6.9	3.6	240.0	4.7	25.10	2.3	101	640	2.0	ND	ND
		Sep 12	1952.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
		Nov 12	1952.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Mar 13		1952.90	18.43	1934.47	7.0	3.7	NM	3.4	23.98	2.4	114	720	1.8	<0.50	<0.50	
Jun 13		1952.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13		1952.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13		1952.90	20.68	1932.22	6.6	3.7	8.3	2.5	24.57	2.4	124	610	2.0	<0.50	<0.50	
Mar 14		1952.90	18.83	1934.07	7.3	3.3	72.5	1.0	24.26	2.1	73	640	12	<0.50	<0.50	
Jun 14		1952.90	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14		1952.90	20.15	1932.75	7.4	3.3	64.4	NM	27.43	2.2	78	360	1	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	
MW-33	Mar 08	1950.92	16.02	1934.90	7.0	3.5	82.4	7.6	20.30	2.2	161	2.4	ND	ND	ND	
	Jun 08	1950.92	NM	NM	NM	NM	NM	NM	NM	NM	NM	1	ND	ND	ND	
	Oct 08	1950.92	18.00	1932.92	6.7	3.8	6.7	1.0	22.20	2.4	85	3.4	ND	ND	ND	
	Feb 09	1950.92	16.11	1934.81	6.4	3.7	0.0	0.0	21.30	2.4	120	ND	ND	ND	ND	
	Jun 09	1950.92	17.28	1933.64	7.0	4.0	0.0	0.0	21.40	2.5	138	ND	ND	ND	ND	
	Sep 09	1950.92	18.93	1931.99	6.6	4.2	2.2	1.2	23.50	2.7	166	3.3	ND	ND	ND	
	Nov 09	1950.92	18.78	1932.14	6.0	3.5	200.0	1.7	22.60	2.2	136	1.4	ND	ND	ND	
	Feb 10	1950.92	17.28	1933.64	6.7	3.5	0.0	0.7	21.50	2.2	146	ND	ND	ND	ND	
	Jun 10	1950.92	17.71	1933.21	6.9	3.4	1.1	2.1	28.96	NM	NM	ND	ND	ND	ND	
	Oct 10	1950.92	19.42	1931.50	6.1	3.6	3.7	1.4	23.04	2.3	558	ND	ND	ND	ND	
	Nov 10	1950.92	19.25	1931.67	6.6	3.6	1.7	1.6	23.34	NM	217	ND	ND	ND	ND	
	Mar 11	1950.92	17.36	1933.56	6.5	3.8	2.8	1.7	21.27	NM	107	ND	ND	ND	ND	
	Jun 11	1950.92	18.00	1932.92	7.3	3.8	-1.2	0.8	22.54	NM	74	ND	ND	ND	ND	
	Sep 11	1950.92	19.31	1931.61	6.9	3.8	10.0	4.2	23.10	2.4	191	ND	ND	ND	ND	
	Nov 11	1950.92	18.72	1932.20	7.0	3.6	NM	2.2	21.62	2.3	181	ND	ND	ND	ND	
	Mar 12	1950.92	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
	*	Jun 12	1950.98	19.03	1931.95	6.8	4.0	130.0	1.3	22.90	2.5	136	ND	ND	ND	ND
		Sep 12	1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
		Nov 12	1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
		Mar 13	1950.98	17.25	1933.73	6.9	4.2	NM	1.9	21.50	2.7	134	<0.50	<0.50	<0.50	<0.50
Jun 13		1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 13		1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Nov 13		1950.98	19.40	1931.58	6.9	4.0	7.6	1.4	21.58	2.6	146	<0.50	<0.50	<0.50	<0.50	
Mar 14		1950.98	17.66	1933.32	7.2	3.4	68.8	4.9	18.82	2.2	45	<0.50	<0.50	<0.50	<0.50	
Jun 14		1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
Sep 14		1950.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-34	Dec 11	--		--								910	NS	NS	NS
	Jan 12	--		--								1000	NS	NS	NS
	Mar 12	--		--	7.2	3.7	27.4	2.0	22.63	2.4	-47	1000	NS	NS	NS
	* Jun 12	1993.88	17.74	1976.14	7.3	3.4	16.4	2.4	24.19	2.4	89	860	0.97	ND	ND
	Sep 12	1993.88	18.07	1975.81	7.3	3.6	NM	2.1	24.43	2.4	141	730	1.2	ND	ND
	Nov 12	1993.88	17.75	1976.13	8.0	3.7	NM	2.0	24.86	2.4	45	550	1.1	<0.50	<0.50
	Mar 13	1993.88	19.06	1974.82	7.1	4.0	NM	1.6	22.65	2.6	125	550	0.86	<0.50	<0.50
	Jun 13	1993.88	19.32	1974.56	7.3	4.0	NM	1.9	24.03	2.6	63	380	0.90	<0.50	<0.50
	Sep 13	1993.88	19.36	1974.52	7.0	3.8	NM	1.6	25.41	2.5	71	440	0.78	<0.50	<0.50
	Nov 13	1993.88	19.14	1974.74	6.1	3.4	20.0	0.9	23.56	2.3	184	500	0.86	<0.50	<0.50
	Mar 14	1993.88	18.75	1975.13	7.3	3.4	10.4	3.8	22.73	2.2	81	360	0.73	<0.50	<0.50
	Jun 14	1993.88	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1993.88	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
MW-35	Dec 11	--		--								410	NS	NS	NS
	Jan 12	--		--								630	NS	NS	NS
	Mar 12	--	20.03	--	7.3	3.4	181.0	3.6	23.81	2.2	-21	580	NS	NS	NS
	* Jun 12	1991.37	18.90	1972.47	7.3	3.4	87.1	4.0	24.30	2.2	100	530	ND	ND	ND
	Sep 12	1991.37	18.77	1972.60	7.2	3.4	NM	3.5	23.19	2.2	150	520	ND	ND	ND
	Nov 12	1991.37	18.55	1972.82	8.0	3.4	NM	3.9	24.06	2.2	70	480	<0.50	<0.50	<0.50
	Mar 13	1991.37	19.99	1971.38	7.1	3.7	NM	3.2	23.20	2.4	129	340	<0.50	<0.50	<0.50
	Jun 13	1991.37	20.30	1971.07	7.2	3.8	NM	3.9	24.12	2.5	84	250	<0.50	<0.50	<0.50
	Sep 13	1991.37	20.21	1971.16	7.2	3.6	NM	3.3	25.54	2.3	50	250	<0.50	<0.50	<0.50
	Nov 13	1991.37	19.93	1971.44	6.1	3.8	45.8	1.8	23.47	2.2	184	310	<0.50	<0.50	<0.50
	Mar 14	1991.37	19.72	1971.65	7.3	3.3	323	5.4	23.24	2.1	89	92	<0.50	<0.50	<0.50
	Jun 14	1991.37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1991.37	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-36 *	Mar 12	1955.30	19.51	1935.79	7.1	3.5	15.8	2.3	23.44	2.3	-62	160	NS	NS	NS
	Jun 12	1955.30	21.26	1934.04	6.8	3.8	110.0	2.2	25.30	2.5	74	130	ND	ND	ND
	Sep 12	1955.30	21.55	1933.75	7.5	3.4	NM	1.9	25.53	2.2	128	130	ND	ND	ND
	Nov 12	1955.30	20.62	1934.68	7.8	3.5	NM	2.1	22.87	2.7	71	150	<0.50	<0.50	<0.50
	Mar 13	1955.30	19.03	1936.27	6.9	3.8	NM	1.7	23.48	2.5	121	160	0.52	<0.50	<0.50
	Jun 13	1955.30	20.75	1934.55	7.0	3.8	NM	1.8	25.96	2.5	104	110	0.52	<0.50	<0.50
	Sep 13	1955.30	21.48	1933.82	7.0	3.6	NM	1.7	24.72	2.4	131	140	<0.50	<0.50	<0.50
	Nov 13	1955.30	21.22	1934.08	7.4	3.9	9.4	1.9	23.32	2.5	126	130	<0.50	<0.50	<0.50
	Mar 14	1955.30	19.50	1935.80	7.3	3.1	53.6	4.2	24.34	2.1	147	62	<0.50	<0.50	<0.50
	Jun 14	1955.30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Sep 14	1955.30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
MW-37 *	Mar 12	1930.06	18.89	1911.17	7.2	3.7	9.5	5.6	20.42	2.4	-27	36	NS	NS	NS
	Jun 12	1929.98	19.10	1910.88	6.9	3.8	200.0	6.3	20.80	2.4	128	34	ND	ND	ND
	Sep 12	1929.98	20.05	1909.93	7.4	3.7	NM	5.5	21.79	2.4	144	32	ND	ND	ND
	Nov 12	1929.98	19.66	1910.32	7.9	3.8	NM	5.0	20.46	2.5	97	31	<0.50	<0.50	<0.50
	Mar 13	1929.98	18.83	1911.15	7.0	4.1	NM	4.3	19.76	2.7	139	34	<0.50	<0.50	<0.50
	Jun 13	1929.98	19.33	1910.65	7.0	4.1	NM	4.2	21.58	2.6	114	37	<0.50	<0.50	<0.50
	Sep 13	1929.98	19.80	1910.18	7.0	3.8	NM	4.6	21.66	2.5	215	40	<0.50	<0.50	<0.50
	Nov 13	1929.98	19.79	1910.19	6.5	4.0	7.2	4.2	21.71	2.6	335	33	<0.50	<0.50	<0.50
	Mar 14	1929.98	18.44	1911.54	7.4	3.5	33.9	4.6	23.10	2.3	113	30	<0.50	<0.50	<0.50
	Jun 14	1929.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
Sep 14	1929.98	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS	
MW-38	Jun 12	1908.38	15.05	1893.33	6.8	3.9	550.0	5.0	22.00	2.5	124	5.8	ND	ND	ND
	Sep 12	1908.38	14.95	1893.43	7.6	3.8	NM	4.2	24.26	2.5	140	5.7	ND	ND	ND
	Nov 12	1908.38	14.69	1893.69	7.9	3.8	NM	3.6	22.20	2.5	89	5.9	<0.50	<0.50	<0.50
	Mar 13	1908.38	14.48	1893.90	7.0	4.2	NM	3.9	20.46	2.7	138	7.3	<0.50	<0.50	<0.50
	Jun 13	1908.38	15.05	1893.33	7.0	4.1	NM	3.9	23.24	2.7	117	7.8	<0.50	<0.50	<0.50
	Sep 13	1908.38	14.75	1893.63	6.8	3.9	NM	3.8	23.26	2.5	380	6.6	<0.50	<0.50	<0.50
	Nov 13	1908.38	14.97	1893.41	6.5	4.2	19.1	3.3	22.33	2.7	356	7.0	<0.50	<0.50	<0.50
	Mar 14	1908.38	14.65	1893.73	7.2	3.6	6.8	2.2	20.57	2.4	92	7.3	<0.50	<0.50	<0.50
	Jun 14	1908.38	15.16	1893.22	7.1	3.9	17.4	3.2	54.90	2.5	100	5.4	<0.50	<0.50	<0.50
Sep 14	1908.38	15.12	1893.26	7.2	3.8	22.4	6.1	25.74	2.5	82	5.8	<0.50	<0.50	<0.50	
MW-39	Jun 12	1967.55	26.15	1941.40	7.3	3.4	252.0	3.3	25.73	2.2	50	250	0.63	ND	ND
	Sep 12	1967.55	26.10	1941.45	7.4	3.5	NM	1.6	25.75	2.2	132	240	0.83	ND	ND
	Nov 12	1967.55	25.51	1942.04	7.7	3.5	NM	2.2	22.11	2.3	61	270	0.91	<0.50	<0.50
	Mar 13	1967.55	24.20	1943.35	7.0	3.8	NM	1.4	22.63	2.4	137	280	0.83	<0.50	<0.50
	Jun 13	1967.55	25.63	1941.92	7.0	3.8	NM	1.7	26.48	2.5	94	210	0.83	<0.50	<0.50
	Sep 13	1967.55	26.34	1941.21	6.9	3.7	NM	2.0	26.67	2.4	122	250	0.76	<0.50	<0.50
	Nov 13	1967.55	26.01	1941.54	6.7	3.9	133	1.4	26.36	2.5	157	260	0.81	<0.50	<0.50
	Mar 14	1967.55	24.87	1942.68	7.3	3.3	120	4.9	28.81	2.1	116	59	<0.50	<0.50	<0.50
	Jun 14	1967.55	26.07	1941.48	7.2	3.5	60	4.1	30.55	2.3	389	120	<0.50	<0.50	<0.50
Sep 14	1967.55	26.15	1941.40	7.5	3.2	84	4.8	26.92	2.0	135	120	<0.50	<0.50	<0.50	

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-40 CMT-30	Nov 12	NM	25.28	NM	7.9	3.6	NM	2.6	17.93	2.3	-68	340	1.1	<0.50	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	4.7	<0.50	<0.50	<0.50
	Jun 13	1978.49	26.15	1952.34	7.6	3.3	NM	4.7	35.97	2.1	160	10	<0.50	<0.50	<0.50
	Sep 13	1978.49	26.71	1951.78	7.9	2.2	NM	3.0	34.38	1.5	35	2.1	<0.50	<0.50	<0.50
	Nov 13	1978.49	26.35	1952.14	7.6	3.0	9.6	3.0	20.28	1.9	91	1.3	<0.50	<0.50	<0.50
	Mar 14	1978.49	26.52	1951.97	7.6	3.1	73.6	3.8	23.63	2.0	103	4.5	<0.50	<0.50	<0.50
	Jun 14	1978.49	26.44	1952.05	8.3	3.6	5.0	4.4	46.19	2.3	79	3.2	<0.50	<0.50	<0.50
	Sep 14	1978.49	26.65	1951.84	8.4	2.7	18.1	5.1	32.95	1.8	313	4.6	<0.50	<0.50	<0.50
MW-40 CMT-35	Nov 12	NM	25.30	NM	8.1	4.1	NM	1.9	17.84	2.7	-163	260	6.6	<0.50	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	48	3.1	<0.50	<0.50
	Jun 13	NM	26.15	NM	7.3	3.3	NM	5.0	36.39	2.2	127	3.6	<0.50	<0.50	<0.50
	Sep 13	1978.49	26.71	1951.78	7.1	2.4	NM	3.0	33.82	1.3	55	7.9	0.93	<0.50	<0.50
	Nov 13	1978.49	26.20	1952.29	6.5	2.4	4.3	1.7	23.26	1.6	88	12	2.4	<0.50	<0.50
	Mar 14	1978.49	26.47	1952.02	7.6	2.6	58.7	3.6	23.75	1.7	128	2.6	<0.50	<0.50	<0.50
	Jun 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
MW-40 CMT-40	Nov 12	NM	25.34	NM	8.1	3.1	NM	2.0	20.43	2.0	-132	320	1.7	<0.50	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	270	1.6	<0.50	<0.50
	Jun 13	NM	26.18	NM	7.5	3.2	NM	3.5	37.72	2.1	135	53	0.73	<0.50	<0.50
	Sep 13	1978.49	26.69	1951.80	7.7	2.0	NM	4.0	37.45	1.3	-39	37	0.73	<0.50	<0.50
	Nov 13	1978.49	26.19	1952.30	6.4	2.3	238.0	3.5	26.72	1.5	38	51	0.64	<0.50	<0.50
	Mar 14	1978.49	26.50	1951.99	7.6	2.7	33.8	3.2	23.34	1.8	46	27	<0.50	<0.50	<0.50
	Jun 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-40 CMT-45	Nov 12	NM	25.28	NM	8.0	3.3	NM	2.1	20.47	2.1	-159	280	1.9	<0.50	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	310	1.6	<0.50	<0.50
	Jun 13	NM	26.14	NM	7.7	3.1	NM	4.2	29.10	2.0	203	47	<0.50	<0.50	<0.50
	Sep 13	1978.49	26.66	1951.83	7.2	2.2	NM	2.9	38.22	1.2	-90	110	1.3	<0.50	<0.50
	Nov 13	1978.49	26.16	1952.33	6.3	2.6	5.0	3.0	26.60	1.6	82	77	1.1	<0.50	<0.50
	Mar 14	1978.49	26.55	1951.94	7.6	2.7	67.9	4.7	26.76	1.8	57	24	<0.50	<0.50	<0.50
	Jun 14	1978.49	26.41	1952.08	7.0	3.0	7.1	4.7	36.07	2.0	-66	250	1.3	<0.50	<0.50
	Sep 14	1978.49	26.50	1951.99	7.3	2.0	25.4	3.3	33.31	1.3	-51	240	3.0	<0.50	<0.50
MW-40 CMT-50	Nov 12	NM	25.28	NM	8.2	3.4	NM	2.0	19.27	2.2	-175	300	2.5	<0.50	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	280	2.4	<0.50	<0.50
	Jun 13	NM	26.14	NM	7.7	3.2	NM	5.7	29.51	2.1	165	64	<0.50	<0.50	<0.50
	Sep 13	1978.49	26.63	1951.86	7.2	3.4	NM	5.8	29.36	2.3	243	24	<0.50	<0.50	<0.50
	Nov 13	1978.49	26.15	1952.34	6.5	2.5	12.9	1.5	25.67	1.6	29	120	1.8	<0.50	<0.50
	Mar 14	1978.49	26.49	1952.00	7.5	2.6	81.0	3.3	20.48	1.7	41	72	0.89	<0.50	<0.50
	Jun 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
MW-40 CMT-55	Nov 12	NM	25.33	NM	8.0	2.9	NM	3.6	20.60	1.9	-55	930	4.0	1.7	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	390	4.1	1.7	<0.50
	Jun 13	NM	26.12	NM	7.5	3.1	NM	4.3	28.93	2.0	178	200	0.57	<0.50	<0.50
	Sep 13	1978.49	26.61	1951.88	7.7	3.2	NM	4.5	31.25	2.4	168	38	1.0	<0.50	<0.50
	Nov 13	1978.49	26.15	1952.34	6.2	2.3	17.2	3.1	26.89	1.4	38	110	0.86	<0.50	<0.50
	Mar 14	1978.49	26.56	1951.93	7.4	2.5	90.3	3.9	31.25	1.6	-69	130	3.1	<0.50	<0.50
	Jun 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
	Sep 14	1978.49	NM	NM	NM	NM	NM	NM	NM	NM	NM	NS	NS	NS	NS
MW-40 CMT-60	Nov 12	NM	25.38	NM	8.0	3.2	NM	2.6	18.85	2.1	-128	1,400	11	6.3	<0.50
	Mar 13	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	1,200	9.5	6.0	<0.50
	Jun 13	NM	26.16	NM	7.5	3.3	NM	4.9	29.49	2.1	220	1,000	5.9	3.6	<0.50
	Sep 13	1978.49	26.62	1951.87	7.6	3.4	NM	5.0	29.80	2.2	236	20	0.56	<0.50	<0.50
	Nov 13	1978.49	26.16	1952.33	5.9	1.0	619.0	1.7	22.22	0.7	-78	190	3.6	2.5	<0.50
	Mar 14	1978.49	26.54	1951.95	7.4	2.6	65.3	5.5	31.53	1.7	-84	360	6.5	2.2	<0.50
	Jun 14	1978.49	26.56	1951.93	7.1	3.0	5.7	5.4	35.94	1.9	-49	750	8.0	2.9	<0.50
	Sep 14	1978.49	26.52	1951.97	7.2	2.9	35.2	3.4	32.51	1.9	-114	700	10.0	2.8	<0.50

**Table A-2: Historical Groundwater Gauging and Analytical Data
Maryland Square Shopping Center**

Well ID	Date	Top of Casing Elevation (feet msl)	Depth to Groundwater Level (feet)	Groundwater Elevation (feet msl)	pH	Specific Conductance (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp (°C)	TDS (g/L)	ORP (mV)	PCE (µg/L)	TCE (µg/L)	cis-1,2-DCE (µg/L)	Vinyl Chloride (µg/L)
MW-41	Sep 13	1908.89	14.81	1894.08	6.9	3.7	NM	2.7	26.56	2.8	135	1.7	<0.50	<0.50	<0.50
	Nov 13	1908.89	15.05	1893.84	6.7	3.9	239.0	1.1	21.40	2.2	360	2.6	<0.50	<0.50	<0.50
	Mar 14	1908.89	14.55	1894.34	7.3	3.3	192.0	2.8	20.93	2.2	64	2.1	<0.50	<0.50	<0.50
	Jun 14	1908.89	15.34	1893.55	6.9	3.6	76.1	1.2	26.24	2.3	85	2.8	<0.50	<0.50	<0.50
	Sep 14	1908.89	15.50	1893.39	7.0	3.6	68.4	2.4	26.18	2.3	54	2.8	<0.50	<0.50	<0.50
MW-42	Sep 13	1910.31	16.16	1894.15	7.1	4.1	NM	3.0	24.55	2.7	66	0.53	<0.50	<0.50	<0.50
	Nov 13	1910.31	16.32	1893.99	7.0	4.3	29.4	2.1	21.41	2.8	326	0.60	<0.50	<0.50	<0.50
	Mar 14	1910.31	16.01	1894.30	7.3	3.7	73.8	1.5	20.05	2.4	41	<0.50	<0.50	<0.50	<0.50
	Jun 14	1910.31	16.51	1893.80	6.7	4.0	13.6	2.1	23.60	2.6	105	0.58	<0.50	<0.50	<0.50
	Sep 14	1910.31	16.45	1893.86	6.8	4.0	21.4	3.2	23.75	2.6	107	0.53	<0.50	<0.50	<0.50
MW-43	Sep 13	1958.33	17.14	1941.19	7.1	3.5	NM	3.1	26.33	2.2	45	<0.50	<0.50	<0.50	<0.50
	Nov 13	1958.33	16.96	1941.37	7.0	3.6	163.0	2.2	22.87	2.3	138	<0.50	<0.50	<0.50	<0.50
	Mar 14	1958.33	16.11	1942.22	7.2	3.0	109.0	1.6	22.15	1.9	45	<0.50	<0.50	<0.50	<0.50
	Jun 14	1958.33	17.15	1941.18	6.7	3.2	61.3	2.3	25.50	2.1	128	<0.50	<0.50	<0.50	<0.50
	Sep 14	1958.33	17.33	1941.00	6.8	3.1	70.4	2.7	25.53	2.0	170	<0.50	<0.50	<0.50	<0.50

Notes:


NM = Not Measured
 msl = mean sea level
 ND = Non Detect
 NS = Not Sampled
 µg/L = micrograms per liter
 °C = degrees Celsius
 g/L = gallons per liter
 mg/L = milligrams per liter
 mS/cm = milli Siemens per centimeter
 mV = millivolts
 NTU = Nephelometric Turbidity Units

*: All wells were resurveyed to determine top of casing elevation
 Mar 2014: Wells monitored were determined to not be representative of site conditions.

Maryland Square PCE Site


FIGURES

SITE LOCATION



1 inch = 1,000 feet


Note: Scale and location are approximate



SOURCE: Google Earth

SITE VICINITY MAP

MARYLAND SQUARE SHOPPING CENTER
3661 S. MARYLAND PARKWAY
LAS VEGAS, NEVADA

PROJECT NUMBER: 085.42620.0001	DATE: 12/12	Figure 1
APPROVED BY: ADS	DRAWN BY: ABK	
 Cardno ATC Shaping the Future		2925 East Patrick Lane, Suite M Las Vegas, Nevada 89120-2457 Ph: (702) 798-5750 *** Fax: (702) 798-5742



LEGEND

MW-1 GROUNDWATER MONITOR WELL

PW-1 PUMPING WELL

1950 GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)

1950 GROUNDWATER FLOW DIRECTION


NM NOT MEASURED OR NO SURVEY DATA



NOTE: SCALE AND LOCATIONS ARE APPROXIMATE

GROUNDWATER POTENTIOMETRIC MAP
SEPTEMBER 15 - SEPTEMBER 19, 2014
 MARYLAND SQUARE SHOPPING CENTER
 3661 S. MARYLAND PARKWAY
 LAS VEGAS, NV

PROJECT NUMBER: 85.42620.0001	DATE: 10/13/14	FIGURE
APPROVED BY: AS	DRAWN BY: FL	2
7115 Amigo Street, Suite 100 Las Vegas, Nevada 89119 Ph: (702) 990-9300 *** Fax: (702) 990-9305		



LEGEND

MW-1 GROUNDWATER MONITOR WELL

PW-1 PUMPING WELL

2500 ISOCONTOUR, µg/L

500 ISOCONTOUR, µg/L

100 ISOCONTOUR, µg/L

5 ISOCONTOUR, µg/L

540 PCE, µg/L

NS NOT SAMPLED

NOTE: SCALE AND LOCATIONS ARE APPROXIMATE



PCE ISOCONCENTRATION MAP
SEPTEMBER 15-SEPTEMBER 19, 2014
 MARYLAND SQUARE SHOPPING CENTER
 3661 S. MARYLAND PARKWAY
 LAS VEGAS, NV

PROJECT NUMBER: 85-42620.0001	DATE: 10/13/14	FIGURE
APPROVED BY: AS	DRAWN BY: FL	3
Cartho ATC 7115 Amigo Street, Suite 100 Las Vegas, Nevada 89119 Ph: (702) 990-9300 *** Fax: (702) 990-9305		

WELL PCE

MM-601	120
MM-602	NS
MM-603	10

WELL PCE

MM-2001	160
MM-2002	140
MM-2003	9.6

MM-40 CMT

DEPTH	PCE
30	4.6
35	NS
40	NS
45	240
50	NS
55	NS
60	700

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-801	120
MM-802	NS
MM-803	10

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

WELL PCE

MM-1901	240
MM-1902	100
MM-1903	710

Maryland Square PCE Site

APPENDIX A
FIELD SHEETS



GROUNDWATER LEVEL DATA

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9305 (702) 990-9305 fax

PROJECT: Maryland Square LOCATION: 3661 S. Maryland Parkway PROJECT NUMBER: 085.42620.0001

RECORDED BY: _____ MEASURING DEVICE: WLI

WEATHER CONDITIONS:

WELL ID	DATE	TIME	DEPTH TO	TOTAL	COMMENTS
			GROUNDWATER	DEPTH	
			(feet bTOC)	(feet bTOC)	
MW-1	9/17	1139	20.15	25.92	
MW-5	9/17	1229	19.08	29.01	
MW-6	9/17	1319	19.27	28.85	
MW-13	9/18	1317	18.31	25.11	
MW-14	9/16	1252	18.95	29.70	
MW-18	9/16	1055	13.97	20.38	
MW-19	9/16	1200	27.86	29.90	No Sample
MW-23	9/16	959	25.1189	25.38	
MW-25	9/15	1207	20.82	25.91	
MW-26	9/15	1255	18.60	35.32	
MW-32	9/15	1112	20.15	33.70	
MW-38	9/15	957	15.12	34.68	
MW-41	9/15	907	15.50	35.28	
MW-42	9/15	814	16.45	35.24	
MW-43	9/16	819	17.33	35.24	
MW-141	9/16	1036	14.41	54.67	
MW-191	9/18	824	26.81	54.28	
MW-6D1	9/17	820	20.40	60.48	
MW-6D3	9/17	909	26.93	110	
MW-19D1	9/19	912	27.06	49.65	soft bottom
MW-19D2	9/19	825	27.67	70.24	
MW-19D3	9/19	1004	29.00	99.48	
MW-20D1	9/19	912 ¹²²⁶	27.06 ^{27.05}	45.00	soft bottom
MW-20D2	9/19	1154	27.21	65.70	
MW-20D3	9/19	1110	31.52	101.54	
MW-28	—	—	—	—	
MW-40 CMT30	9/18	940	26.65	29.84	
MW-40 CMT45	9/18	1050	26.50	44.90	
MW-40 CMT60	9/18	1139	26.52	59.42	
MW-7	9/17	1017	18.23	29.41	
MW-9	9/17	1101	20.85	50.00	
MW-27	9/15	1254	17.94	35.30	
MW-39	9/16	910	26.15	37.69	



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DF

Well ID: MW-1
 Sample ID: MW-1
 Date: 9/17

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 25.92 feet 3" = 0.37 gal/in ft.
 Depth to Water: 20.15 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: 10 feet to 30 feet
 Approximate Pump Depth: 23 Feet bgs 23 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1147	30.24	3.594	2.343	6.20	7.66	69.4	Clear, no odor / 20.20	17.71
0.50	1152	29.20	3.626	2.359	6.42	7.68	66.2	Clear, no odor / 20.22	15.08
0.75	1157	29.20	3.623	2.355	6.41	7.67	66.0	Clear, no odor / 20.23	12.71
1.0	1202	29.18	3.620	2.353	6.40	7.68	65.8	Clear, no odor / 20.22	19.24
1.25	1207	29.16	3.617	2.348	6.41	7.68	65.8	Clear, no odor / 20.23	10.58

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? 1 yes ___ no Replaced? ___ yes 1 no 0.1 PID
 Bolts secured? 1 yes ___ no Replaced? ___ yes 1 no w/1/4 Vacuum
 Surface Seal? 1 yes ___ no Replaced? ___ yes 1 no 12:15 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-5
 Sample ID: MW-5
 Date: 9/17

Purgig Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 29.01 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 19.08 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 32 feet
 Approximate Pump Depth: 24 Feet bgs Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	12:34	28.98	3.428	2.209	6.29	7.48	82.1	clear / 19.11	7.40
0.50	12:39	28.57	3.372	2.203	6.56	7.44	77.6	" / 19.13	9.07
0.75	12:44	28.53	3.422	2.211	6.55	7.49	72.4	clear / 19.13	3.56
1.00	12:49	28.43	3.399	2.167	6.58	7.48	71.0	clear / 19.10	4.81
1.25	12:54	28.41	3.401	2.165	6.56	7.47	70.4	clear / 19.13	4.22

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Well Security: Locking cap? X yes ___ no Replaced? ___ yes h no 0-0 PID
 Bolts secured? h yes ___ no Replaced? ___ yes h no N/A Vacuum
 Surface Seal? h yes ___ no Replaced? ___ yes h no 1300 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DF

Well ID: MW-6
 Sample ID: MW-6
 Date: 9/17

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 28.85 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 19.27 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 32 feet
 Approximate Pump Depth: 24 Feet bgs 24 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1327	31.24	3.161	2.056	4.38	7.17	64.6	Clear, No odor 19.31	116
0.50	1332	32.85	3.247	2.096	6.08	7.26	65.3	Clear, no odor 19.31	24.1
0.75	1337	32.73	3.244	2.113	6.52	7.34	63.7	clear, no odor 19.30	52.9
1.00	1342	32.75	3.243	2.115	6.48	7.35	63.5	Clear, no odor / 19.29	68.2
1.25	1347	32.77	3.244	2.111	6.47	7.35	63.5	Clear, No odor / 19.30	56.6

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Comments: _____

Well Security: Locking cap? A yes no Replaced? yes no 0.0 PID
 Bolts secured? 5 yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 1357 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: AK

Well ID: MW-6D1
 Sample ID: MW-6D1
 Date: 9/17

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 60.48 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 20.40 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 50 feet to 60 feet
 Approximate Pump Depth: 55 Feet bgs 55 Feet btoc

Comments: Previous inconsistent dtw readings

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. (RW)	
0.25	8:30	26.09	0.949	0.619	5.58	7.18	157.1	cloudy / 21.32	167
0.50	8:35	25.89	0.575	0.564	4.31	7.21	158.2	slightly cloudy / 21.63	126
0.75	8:40	25.76	0.766	0.497	4.26	7.23	157.4	slightly cloudy / 21.96	72.6
1.0	8:45	25.76	0.773	0.502	4.25	7.23	157.3	clear, No color / 22.11	58.4
1.25	8:50	25.75	0.775	0.504	4.24	7.24	157.2	clear, No color / 22.16	51.3

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.0 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 0.57 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-6D3
 Sample ID: MW-6D3
 Date: 9/17

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 110 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 26.47 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 100 feet to 110 feet
 Approximate Pump Depth: Feet bgs 105 Feet btoc

Comments: Previous inconsistent dtw readings

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. (DN)	
0.25	935	20.45	0.589	0.382	2.56	8.38	-148.0	Sl. Turbidity, no color / 24.77	107
0.50	940	27.49	0.546	0.355	2.59	8.41	-82.8	Sl. Turbidity, no color / 25.78	89.6
0.75	945	27.	0.543	0.352	2.61	8.39	-82.9	Sl. Turbidity, no color / 26.29	83.2
1.0	950	27.08	0.501	0.325	5.95	7.49	-5.3	Sl. Turbidity, no color / 26.55	77.4
1.25	955	27.10	0.495	0.321	6.00	7.45	33.7	Sl. Turbidity, no color / 26.95	73.6
1.5	1000	27.28	0.492	0.320	6.17	7.42	65.4	Clear, no color / 27.15	67.5

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? 6 yes no Replaced? yes no 0.0 PID
 Bolts secured? 5 yes no Replaced? yes no N/A Vacuum
 Surface Seal? 2 yes no Replaced? yes no 10.0 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: Dlc

Well ID: MW-7
 Sample ID: MW-7
 Date: 9/11

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 29.41 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 18.23 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 30 feet
 Approximate Pump Depth: 24 Feet bgs 24 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc (DW)	
0.25	1023	30.09	3.342	2.215	6.48	7.38	125.7	slightly turbid, no odor / 18.38	127
0.50	1028	28.60	3.467	2.266	6.34	7.32	119.0	clear, no odor / 18.36	87.4
0.75	1038	28.56	3.473	2.256	6.44	7.40	108.5	clear, no odor / 18.34	74.3
1.0	1038	28.57	3.477	2.252	6.35	7.41	108.4	clear, no odor / 18.30	67.6
1.25	1042	28.59	3.480	2.254	6.32	7.42	108.3	clear, no odor / 18.35	59.4

Total Water Volume Purged: _____ Gallons = N/A Well Volumes
 Purged Dry (Y/N): _____
 Comments: _____

Well Security: Locking cap? yes no replaced Replaced? yes no 0-0 PID
 Bolts secured? yes no replaced Replaced? yes no 11/13 Vacuum
 Surface Seal? yes no replaced Replaced? yes no 10/18 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-9
 Sample ID: MW-9
 Date: 9/17

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 50.00 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 70-55 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 48.5 feet to 50 feet
 Approximate Pump Depth: 49 Feet bgs 50 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1107	30.90	1.300	0.846	3.97	7.30	22.5	Clear, No odor / 20.70	52.2
0.50	1112	29.09	1.302	0.846	3.94	7.22	61.1	Clear, no odor / 20.64	47.9
0.75	1117	29.07	1.302	0.850	3.97	7.23	58.8	Clear, No odor / 20.71	32.3
1.0	1122	29.12	1.305	0.854	3.99	7.24	58.8	Clear, No odor / 20.68	24.1
1.25	1127	29.12	1.308	0.856	3.98	7.25	58.5	Clear, No odor / 20.58	17.6

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? h yes ___no Replaced? ___yes R no 0.3 PID
 Bolts secured? h yes ___no Replaced? ___yes R no M/A Vacuum
 Surface Seal? F yes ___no Replaced? ___yes L no 11:37 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-13
 Sample ID: MW-13
 Date: 9/1/18

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 25.11 feet 3" = 0.37 gal/in ft.
 Depth to Water: 18.31 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: 9 feet to 29 feet
 Approximate Pump Depth: 22 Feet bgs 22 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1328	30.17	3.545	2.300	5.95	7.36	126.1	Clear, No odor / 18.41	29.8
0.50	1333	29.45	3.507	2.310	5.93	7.38	132.9	Clear, No odor / 18.35	18.76
0.75	1338	29.43	3.512	2.307	5.90	7.38	133.1	Clear, No odor / 18.38	13.11
1.0	1343	29.40	3.518	2.308	5.90	7.38	133.1	Clear, No odor / 18.36	7.69
1.25	1348	29.88	3.523	2.308	5.92	7.39	133.2	Clear, No odor / 18.39	7.47

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Comments:

Well Security: Locking cap? yes no Replaced? yes no
 Bolts secured? yes no Replaced? yes no
 Surface Seal? yes no Replaced? yes no

0.0 PID
 N/A Vacuum
 1357 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-14
 Sample ID: MW-14
 Date: 9/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 29.70 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 18.45 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 15 feet to 40 feet
 Approximate Pump Depth: 24 Feet bgs 24 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. (DU)	
0.25	1300	28.04	3.612	2.347	3.51	7.31	144.9	Clear, No odor / 19.16	222
0.50	1305	27.42	3.601	2.345	3.57	7.35	122.4	Clear, No odor / 19.16	169
0.75	1310	27.44	3.598	2.343	3.56	7.35	122.3	Clear, No odor / 19.18	87.2
1.0	1315	27.43	3.597	2.340	3.55	7.34	122.3	Clear, No odor / 19.19	30.1
1.25	1320	27.45	3.596	2.334	3.53	7.34	122.2	Clear, No odor / 19.19	67.6

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.2 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 1329 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: JK

Well ID: MW-14I
 Sample ID: MW-14I
 Date: 9/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch
 Depth to Well Bottom: 54.67 feet 2" = 0.16 gal/lin ft.
 Depth to Water: 19.41 feet 3" = 0.37 gal/lin ft.
 Constructed Screen Interval: 40 feet to 55 feet 4" = 0.67 gal/lin ft.
 Approximate Pump Depth: 47.5 Feet bgs 47.5 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1346	30.76	1.308	0.851	4.09	7.37	93.8	Clear, no odor / 19.52	17.22
0.50	1351	30.37	1.309	0.851	4.05	7.35	93.6	Clear, no odor / 19.54	6.37
0.75	1356	30.35	1.308	0.850	4.03	7.34	93.5	Clear, no odor / 19.53	6.01
1.0	1401	30.33	1.306	0.849	4.03	7.32	93.3	Clear, no odor / 19.53	5.71
1.25	1406	30.33	1.307	0.850	4.01	7.32	93.3	Clear, no odor / 19.52	6.24
1.5	1411	30.32	1.309	0.853	4.00	7.31	93.2	Clear, no odor / 19.54	6.39

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Comments: _____
 Well Security: Locking cap? yes no Replaced? yes no 0.0 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 1420 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DR

Well ID: MW-18
 Sample ID: MW-18
 Date: 9/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 20.38 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 13.47 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 5 feet to 20.38 feet
 Approximate Pump Depth: Feet bgs 17 Feet btoc

Comments: Well bottom is above screen interval

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc./DTW	
0.25	1105	32.34	2.930	1.765	2.50	8.03	93.3	Clear, No odor / 13.99	37.4
0.50	1110	32.30	2.937	1.781	2.40	7.99	91.3	Clear, No odor / 13.99	10.24
0.75	1115	32.27	2.939	1.784	2.41	7.98	91.4	Clear, No odor / 13.99	12.41
1.0	1120	30.23	2.941	1.785	2.42	7.98	91.4	Clear, No odor / 14.00	8.67
1.25	1125	30.24	2.944	1.787	2.45	7.99	91.5	Clear, No odor / 14.01	9.01
1.50	1130	30.26	2.945	1.789	2.46	7.99	91.5	Clear, No odor / 13.99	7.62

Total Water Volume Purged: 1.5 Gallons = Well Volumes
 Purged Dry (Y/N):
 Comments:

Well Security: Locking cap? X yes no Replaced? yes X no 0.0 PID
 Bolts secured? X yes no Replaced? yes X no 11/14 Vacuum
 Surface Seal? X yes no Replaced? yes X no 11/39 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DR

Well ID: MW-19I
 Sample ID: MW-19I
 Date: 9/18

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 54.25 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 26.81 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 34 feet to 54 feet
 Approximate Pump Depth: 40 Feet bgs 40 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	839	27.34	3.280	2.145	7.28	7.38	619.4	Purple/No odor / 26.89	20.2
0.50	844	27.05	3.308	2.158	7.28	7.36	630.0	Purple/No odor / 26.88	65.6
0.75	848	26.96	3.305	2.147	7.33	7.39	630.3	Purple/No odor / 26.92	38.0
1.0	853	27.00	3.301	2.144	7.35	7.41	630.5	Purple/No odor / 26.80	51.0
1.25	858	27.01	3.298	2.142	7.34	7.41	630.6	Purple/No odor / 26.91	46.2

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes

Purged Dry (Y/N): _____

Comments: _____

Well Security: Locking cap? X yes ___ no Replaced? ___ yes X no 0.0 PID
 Bolts secured? X yes ___ no Replaced? ___ yes X no 1/1 Vacuum
 Surface Seal? X yes ___ no Replaced? ___ yes X no 9/10 Sample Collection Time

0.5. Permeable



GROUNDWATER COLLECTION LOG

CARDNO ATC
7115 AMIGO STREET, SUITE 100
LAS VEGAS, NEVADA 89119
(702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
Project Number: 085.42620.0001
Sampler's Name: DK

Well ID: MW-19D1
Sample ID: MW-19D1
Date: 9/14

Purging Equipment: Low Flow Bladder Pump
Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
Casing Diameter: 2 inch 2" = 0.16 gal/in ft.
Depth to Well Bottom: 44.65 feet 3" = 0.37 gal/in ft.
Depth to Water: 27.06 feet 4" = 0.67 gal/in ft.
Constructed Screen Interval: 31 feet to 51 feet
Approximate Pump Depth: 41 Feet bgs 41 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	9:26	28.51	3.094	2.011	4.43	7.55	357.3	Turbid, No odor / 27.12	181
0.50	9:31	28.80	2.885	1.986	6.85	7.77	353.7	Turbid, No odor / 27.09	90.1
0.75	9:36	28.84	2.882	1.782	6.75	7.76	344.4	Turbid, No odor / 27.11	104
1.0	9:41	30.00	2.487	2.000	6.71	7.63	335.2	Turbid, No odor / 27.15	47.5
1.25	9:46	29.17	3.548	2.053	6.39	7.43	332.7	Turbid, No odor / 27.12	61.4

Total Water Volume Purged: 1.25 Gallons = _____ Well Volumes: N/A
Purged Dry (Y/N): N
Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.4 PID
Bolts secured? yes no Replaced? yes no N/A Vacuum
Surface Seal? yes no Replaced? yes no 9:53 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-19D2
 Sample ID: MW-19D2
 Date: 9/14

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 70.24 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 27.67 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 60 feet to 70 feet
 Approximate Pump Depth: 65 Feet bgs ~~60~~ Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	835	28.02	2.146	1.396	4.82	7.29	509.9	H. P.W.K, NO odor / 29.11	52.1
0.50	840	26.16	2.153	1.400	4.85	7.57	530.1	H. P.W.K, NO odor / 31.50	10.67
0.75	845	26.20	2.163	1.406	4.81	7.61	530.3	H. P.W.K, NO odor / 32.81	43.4
1.0	850	26.22	2.166	1.409	4.82	7.63	530.5	H. P.W.K, NO odor / 34.23	10.50
1.25	855	26.23	2.168	1.412	4.82	7.64	530.6	H. P.W.K, NO odor / 34.92	7.25

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no
 Bolts secured? yes no Replaced? yes no
 Surface Seal? yes no Replaced? yes no

0.1 PID
N/A Vacuum
9:04 Sample Collection Time
 Permeameter: 0.20



GROUNDWATER COLLECTION LOG

CARDNO ATC
7115 AMIGO STREET, SUITE 100
LAS VEGAS, NEVADA 89119
(702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
Project Number: 085.42620.0001
Sampler's Name: DK

Well ID: MW-19D3
Sample ID: MW-19D3
Date: 9/14

Purging Equipment: Low Flow Bladder Pump
Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
Depth to Well Bottom: 99.48 feet 3" = 0.37 gal/lin ft.
Depth to Water: 29.00 feet 4" = 0.67 gal/lin ft.
Constructed Screen Interval: 92 feet to 102 feet
Approximate Pump Depth: 96 Feet bgs ~~102~~ Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1020	28.04	2.577	1.651	6.50	7.17	214.4	Clear, no odor / 28.45	16.62
0.50	1025	26.80	3.121	2.030	6.41	7.04	255.6	Clear, no odor / 29.64	8.89
0.75	1030	26.77	3.124	2.034	6.44	7.04	255.8	Clear, no odor / 30.09	8.22
1.0	1035	26.74	3.127	2.036	6.46	7.03	256.0	Clear, no odor / 30.25	5.91
1.25	1040	26.73	3.129	2.039	6.47	7.03	256.0	Clear, no odor / 30.51	6.87

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
Purged Dry (Y/N): N
Comments: DUP

Well Security: Locking cap? ✓ yes no Replaced? yes ✓ no 0.0 PID
Bolts secured? ✓ yes no Replaced? yes ✓ no Vacuum
Surface Seal? ✓ yes no Replaced? yes ✓ no 1050 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-20D1
 Sample ID: MW-20D1
 Date: 9/14

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 45 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 27.05 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 25 feet to 45 feet
 Approximate Pump Depth: 36 Feet bgs 36 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1230	27.81	3.384	2.209	3.38	7.58	199.1	Slightly Murky / 27.02	173
0.50	1235	27.25	3.098	2.001	3.92	7.60	212.0	Slightly Murky / 27.12	149
0.75	1240	27.23	3.104	2.014	3.89	7.59	212.3	Clear, Murky / 27.09	139
1.0	1245	27.20	3.107	2.017	3.93	7.58	212.4	Clear, Murky / 27.10	50.8
1.25	1250	27.20	3.109	2.019	3.95	7.59	212.5	Clear, Murky / 27.09	29.1

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes X no Replaced? yes X no 0.0 PID
 Bolts secured? X yes no Replaced? yes X no N/A Vacuum
 Surface Seal? X yes no Replaced? yes X no 1503 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-20D2
 Sample ID: MW-20D2
 Date: 9/18

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 65.70 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 27.21 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 55 feet to 65 feet
 Approximate Pump Depth: 60 Feet bgs 60 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1159	25.78	3.168	2.036	3.89	7.41	206.1	Clear, No odor / 28.87	1.22
0.50	1204	25.25	3.341	2.177	3.95	7.38	228.2	Clear, No odor / 29.73	8.83
0.75	1209	25.22	3.387	2.173	3.93	7.41	228.4	Clear, No odor / 29.96	9.03
1.0	1214	25.22	3.388	2.171	3.92	7.42	228.5	Clear, No odor / 30.42	9.73
1.25	1219	25.21	3.384	2.170	3.92	7.42	228.5	Clear, No odor / 30.44	7.54

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.1 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 1224 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-20D3
 Sample ID: MW-20D3
 Date: 9/1/09

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 101.54 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 36.52 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 90 feet to 100 feet
 Approximate Pump Depth: 96 Feet bgs 96 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
0.25	1115	29.75	1.578	1.026	4.32	7.34	189.2	clear, no odor / 29.40	11.25
0.50	1120	28.20	0.946	0.550	3.90	7.40	209.3	clear, no odor / 30.99	33.4
0.75	1125	28.14	0.843	0.542	3.89	7.39	215.0	clear, no odor / 32.66	38.2
1.0	1130	28.14	0.838	0.538	3.87	7.38	215.1	clear, no odor / 33.14	36.5
1.25	1135	28.12	0.836	0.537	3.86	7.37	215.2	clear, no odor / 34.33	37.2

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): w
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.2 PID
 Bolts secured? yes no Replaced? yes no 4/8 Vacuum
 Surface Seal? yes no Replaced? yes no 1145 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: OK

Well ID: MW-23
 Sample ID: MW-23
 Date: 9/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 25.38 feet 3" = 0.37 gal/in ft.
 Depth to Water: 17.99 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: 5 feet to 26 feet
 Approximate Pump Depth: 22 Feet bgs 22 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1009	27.39	2.778	1.946	3.56	7.87	97.0	Clear, No odor / 17.98	124
0.50	1014	26.72	2.783	1.942	3.11	7.86	95.5	Clear, No odor / 17.91	103
0.75	1019	26.70	2.795	1.944	3.16	7.88	95.4	Clear, No odor / 17.92	87.4
1.0	1024	26.70	2.788	1.943	3.14	7.88	95.4	Clear, No odor / 17.93	53.4
1.25	1029	26.69	2.789	1.942	3.15	7.89	95.3	Clear, No odor / 17.93	51.2
1.50	1034	26.69	2.791	1.940	3.15	7.89	95.3	Clear, No odor / 17.91	57.4

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Comments:

Well Security: Locking cap? X yes ___ no Replaced? ___ yes X no 0.0 PID
 Bolts secured? X yes ___ no Replaced? ___ yes X no N/A Vacuum
 Surface Seal? X yes ___ no Replaced? ___ yes X no 1040 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-25
 Sample ID: MW-25
 Date: 9/15

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch
 Depth to Well Bottom: 25.91 feet
 Depth to Water: 20.82 feet
 Constructed Screen Interval: 5 feet to 26 feet
 Approximate Pump Depth: 23 Feet bgs 23 Feet btoc

2" = 0.16 gal/lin ft.
 3" = 0.37 gal/lin ft.
 4" = 0.67 gal/lin ft.

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. (pH)
0.25	1219	27.76	3.520	2.264	-	7.53	90.8	Clay No odor / 20.89
0.50	1218	27.74	3.528	2.265	-	7.50	90.4	Clear No odor / 20.92
0.75	1223	27.72	3.527	2.263	-	7.50	90.3	Clear No odor / 20.90
1.0	1228	27.71	3.524	2.263	-	7.49	90.1	Clear No odor / 20.89
1.25	1233	27.69	3.523	2.264	-	7.48	89.9	Clear No odor / 20.90
1.5	1238	27.69	3.521	2.264	-	7.47	89.7	Clear No odor / 20.89

Total Water Volume Purged: _____ Gallons = N/A Well Volumes
 Purged Dry (Y/N): _____
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.11 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 0.45 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-26
 Sample ID: MW-26
 Date: 9/15

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 35.32 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 18.60 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 36 feet
 Approximate Pump Depth: 27 Feet bgs 27 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1303	25.81	3.564	2.357	—	7.26	80.6	Clear, no odor / 18-70	81.4
0.50	1308	25.74	3.571	2.357	—	7.36	80.4	Clear, no odor / 18-69	56.7
0.75	1313	25.77	3.573	2.354	—	7.35	80.1	Clear, no odor / 18-70	42.3
1.0	1318	25.80	3.577	2.353	—	7.34	80.1	Clear, no odor / 18-70	40.6
1.25	1323	25.83	3.576	2.351	—	7.34	80.2	Clear, no odor / 18-68	34.3
1.5	1328	25.85	3.575	2.353	—	7.33	80.2	Clear, no odor / 18-64	32.7

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N

Comments:

Well Security: Locking cap? L yes ___ no Replaced? ___ yes A no 0.0 PID
 Bolts secured? L yes ___ no Replaced? ___ yes K no N/A Vacuum
 Surface Seal? L yes ___ no Replaced? ___ yes L no 1335 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-27
 Sample ID: MW-27
 Date: 9/1/13

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 4 inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 25.30 feet 3" = 0.37 gal/in ft.
 Depth to Water: 17.94 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: 10 feet to 36 feet
 Approximate Pump Depth: 27 Feet bgs 27 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.
0.25	1359	26.19	3.367	2.045	—	7.33	97.1	Clear, No odor / 18-00 84.5
0.50	1404	25.78	3.362	2.053	—	7.29	96.7	Clear, No odor / 18-00 67.2
0.75	1409	25.70	3.359	2.054	—	7.28	96.6	Clear, No odor / 18-01 51.6
1.0	1414	25.76	3.357	2.056	—	7.26	96.4	Clear, No odor / 18-01 35
1.25	1419	25.77	3.356	2.057	—	7.27	96.2	Clear, No odor / 18-00 30
1.5	1424	25.78	3.354	2.058	—	7.27	96.1	Clear, No odor / 18-01 2

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments:

Well Security: Locking cap? X yes no Replaced? yes X no PID
 Bolts secured? X yes no Replaced? yes X no N/A Vacuum
 Surface Seal? X yes no Replaced? yes X no 1435 Sample Collectif



GROUNDWATER COLLECTION LOG

CARDNO ATC
7115 AMIGO STREET, SUITE 100
LAS VEGAS, NEVADA 89119
(702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
Project Number: 085.42620.0001
Sampler's Name: DK

Well ID: MW-32
Sample ID: MW-32
Date: 9/15

Purging Equipment: Low Flow Bladder Pump
Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
Casing Diameter: 4 inch 2" = 0.16 gal/lin ft.
Depth to Well Bottom: 33.70 feet 3" = 0.37 gal/lin ft.
Depth to Water: 20.13 feet 4" = 0.67 gal/lin ft.
Constructed Screen Interval: 13.5 feet to
Approximate Pump Depth: Feet bgs 27 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. / <i>etc.</i>
0.25	1128	28.35	3.293	2.177	—	7.44	85.2	Clear, No odor / 20.19 <i>80.3</i>
0.50	1133	27.36	3.301	2.177	—	7.40	78.2	Clear, No odor / 20.21 <i>75.6</i>
0.75	1138	27.38	3.304	2.181	—	7.39	78.1	Clear, No odor / 20.20 <i>70.7</i>
1.0	1143	27.40	3.308	2.178	—	7.41	78.0	Clear, No odor / 20.19 <i>67.3</i>
1.25	1148	27.42	3.307	2.175	—	7.42	77.8	Clear, No odor / 20.20 <i>68.7</i>
1.50	1153	27.43	3.308	2.174	—	7.42	77.8	Clear, No odor / 20.20 <i>64.4</i>

Total Water Volume Purged: 1.5 Gallons = N/A Well Volumes

Purged Dry (Y/N):

Comments:

Well Security: Locking cap? yes no Replaced? yes no 0.0 PID
Bolts secured? yes no Replaced? yes no N/A Vacuum
Surface Seal? yes no Replaced? yes no 1157 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: OK

Well ID: MW-38
 Sample ID: MW-38
 Date: 9/15

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 34.68 feet 3" = 0.37 gal/in ft.
 Depth to Water: 15.12 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: 15 feet to 36 feet
 Approximate Pump Depth: 2.5 Feet bgs Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	1007	23.74	3.810	2.484	6.12	7.21	81.9	clear, No odor / 15.14	41.6
0.50	1012	25.72	3.814	2.493	6.14	7.24	81.7	clear, No odor / 15.12	37.4
0.75	1017	25.73	3.817	2.497	6.15	7.25	81.6	clear, No odor / 15.12	33.6
1.0	1022	25.75	3.819	2.501	6.13	7.24	81.5	clear, No odor / 15.12	27.8
1.25	1027	25.74	3.822	2.504	6.11	7.23	81.6	clear, No odor / 15.13	23.1

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): _____
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.2 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 10:35 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-39
 Sample ID: MW-39
 Date: 9/1/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 37.64 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 26.15 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 15 feet to 36 feet
 Approximate Pump Depth: 32 Feet bgs 32 Feet btoc

Comments:

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc./DTW	
0.25	9:15	27.35	3.174	2.045	4.84	7.52	135.7	Sl. Turbidity, No odor / 26.29	14.7
0.50	9:20	26.95	3.167	2.035	4.82	7.50	135.1	Sl. Turbidity, No odor / 26.50	11.2
0.75	9:25	26.93	3.162	2.028	4.79	7.50	135.1	Clear, No odor / 26.53	82.6
1.0	9:30	26.92	3.159	2.026	4.78	7.50	134.4	Clear, No odor / 26.51	78.1
1.25	9:35	26.92	3.159	2.025	4.78	7.44	134.8	Clear, No odor / 26.52	84.3

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments:

Well Security: Locking cap? A yes ___ no Replaced? ___ yes A no 0.2 PID
 Bolts secured? B yes ___ no Replaced? ___ yes B no N/A Vacuum
 Surface Seal? C yes ___ no Replaced? ___ yes X no 9/1/16 Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-40 CMT 30
 Sample ID: MW-40 CMT 30
 Date: 9/18

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: _____ inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 29.84 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 26.63 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: _____ 30 feet to 30.6 feet
 Approximate Pump Depth: _____ Feet bgs 30.25 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
	1000	32.86	2.654	1.726	5.11	8.38	298.5	Clear, NO odor	98.4
	1005	32.91	2.673	1.752	5.10	8.39	312.8	Clear, NO odor	12.13
	1010	32.94	2.676	1.755	5.06	8.41	313.0	Clear, NO odor	22.4
	1015	32.97	2.677	1.756	5.08	8.42	313.2	Clear, NO odor	19.29
	1020	32.95	2.675	1.752	5.07	8.43	313.4	Clear, NO odor	18.12

Total Water Volume Purged: _____ Gallons = N/A Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no
 Bolts secured? yes no Replaced? yes no
 Surface Seal? yes no Replaced? yes no



GROUNDWATER COLLECTION LOG

CARDNO ATC
7115 AMIGO STREET, SUITE 100
LAS VEGAS, NEVADA 89119
(702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
Project Number: 085.42620.0001
Sampler's Name: JK

Well ID: MW-40 CMT 45
Sample ID: MW-40 CMT 45
Date: 9/16

Purging Equipment: Low Flow Bladder Pump
Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
Casing Diameter: _____ inch 2" = 0.16 gal/lin ft.
Depth to Well Bottom: 44.90 feet 3" = 0.37 gal/lin ft.
Depth to Water: 76.50 feet 4" = 0.67 gal/lin ft.
Constructed Screen Interval: _____ 45 feet to _____ 45.6 feet
Approximate Pump Depth: _____ Feet bgs 44.90 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.
	1101	33.15	0.592	0.335	7.75	7.99	-66.7	Clear, no odor
	1106	33.19	1.951	1.268	3.43	7.21	-50.1	Clear, no odor
	1111	33.24	1.955	1.272	3.39	7.23	-50.5	Clear, no odor
	1116	33.27	1.958	1.270	3.37	7.24	-50.8	Clear, no odor
	1121	33.31	1.961	1.275	3.34	7.26	-50.5	Clear, no odor

Total Water Volume Purged: _____ Gallons = _____ Well Volumes
Purged Dry (Y/N): N
Comments: _____

Well Security: Locking cap? yes no Replaced? yes no PID
Bolts secured? yes no Replaced? yes no Vacuum
Surface Seal? yes no Replaced? yes no Sample Collection Titr



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-40 CMT 60
 Sample ID: MW-40 CMT 60
 Date: 9/18

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: _____ inch 2" = 0.16 gal/in ft.
 Depth to Well Bottom: 59.92 feet 3" = 0.37 gal/in ft.
 Depth to Water: 20.52 feet 4" = 0.67 gal/in ft.
 Constructed Screen Interval: _____ 60 feet to _____ 60.6 feet
 Approximate Pump Depth: _____ Feet bgs 59.92 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	Turbidity
	1150	34.31	2.853	1.855	2.78	7.33	-233.8	Clear, No odor	512
	1155	32.91	2.894	1.881	3.29	7.17	-114.7	Clear, No odor	772
	1200	32.50	2.914	1.895	3.34	7.19	-114.3	Clear, No odor	33.9
	1205	32.54	2.918	1.897	3.37	7.22	-113.9	Clear, No odor	36.7
	1210	32.51	2.917	1.896	3.39	7.23	-113.6	Clear, No odor	35.2

Total Water Volume Purged: _____ Gallons = _____ Well Volumes
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no PID
 Bolts secured? yes no Replaced? yes no Vacuum
 Surface Seal? yes no Replaced? yes no Sample Collection Time



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DJK

Well ID: MW-41
 Sample ID: MW-41
 Date: DJK 9/15

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 35.28 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 15.50 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 35 feet
 Approximate Pump Depth: 25 Feet bgs 25 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc. /DTW	
0.25	916	25.94	3.359	2.312	2.35	7.01	44.2	Clear, No odor / 15.52	89.4
0.50	921	26.16	3.361	2.323	2.41	7.00	54.0	Clear, No odor / 15.54	83.7
0.75	926	26.19	3.512	2.324	2.45	7.00	53.9	Clear, No odor / 15.57	79.1
1.0	931	26.17	3.564	2.325	2.44	7.00	53.8	Clear, No odor / 15.54	72.3
1.25	936	26.18	3.566	2.323	2.43	7.01	53.6	Clear, No odor / 15.50	68.4

Total Water Volume Purged: 1.85 Gallons = N/A Well Volumes
 Purged Dry (Y/N): _____
 Comments: _____

Well Security: Locking cap? ✓ yes no Replaced? yes ✓ no 0.0 PID
 Bolts secured? ✓ yes no Replaced? yes ✓ no N/A Vacuum
 Surface Seal? ✓ yes no Replaced? yes ✓ no 9/15 Sample Collection Time
945



GROUNDWATER COLLECTION LOG

CARDNO ATC
7115 AMIGO STREET, SUITE 100
LAS VEGAS, NEVADA 89119
(702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
Project Number: 085.42620.0001
Sampler's Name: DJK

Well ID: MW-42
Sample ID: MW-42
Date: 9/15

Purging Equipment: Low Flow Bladder Pump
Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
Casing Diameter: 2 inch
Depth to Well Bottom: 35.24 feet
Depth to Water: 16.45 feet
Constructed Screen Interval: 10 feet to 35 feet
Approximate Pump Depth: 26 Feet btoc

Comments:

Table with 9 columns: Purged (gal.), Time, Temp. (°C), Conductance (mS/cm), TDS (g/L), DO (mg/L), pH (SU), ORP (mV), Water Description: Color, Turbidity, Sheen, Etc./DU. Contains 5 rows of data.

Total Water Volume Purged: 1.45 Gallons = N/A Well Volumes
Purged Dry (Y/N): N

Well Security: Locking cap? [x] yes [] no Replaced? [] yes [x] no PID 0.0
Bolts secured? [x] yes [] no Replaced? [] yes [x] no Vacuum N/A
Surface Seal? [x] yes [] no Replaced? [] yes [x] no Sample Collection Time 850



GROUNDWATER COLLECTION LOG

CARDNO ATC
 7115 AMIGO STREET, SUITE 100
 LAS VEGAS, NEVADA 89119
 (702) 990-9300 (702) 990-9305 fax

Project Name: Maryland Square
 Project Number: 085.42620.0001
 Sampler's Name: DK

Well ID: MW-43
 Sample ID: MW-43
 Date: 9/16

Purging Equipment: Low Flow Bladder Pump
 Sampling Equipment: Low Flow Bladder Pump

Casing Type: PVC
 Casing Diameter: 2 inch 2" = 0.16 gal/lin ft.
 Depth to Well Bottom: 35.24 feet 3" = 0.37 gal/lin ft.
 Depth to Water: 17.33 feet 4" = 0.67 gal/lin ft.
 Constructed Screen Interval: 10 feet to 35 feet
 Approximate Pump Depth: 26 Feet bgs 26 Feet btoc

Comments: _____

Purged (gal.)	Time	Temp. (°C)	Conductance (mS/cm)	TDS (g/L)	DO (mg/L)	pH (SU)	ORP (mV)	Water Description: Color, Turbidity, Sheen, Etc.	
0.25	827	27.02	3.043	1.974	4.05	6.90	182.8	Clean No odor / 17.43	10.9
0.50	832	25.51	3.113	2.023	2.58	6.77	170.7	Clean No odor / 17.40	82.7
0.75	837	25.52	3.118	2.027	2.62	6.79	170.5	Clean, No odor / 17.34	80.3
1.0	842	25.52	3.119	2.027	2.63	6.80	170.4	Clean, no odor / 17.38	74.2
1.25	847	25.53	3.114	2.024	2.65	6.80	170.4	Clean, No odor / 17.41	70.4

Total Water Volume Purged: 1.25 Gallons = N/A Well Volumes:
 Purged Dry (Y/N): N
 Comments: _____

Well Security: Locking cap? yes no Replaced? yes no 0.0 PID
 Bolts secured? yes no Replaced? yes no N/A Vacuum
 Surface Seal? yes no Replaced? yes no 8:57 Sample Collection Time

Maryland Square PCE Site

APPENDIX B
LABORATORY ANALYTICAL REPORTS

September 30, 2014

Andrew Stuart
Cardno ATC
7115 Amigo Street Suite 100
Las Vegas, NV 89119
TEL: (702) 990-9300
FAX:

CA-ELAP No.: 2676
NV Cert. No.: NV-00922

Workorder No.: N013424

RE: Maryland Square Shopping Center, 085.42620.0

Attention: Andrew Stuart

Enclosed are the results for sample(s) received on September 22, 2014 by ASSET Laboratories .
The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in
accordance with the applicable laboratory certifications.

I hereby certify that all laboratory analysis requested were performed by Nevada Division of
Environmental Protection-certified laboratory for the parameters and matrices reported
herein.

Thank you for the opportunity to service the needs of your company. Please feel free to call me at
(702) 307-2659 if I can be of further assistance to your company.

Sincerely,



Jose Tenorio Jr.
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and cannot be reproduced in part or
in its entirety without written permission from the client and Advanced Technology Laboratories - Las Vegas.



CLIENT: Cardno ATC
Project: Maryland Square Shopping Center, 085.42620.0
Lab Order: N013424

CASE NARRATIVE**SAMPLE RECEIVING/GENERAL COMMENTS:**

Samples were received intact with proper chain of custody documentation.

Cooler temperature and sample preservation were verified upon receipt of samples if applicable.

Information on sample receipt conditions including discrepancies can be found in attached Sample Receipt Checklist Form.

Samples were analyzed within method holding time.

Analytical Comments for EPA 218.6:

Sample N013424-012C (MW-19I) was not analyzed for hexavalend chromium due to color of sample that might interfere with the analysis. Hexavalent Chromium analysis involves colorimetric procedure that might produce false positive results when colored samples were analyzed.

Analytical Comments for EPA 6020:

Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) are outside recovery criteria for Arsenic and Manganese on QC samples N013409-001DMS and N013409-001DMSD possibly due to matrix interference. The associated Laboratory Control Sample (LCS) recovery was acceptable.

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) are outside recovery criteria for Chromium on QC samples N013409-001DMS and N013409-001DMSD since the analyte concentration in the sample is disproportionate to the spike level. The associated Laboratory Control Sample (LCS) recovery was acceptable.

Analytical Comments for EPA 8260B:

Analyte Tetrachloroethene in sample MW-18 (N013424-011) was reported outside of calibration range. Sample was analyzed at 10X and 20X dilution using second and third vial but the results were significantly lower. The higher number was reported as it matches more the historical data.



ASSET Laboratories

Date: 30-Sep-14

CLIENT: Cardno ATC
Project: Maryland Square Shopping Center, 085.42620.0
Lab Order: N013424
Contract No:

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Matrix	Collection Date	Date Received	Date Reported
N013424-001A	MW-1	Groundwater	9/17/2014 12:15:00 PM	9/22/2014	9/30/2014
N013424-002A	MW-5	Groundwater	9/17/2014 1:00:00 PM	9/22/2014	9/30/2014
N013424-003A	MW-6	Groundwater	9/17/2014 1:57:00 PM	9/22/2014	9/30/2014
N013424-004A	MW-6D1	Groundwater	9/17/2014 8:57:00 AM	9/22/2014	9/30/2014
N013424-005A	MW-6D3	Groundwater	9/17/2014 10:10:00 AM	9/22/2014	9/30/2014
N013424-006A	MW-7	Groundwater	9/17/2014 11:48:00 AM	9/22/2014	9/30/2014
N013424-007A	MW-9	Groundwater	9/17/2014 11:37:00 AM	9/22/2014	9/30/2014
N013424-008A	MW-13	Groundwater	9/18/2014 1:57:00 PM	9/22/2014	9/30/2014
N013424-009A	MW-14	Groundwater	9/16/2014 1:29:00 PM	9/22/2014	9/30/2014
N013424-010A	MW-14I	Groundwater	9/16/2014 2:20:00 PM	9/22/2014	9/30/2014
N013424-011A	MW-18	Groundwater	9/16/2014 11:39:00 AM	9/22/2014	9/30/2014
N013424-012A	MW-19I	Groundwater	9/18/2014 9:10:00 AM	9/22/2014	9/30/2014
N013424-012B	MW-19I	Groundwater	9/18/2014 9:10:00 AM	9/22/2014	9/30/2014
N013424-012C	MW-19I	Groundwater	9/18/2014 9:10:00 AM	9/22/2014	9/30/2014
N013424-013A	MW-19D1	Groundwater	9/19/2014 9:55:00 AM	9/22/2014	9/30/2014
N013424-014A	MW-19D2	Groundwater	9/19/2014 9:04:00 AM	9/22/2014	9/30/2014
N013424-015A	MW-19D3	Groundwater	9/19/2014 10:50:00 AM	9/22/2014	9/30/2014
N013424-016A	MW-20D1	Groundwater	9/19/2014 1:03:00 PM	9/22/2014	9/30/2014
N013424-017A	MW-20D2	Groundwater	9/19/2014 12:24:00 PM	9/22/2014	9/30/2014
N013424-018A	MW-20D3	Groundwater	9/19/2014 11:48:00 AM	9/22/2014	9/30/2014
N013424-019A	MW-23	Groundwater	9/16/2014 10:40:00 AM	9/22/2014	9/30/2014
N013424-020A	MW-25	Groundwater	9/15/2014 12:45:00 PM	9/22/2014	9/30/2014
N013424-021A	MW-26	Groundwater	9/15/2014 1:35:00 PM	9/22/2014	9/30/2014
N013424-022A	MW-27	Groundwater	9/15/2014 2:35:00 PM	9/22/2014	9/30/2014
N013424-023A	MW-32	Groundwater	9/15/2014 11:57:00 AM	9/22/2014	9/30/2014
N013424-024A	MW-38	Groundwater	9/15/2014 10:35:00 AM	9/22/2014	9/30/2014
N013424-025A	MW-39	Groundwater	9/16/2014 9:44:00 AM	9/22/2014	9/30/2014
N013424-026A	MW-40 CMT 30	Groundwater	9/18/2014 10:30:00 AM	9/22/2014	9/30/2014
N013424-026B	MW-40 CMT 30	Groundwater	9/18/2014 10:30:00 AM	9/22/2014	9/30/2014



CLIENT: Cardno ATC
Project: Maryland Square Shopping Center, 085.42620.0
Lab Order: N013424
Contract No:

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Matrix	Collection Date	Date Received	Date Reported
N013424-026C	MW-40 CMT 30	Groundwater	9/18/2014 10:30:00 AM	9/22/2014	9/30/2014
N013424-027A	MW-40 CMT 45	Groundwater	9/18/2014 11:30:00 AM	9/22/2014	9/30/2014
N013424-027B	MW-40 CMT 45	Groundwater	9/18/2014 11:30:00 AM	9/22/2014	9/30/2014
N013424-027C	MW-40 CMT 45	Groundwater	9/18/2014 11:30:00 AM	9/22/2014	9/30/2014
N013424-028A	MW-40 CMT 60	Groundwater	9/18/2014 12:30:00 PM	9/22/2014	9/30/2014
N013424-028B	MW-40 CMT 60	Groundwater	9/18/2014 12:30:00 PM	9/22/2014	9/30/2014
N013424-028C	MW-40 CMT 60	Groundwater	9/18/2014 12:30:00 PM	9/22/2014	9/30/2014
N013424-029A	MW-41	Groundwater	9/15/2014 9:45:00 AM	9/22/2014	9/30/2014
N013424-030A	MW-42	Groundwater	9/15/2014 8:50:00 AM	9/22/2014	9/30/2014
N013424-031A	MW-43	Groundwater	9/16/2014 8:57:00 AM	9/22/2014	9/30/2014
N013424-032A	Trip Blank 9/19/2014	Groundwater	9/19/2014 7:07:00 AM	9/22/2014	9/30/2014
N013424-033A	Field Blank 9/19/2014	Groundwater	9/19/2014 12:00:00 PM	9/22/2014	9/30/2014
N013424-034A	MW-19 D3 DUP	Groundwater	9/19/2014 10:50:00 AM	9/22/2014	9/30/2014
N013424-035A	Equipment Rinse	Groundwater	9/19/2014 1:30:00 PM	9/22/2014	9/30/2014



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-001

Client Sample ID: MW-1
Collection Date: 9/17/2014 12:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 07:52 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 07:52 AM
Tetrachloroethene	96 0.12	0.50	µg/L 1 9/26/2014 07:52 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 07:52 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 07:52 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 07:52 AM
Surr: 1,2-Dichloroethane-d4	97.9 0	76-124	%REC 1 9/26/2014 07:52 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/26/2014 07:52 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 07:52 AM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 07:52 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-002

Client Sample ID: MW-5
Collection Date: 9/17/2014 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 08:16 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 08:16 AM
Tetrachloroethene	350 1.2	5.0	µg/L 10 9/27/2014 07:18 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 08:16 AM
Trichloroethene	0.94 0.074	0.50	µg/L 1 9/26/2014 08:16 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 08:16 AM
Surr: 1,2-Dichloroethane-d4	97.5 0	76-124	%REC 10 9/27/2014 07:18 AM
Surr: 1,2-Dichloroethane-d4	98.8 0	76-124	%REC 1 9/26/2014 08:16 AM
Surr: 4-Bromofluorobenzene	97.5 0	80-120	%REC 10 9/27/2014 07:18 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/26/2014 08:16 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 10 9/27/2014 07:18 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 08:16 AM
Surr: Toluene-d8	101 0	80-120	%REC 10 9/27/2014 07:18 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 08:16 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-003

Client Sample ID: MW-6
Collection Date: 9/17/2014 1:57:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926B	QC Batch: P14VW154	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/27/2014 08:31 AM
cis-1,2-Dichloroethene	1.2 0.057	0.50	µg/L 1 9/27/2014 08:31 AM
Tetrachloroethene	700 5.9	25	µg/L 50 9/26/2014 05:27 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/27/2014 08:31 AM
Trichloroethene	4.0 0.074	0.50	µg/L 1 9/27/2014 08:31 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/27/2014 08:31 AM
Surr: 1,2-Dichloroethane-d4	96.9 0	76-124	%REC 1 9/27/2014 08:31 AM
Surr: 1,2-Dichloroethane-d4	96.8 0	76-124	%REC 50 9/26/2014 05:27 AM
Surr: 4-Bromofluorobenzene	98.6 0	80-120	%REC 1 9/27/2014 08:31 AM
Surr: 4-Bromofluorobenzene	97.9 0	80-120	%REC 50 9/26/2014 05:27 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/27/2014 08:31 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 50 9/26/2014 05:27 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/27/2014 08:31 AM
Surr: Toluene-d8	101 0	80-120	%REC 50 9/26/2014 05:27 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-004

Client Sample ID: MW-6D1
Collection Date: 9/17/2014 8:57:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 03:50 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 03:50 AM
Tetrachloroethene	120 0.59	2.5	µg/L 5 9/26/2014 06:14 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:50 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:50 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 03:50 AM
Surr: 1,2-Dichloroethane-d4	97.3 0	76-124	%REC 5 9/26/2014 06:14 PM
Surr: 1,2-Dichloroethane-d4	98.7 0	76-124	%REC 1 9/26/2014 03:50 AM
Surr: 4-Bromofluorobenzene	98.4 0	80-120	%REC 5 9/26/2014 06:14 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 03:50 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 5 9/26/2014 06:14 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/26/2014 03:50 AM
Surr: Toluene-d8	102 0	80-120	%REC 5 9/26/2014 06:14 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 03:50 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-005

Client Sample ID: MW-6D3
Collection Date: 9/17/2014 10:10:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 04:14 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 04:14 AM
Tetrachloroethene	10 0.12	0.50	µg/L 1 9/26/2014 04:14 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:14 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:14 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 04:14 AM
Surr: 1,2-Dichloroethane-d4	97.1 0	76-124	%REC 1 9/26/2014 04:14 AM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 04:14 AM
Surr: Dibromofluoromethane	100 0	80-124	%REC 1 9/26/2014 04:14 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/26/2014 04:14 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-006

Client Sample ID: MW-7
Collection Date: 9/17/2014 11:48:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 04:39 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 04:39 AM
Tetrachloroethene	4.7 0.12	0.50	µg/L 1 9/26/2014 04:39 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:39 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:39 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 04:39 AM
Surr: 1,2-Dichloroethane-d4	98.8 0	76-124	%REC 1 9/26/2014 04:39 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/26/2014 04:39 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 04:39 AM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 04:39 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-007

Client Sample ID: MW-9
Collection Date: 9/17/2014 11:37:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 05:03 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 05:03 AM
Tetrachloroethene	7.9 0.12	0.50	µg/L 1 9/26/2014 05:03 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 05:03 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 05:03 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 05:03 AM
Surr: 1,2-Dichloroethane-d4	97.5 0	76-124	%REC 1 9/26/2014 05:03 AM
Surr: 4-Bromofluorobenzene	98.6 0	80-120	%REC 1 9/26/2014 05:03 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/26/2014 05:03 AM
Surr: Toluene-d8	100 0	80-120	%REC 1 9/26/2014 05:03 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-008

Client Sample ID: MW-13
Collection Date: 9/18/2014 1:57:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926B	QC Batch: P14VW154	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/27/2014 08:07 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/27/2014 08:07 AM
Tetrachloroethene	640 5.9	25	µg/L 50 9/26/2014 06:15 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/27/2014 08:07 AM
Trichloroethene	2.8 0.074	0.50	µg/L 1 9/27/2014 08:07 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/27/2014 08:07 AM
Surr: 1,2-Dichloroethane-d4	99.4 0	76-124	%REC 1 9/27/2014 08:07 AM
Surr: 1,2-Dichloroethane-d4	97.6 0	76-124	%REC 50 9/26/2014 06:15 AM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/27/2014 08:07 AM
Surr: 4-Bromofluorobenzene	99.1 0	80-120	%REC 50 9/26/2014 06:15 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/27/2014 08:07 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 50 9/26/2014 06:15 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/27/2014 08:07 AM
Surr: Toluene-d8	103 0	80-120	%REC 50 9/26/2014 06:15 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-009

Client Sample ID: MW-14
Collection Date: 9/16/2014 1:29:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926B	QC Batch: P14VW154	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/27/2014 07:42 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/27/2014 07:42 AM
Tetrachloroethene	330 2.3	10	µg/L 20 9/26/2014 06:39 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/27/2014 07:42 AM
Trichloroethene	1.0 0.074	0.50	µg/L 1 9/27/2014 07:42 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/27/2014 07:42 AM
Surr: 1,2-Dichloroethane-d4	100 0	76-124	%REC 1 9/27/2014 07:42 AM
Surr: 1,2-Dichloroethane-d4	96.2 0	76-124	%REC 20 9/26/2014 06:39 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/27/2014 07:42 AM
Surr: 4-Bromofluorobenzene	97.9 0	80-120	%REC 20 9/26/2014 06:39 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/27/2014 07:42 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 20 9/26/2014 06:39 AM
Surr: Toluene-d8	104 0	80-120	%REC 1 9/27/2014 07:42 AM
Surr: Toluene-d8	102 0	80-120	%REC 20 9/26/2014 06:39 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-010

Client Sample ID: MW-14I
Collection Date: 9/16/2014 2:20:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926B	QC Batch: P14VW154	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/27/2014 08:55 AM
cis-1,2-Dichloroethene	1.4 0.057	0.50	µg/L 1 9/27/2014 08:55 AM
Tetrachloroethene	9300 23	100	µg/L 200 9/26/2014 05:51 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/27/2014 08:55 AM
Trichloroethene	21 0.074	0.50	µg/L 1 9/27/2014 08:55 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/27/2014 08:55 AM
Surr: 1,2-Dichloroethane-d4	97.7 0	76-124	%REC 1 9/27/2014 08:55 AM
Surr: 1,2-Dichloroethane-d4	96.2 0	76-124	%REC 200 9/26/2014 05:51 AM
Surr: 4-Bromofluorobenzene	99.1 0	80-120	%REC 1 9/27/2014 08:55 AM
Surr: 4-Bromofluorobenzene	99.1 0	80-120	%REC 200 9/26/2014 05:51 AM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/27/2014 08:55 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 200 9/26/2014 05:51 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/27/2014 08:55 AM
Surr: Toluene-d8	102 0	80-120	%REC 200 9/26/2014 05:51 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-011

Client Sample ID: MW-18
Collection Date: 9/16/2014 11:39:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 07:28 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 07:28 AM
Tetrachloroethene	620 0.12	0.50	E µg/L 1 9/26/2014 07:28 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 07:28 AM
Trichloroethene	0.78 0.074	0.50	µg/L 1 9/26/2014 07:28 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 07:28 AM
Surr: 1,2-Dichloroethane-d4	96.0 0	76-124	%REC 1 9/26/2014 07:28 AM
Surr: 4-Bromofluorobenzene	99.7 0	80-120	%REC 1 9/26/2014 07:28 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/26/2014 07:28 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/26/2014 07:28 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-012

Client Sample ID: MW-19I
Collection Date: 9/18/2014 9:10:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 02:14 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 02:14 AM
Tetrachloroethene	ND 0.12	0.50	µg/L 1 9/26/2014 02:14 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:14 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:14 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 02:14 AM
Surr: 1,2-Dichloroethane-d4	96.7 0	76-124	%REC 1 9/26/2014 02:14 AM
Surr: 4-Bromofluorobenzene	102 0	80-120	%REC 1 9/26/2014 02:14 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/26/2014 02:14 AM
Surr: Toluene-d8	87.6 0	80-120	%REC 1 9/26/2014 02:14 AM

DISSOLVED METALS BY ICP-MS

EPA 3010A

EPA 6020

RunID: ICP7_140925C	QC Batch: 46559	PrepDate: 9/23/2014	Analyst: CEI
Arsenic	ND 0.027	0.10	µg/L 1 9/26/2014 02:47 AM
Chromium	260 0.15	5.0	µg/L 5 9/26/2014 02:53 AM
Manganese	14000 6.4	120	µg/L 250 9/26/2014 02:30 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-013

Client Sample ID: MW-19D1
Collection Date: 9/19/2014 9:55:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 03:24 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 03:24 PM
Tetrachloroethene	240 1.2	5.0	µg/L 10 9/26/2014 08:40 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:24 PM
Trichloroethene	1.5 0.074	0.50	µg/L 1 9/26/2014 03:24 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 03:24 PM
Surr: 1,2-Dichloroethane-d4	96.8 0	76-124	%REC 10 9/26/2014 08:40 PM
Surr: 1,2-Dichloroethane-d4	97.8 0	76-124	%REC 1 9/26/2014 03:24 PM
Surr: 4-Bromofluorobenzene	97.7 0	80-120	%REC 10 9/26/2014 08:40 PM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/26/2014 03:24 PM
Surr: Dibromofluoromethane	102 0	80-124	%REC 10 9/26/2014 08:40 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 03:24 PM
Surr: Toluene-d8	101 0	80-120	%REC 10 9/26/2014 08:40 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 03:24 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-014

Client Sample ID: MW-19D2
Collection Date: 9/19/2014 9:04:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 12:33 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 12:33 PM
Tetrachloroethene	10 0.12	0.50	µg/L 1 9/26/2014 12:33 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 12:33 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 12:33 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 12:33 PM
Surr: 1,2-Dichloroethane-d4	96.4 0	76-124	%REC 1 9/26/2014 12:33 PM
Surr: 4-Bromofluorobenzene	99.9 0	80-120	%REC 1 9/26/2014 12:33 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/26/2014 12:33 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 12:33 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-015

Client Sample ID: MW-19D3
Collection Date: 9/19/2014 10:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 02:35 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 02:35 PM
Tetrachloroethene	710 2.3	10	µg/L 20 9/26/2014 07:52 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:35 PM
Trichloroethene	4.7 0.074	0.50	µg/L 1 9/26/2014 02:35 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 02:35 PM
Surr: 1,2-Dichloroethane-d4	95.9 0	76-124	%REC 20 9/26/2014 07:52 PM
Surr: 1,2-Dichloroethane-d4	99.4 0	76-124	%REC 1 9/26/2014 02:35 PM
Surr: 4-Bromofluorobenzene	98.8 0	80-120	%REC 20 9/26/2014 07:52 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 02:35 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 20 9/26/2014 07:52 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/26/2014 02:35 PM
Surr: Toluene-d8	102 0	80-120	%REC 20 9/26/2014 07:52 PM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 02:35 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-016

Client Sample ID: MW-20D1
Collection Date: 9/19/2014 1:03:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 04:37 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 04:37 PM
Tetrachloroethene	160 1.2	5.0	µg/L 10 9/26/2014 09:29 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:37 PM
Trichloroethene	0.62 0.074	0.50	µg/L 1 9/26/2014 04:37 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 04:37 PM
Surr: 1,2-Dichloroethane-d4	98.4 0	76-124	%REC 10 9/26/2014 09:29 PM
Surr: 1,2-Dichloroethane-d4	99.5 0	76-124	%REC 1 9/26/2014 04:37 PM
Surr: 4-Bromofluorobenzene	99.6 0	80-120	%REC 10 9/26/2014 09:29 PM
Surr: 4-Bromofluorobenzene	99.9 0	80-120	%REC 1 9/26/2014 04:37 PM
Surr: Dibromofluoromethane	105 0	80-124	%REC 10 9/26/2014 09:29 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/26/2014 04:37 PM
Surr: Toluene-d8	103 0	80-120	%REC 10 9/26/2014 09:29 PM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 04:37 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-017

Client Sample ID: MW-20D2
Collection Date: 9/19/2014 12:24:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 04:12 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 04:12 PM
Tetrachloroethene	140 1.2	5.0	µg/L 10 9/26/2014 09:05 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 04:12 PM
Trichloroethene	0.84 0.074	0.50	µg/L 1 9/26/2014 04:12 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 04:12 PM
Surr: 1,2-Dichloroethane-d4	96.5 0	76-124	%REC 10 9/26/2014 09:05 PM
Surr: 1,2-Dichloroethane-d4	98.0 0	76-124	%REC 1 9/26/2014 04:12 PM
Surr: 4-Bromofluorobenzene	98.8 0	80-120	%REC 10 9/26/2014 09:05 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 04:12 PM
Surr: Dibromofluoromethane	102 0	80-124	%REC 10 9/26/2014 09:05 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/26/2014 04:12 PM
Surr: Toluene-d8	102 0	80-120	%REC 10 9/26/2014 09:05 PM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 04:12 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-018

Client Sample ID: MW-20D3
Collection Date: 9/19/2014 11:48:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 02:11 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 02:11 PM
Tetrachloroethene	9.6 0.12	0.50	µg/L 1 9/26/2014 02:11 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:11 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:11 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 02:11 PM
Surr: 1,2-Dichloroethane-d4	98.3 0	76-124	%REC 1 9/26/2014 02:11 PM
Surr: 4-Bromofluorobenzene	99.1 0	80-120	%REC 1 9/26/2014 02:11 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 02:11 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 02:11 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-019

Client Sample ID: MW-23
Collection Date: 9/16/2014 10:40:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 07:03 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 07:03 AM
Tetrachloroethene	120 0.59	2.5	µg/L 5 9/26/2014 06:38 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 07:03 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 07:03 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 07:03 AM
Surr: 1,2-Dichloroethane-d4	98.2 0	76-124	%REC 5 9/26/2014 06:38 PM
Surr: 1,2-Dichloroethane-d4	97.8 0	76-124	%REC 1 9/26/2014 07:03 AM
Surr: 4-Bromofluorobenzene	98.4 0	80-120	%REC 5 9/26/2014 06:38 PM
Surr: 4-Bromofluorobenzene	99.3 0	80-120	%REC 1 9/26/2014 07:03 AM
Surr: Dibromofluoromethane	105 0	80-124	%REC 5 9/26/2014 06:38 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 07:03 AM
Surr: Toluene-d8	102 0	80-120	%REC 5 9/26/2014 06:38 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 07:03 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-020

Client Sample ID: MW-25
Collection Date: 9/15/2014 12:45:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 07:38 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 07:38 PM
Tetrachloroethene	550 1.2	5.0	µg/L 10 9/26/2014 07:03 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 07:38 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 07:38 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 07:38 PM
Surr: 1,2-Dichloroethane-d4	97.4 0	76-124	%REC 10 9/26/2014 07:03 PM
Surr: 1,2-Dichloroethane-d4	97.0 0	76-124	%REC 1 9/24/2014 07:38 PM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 10 9/26/2014 07:03 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/24/2014 07:38 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 10 9/26/2014 07:03 PM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/24/2014 07:38 PM
Surr: Toluene-d8	103 0	80-120	%REC 10 9/26/2014 07:03 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/24/2014 07:38 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-021

Client Sample ID: MW-26
Collection Date: 9/15/2014 1:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 08:02 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 08:02 PM
Tetrachloroethene	360 1.2	5.0	µg/L 10 9/26/2014 07:27 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 08:02 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 08:02 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 08:02 PM
Surr: 1,2-Dichloroethane-d4	95.8 0	76-124	%REC 10 9/26/2014 07:27 PM
Surr: 1,2-Dichloroethane-d4	98.2 0	76-124	%REC 1 9/24/2014 08:02 PM
Surr: 4-Bromofluorobenzene	99.3 0	80-120	%REC 10 9/26/2014 07:27 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/24/2014 08:02 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 10 9/26/2014 07:27 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/24/2014 08:02 PM
Surr: Toluene-d8	101 0	80-120	%REC 10 9/26/2014 07:27 PM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/24/2014 08:02 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-022

Client Sample ID: MW-27
Collection Date: 9/15/2014 2:35:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 06:49 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 06:49 PM
Tetrachloroethene	290 1.2	5.0	µg/L 10 9/27/2014 05:14 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 06:49 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 06:49 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 06:49 PM
Surr: 1,2-Dichloroethane-d4	96.4 0	76-124	%REC 10 9/27/2014 05:14 AM
Surr: 1,2-Dichloroethane-d4	95.9 0	76-124	%REC 1 9/24/2014 06:49 PM
Surr: 4-Bromofluorobenzene	97.3 0	80-120	%REC 10 9/27/2014 05:14 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/24/2014 06:49 PM
Surr: Dibromofluoromethane	102 0	80-124	%REC 10 9/27/2014 05:14 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/24/2014 06:49 PM
Surr: Toluene-d8	102 0	80-120	%REC 10 9/27/2014 05:14 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/24/2014 06:49 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-023

Client Sample ID: MW-32
Collection Date: 9/15/2014 11:57:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 07:13 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 07:13 PM
Tetrachloroethene	360 1.2	5.0	µg/L 10 9/27/2014 05:38 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 07:13 PM
Trichloroethene	1.0 0.074	0.50	µg/L 1 9/24/2014 07:13 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 07:13 PM
Surr: 1,2-Dichloroethane-d4	99.2 0	76-124	%REC 10 9/27/2014 05:38 AM
Surr: 1,2-Dichloroethane-d4	97.2 0	76-124	%REC 1 9/24/2014 07:13 PM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 10 9/27/2014 05:38 AM
Surr: 4-Bromofluorobenzene	98.8 0	80-120	%REC 1 9/24/2014 07:13 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 10 9/27/2014 05:38 AM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/24/2014 07:13 PM
Surr: Toluene-d8	103 0	80-120	%REC 10 9/27/2014 05:38 AM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/24/2014 07:13 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-024

Client Sample ID: MW-38
Collection Date: 9/15/2014 10:35:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 11:55 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 11:55 AM
Tetrachloroethene	5.8 0.12	0.50	µg/L 1 9/24/2014 11:55 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 11:55 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 11:55 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 11:55 AM
Surr: 1,2-Dichloroethane-d4	98.4 0	76-124	%REC 1 9/24/2014 11:55 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/24/2014 11:55 AM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/24/2014 11:55 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/24/2014 11:55 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-025

Client Sample ID: MW-39
Collection Date: 9/16/2014 9:44:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 06:25 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 06:25 PM
Tetrachloroethene	120 0.59	2.5	µg/L 5 9/27/2014 06:02 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 06:25 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 06:25 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 06:25 PM
Surr: 1,2-Dichloroethane-d4	97.6 0	76-124	%REC 5 9/27/2014 06:02 AM
Surr: 1,2-Dichloroethane-d4	96.7 0	76-124	%REC 1 9/24/2014 06:25 PM
Surr: 4-Bromofluorobenzene	99.6 0	80-120	%REC 5 9/27/2014 06:02 AM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/24/2014 06:25 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 5 9/27/2014 06:02 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/24/2014 06:25 PM
Surr: Toluene-d8	102 0	80-120	%REC 5 9/27/2014 06:02 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/24/2014 06:25 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-026

Client Sample ID: MW-40 CMT 30
Collection Date: 9/18/2014 10:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 05:36 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 05:36 PM
Tetrachloroethene	4.6 0.12	0.50	µg/L 1 9/24/2014 05:36 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 05:36 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 05:36 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 05:36 PM
Surr: 1,2-Dichloroethane-d4	98.0 0	76-124	%REC 1 9/24/2014 05:36 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/24/2014 05:36 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/24/2014 05:36 PM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/24/2014 05:36 PM

HEXAVALENT CHROMIUM BY IC

EPA 218.6

RunID: IC7_140925A	QC Batch: R95022	PrepDate:	Analyst: RB
Hexavalent Chromium	1.1 0.024	0.20	µg/L 1 9/25/2014 12:15 PM

DISSOLVED METALS BY ICP-MS

EPA 3010A

EPA 6020

RunID: ICP7_140925C	QC Batch: 46559	PrepDate: 9/23/2014	Analyst: CEI
Arsenic	4.3 0.027	0.10	µg/L 1 9/26/2014 12:34 AM
Chromium	1.6 0.030	1.0	µg/L 1 9/26/2014 12:34 AM
Manganese	70 0.026	0.50	µg/L 1 9/26/2014 12:34 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-027

Client Sample ID: MW-40 CMT 45
Collection Date: 9/18/2014 11:30:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140924A	QC Batch: P14VW151	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/24/2014 06:00 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/24/2014 06:00 PM
Tetrachloroethene	240 1.2	5.0	µg/L 10 9/27/2014 06:27 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/24/2014 06:00 PM
Trichloroethene	3.0 0.074	0.50	µg/L 1 9/24/2014 06:00 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/24/2014 06:00 PM
Surr: 1,2-Dichloroethane-d4	99.0 0	76-124	%REC 10 9/27/2014 06:27 AM
Surr: 1,2-Dichloroethane-d4	97.3 0	76-124	%REC 1 9/24/2014 06:00 PM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/24/2014 06:00 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 10 9/27/2014 06:27 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/24/2014 06:00 PM
Surr: Dibromofluoromethane	104 0	80-124	%REC 10 9/27/2014 06:27 AM
Surr: Toluene-d8	101 0	80-120	%REC 10 9/27/2014 06:27 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/24/2014 06:00 PM

HEXAVALENT CHROMIUM BY IC

EPA 218.6

RunID: IC7_140925A	QC Batch: R95022	PrepDate:	Analyst: RB
Hexavalent Chromium	ND 0.024	0.20	µg/L 1 9/25/2014 01:03 PM

DISSOLVED METALS BY ICP-MS

EPA 3010A

EPA 6020

RunID: ICP7_140925C	QC Batch: 46559	PrepDate: 9/23/2014	Analyst: CEI
Arsenic	1.5 0.027	0.10	µg/L 1 9/26/2014 01:57 AM
Chromium	ND 0.030	1.0	µg/L 1 9/26/2014 01:57 AM
Manganese	70 0.026	0.50	µg/L 1 9/26/2014 01:57 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-028

Client Sample ID: MW-40 CMT 60
Collection Date: 9/18/2014 12:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 05:01 PM
cis-1,2-Dichloroethene	2.8 0.057	0.50	µg/L 1 9/26/2014 05:01 PM
Tetrachloroethene	700 2.3	10	µg/L 20 9/27/2014 06:51 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 05:01 PM
Trichloroethene	10 0.074	0.50	µg/L 1 9/26/2014 05:01 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 05:01 PM
Surr: 1,2-Dichloroethane-d4	97.5 0	76-124	%REC 20 9/27/2014 06:51 AM
Surr: 1,2-Dichloroethane-d4	95.1 0	76-124	%REC 1 9/26/2014 05:01 PM
Surr: 4-Bromofluorobenzene	99.7 0	80-120	%REC 1 9/26/2014 05:01 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 20 9/27/2014 06:51 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 20 9/27/2014 06:51 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/26/2014 05:01 PM
Surr: Toluene-d8	103 0	80-120	%REC 20 9/27/2014 06:51 AM
Surr: Toluene-d8	100 0	80-120	%REC 1 9/26/2014 05:01 PM

HEXAVALENT CHROMIUM BY IC

EPA 218.6

RunID: IC7_140925A	QC Batch: R95022	PrepDate:	Analyst: RB
Hexavalent Chromium	21 0.048	0.40	µg/L 2 9/25/2014 12:53 PM

DISSOLVED METALS BY ICP-MS

EPA 3010A

EPA 6020

RunID: ICP7_140925C	QC Batch: 46559	PrepDate: 9/23/2014	Analyst: CEI
Arsenic	1.3 0.027	0.10	µg/L 1 9/26/2014 02:14 AM
Chromium	52 0.030	1.0	µg/L 1 9/26/2014 02:14 AM
Manganese	290 0.13	2.5	µg/L 5 9/26/2014 02:19 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-029

Client Sample ID: MW-41
Collection Date: 9/15/2014 9:45:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 03:26 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 03:26 AM
Tetrachloroethene	2.8 0.12	0.50	µg/L 1 9/26/2014 03:26 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:26 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:26 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 03:26 AM
Surr: 1,2-Dichloroethane-d4	97.8 0	76-124	%REC 1 9/26/2014 03:26 AM
Surr: 4-Bromofluorobenzene	101 0	80-120	%REC 1 9/26/2014 03:26 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/26/2014 03:26 AM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 03:26 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-030

Client Sample ID: MW-42
Collection Date: 9/15/2014 8:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 03:02 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 03:02 AM
Tetrachloroethene	0.53 0.12	0.50	µg/L 1 9/26/2014 03:02 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:02 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 03:02 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 03:02 AM
Surr: 1,2-Dichloroethane-d4	97.6 0	76-124	%REC 1 9/26/2014 03:02 AM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 03:02 AM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/26/2014 03:02 AM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 03:02 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-031

Client Sample ID: MW-43
Collection Date: 9/16/2014 8:57:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140925B	QC Batch: P14VW152	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 02:38 AM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 02:38 AM
Tetrachloroethene	ND 0.12	0.50	µg/L 1 9/26/2014 02:38 AM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:38 AM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:38 AM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 02:38 AM
Surr: 1,2-Dichloroethane-d4	101 0	76-124	%REC 1 9/26/2014 02:38 AM
Surr: 4-Bromofluorobenzene	103 0	80-120	%REC 1 9/26/2014 02:38 AM
Surr: Dibromofluoromethane	104 0	80-124	%REC 1 9/26/2014 02:38 AM
Surr: Toluene-d8	104 0	80-120	%REC 1 9/26/2014 02:38 AM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-032

Client Sample ID: Trip Blank 9/19/2014
Collection Date: 9/19/2014 7:07:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 12:57 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 12:57 PM
Tetrachloroethene	ND 0.12	0.50	µg/L 1 9/26/2014 12:57 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 12:57 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 12:57 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 12:57 PM
Surr: 1,2-Dichloroethane-d4	97.0 0	76-124	%REC 1 9/26/2014 12:57 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 12:57 PM
Surr: Dibromofluoromethane	102 0	80-124	%REC 1 9/26/2014 12:57 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 12:57 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-033

Client Sample ID: Field Blank 9/19/2014
Collection Date: 9/19/2014 12:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 01:22 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 01:22 PM
Tetrachloroethene	ND 0.12	0.50	µg/L 1 9/26/2014 01:22 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 01:22 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 01:22 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 01:22 PM
Surr: 1,2-Dichloroethane-d4	96.8 0	76-124	%REC 1 9/26/2014 01:22 PM
Surr: 4-Bromofluorobenzene	99.8 0	80-120	%REC 1 9/26/2014 01:22 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/26/2014 01:22 PM
Surr: Toluene-d8	101 0	80-120	%REC 1 9/26/2014 01:22 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-034

Client Sample ID: MW-19 D3 DUP
Collection Date: 9/19/2014 10:50:00 AM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 02:59 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 02:59 PM
Tetrachloroethene	720 2.3	10	µg/L 20 9/26/2014 08:16 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 02:59 PM
Trichloroethene	5.0 0.074	0.50	µg/L 1 9/26/2014 02:59 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 02:59 PM
Surr: 1,2-Dichloroethane-d4	95.9 0	76-124	%REC 20 9/26/2014 08:16 PM
Surr: 1,2-Dichloroethane-d4	97.0 0	76-124	%REC 1 9/26/2014 02:59 PM
Surr: 4-Bromofluorobenzene	98.0 0	80-120	%REC 20 9/26/2014 08:16 PM
Surr: 4-Bromofluorobenzene	99.6 0	80-120	%REC 1 9/26/2014 02:59 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 20 9/26/2014 08:16 PM
Surr: Dibromofluoromethane	101 0	80-124	%REC 1 9/26/2014 02:59 PM
Surr: Toluene-d8	101 0	80-120	%REC 20 9/26/2014 08:16 PM
Surr: Toluene-d8	102 0	80-120	%REC 1 9/26/2014 02:59 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



ASSET Laboratories

ANALYTICAL RESULTS

Print Date: 30-Sep-14

CLIENT: Cardno ATC
Lab Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0
Lab ID: N013424-035

Client Sample ID: Equipment Rinse
Collection Date: 9/19/2014 1:30:00 PM
Matrix: GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

VOLATILE ORGANIC COMPOUNDS BY GC/MS

EPA 8260B

RunID: MS5_140926A	QC Batch: P14VW153	PrepDate:	Analyst: QBM
1,1-Dichloroethene	ND 0.16	0.50	µg/L 1 9/26/2014 01:46 PM
cis-1,2-Dichloroethene	ND 0.057	0.50	µg/L 1 9/26/2014 01:46 PM
Tetrachloroethene	ND 0.12	0.50	µg/L 1 9/26/2014 01:46 PM
trans-1,2-Dichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 01:46 PM
Trichloroethene	ND 0.074	0.50	µg/L 1 9/26/2014 01:46 PM
Vinyl chloride	ND 0.044	0.50	µg/L 1 9/26/2014 01:46 PM
Surr: 1,2-Dichloroethane-d4	97.4 0	76-124	%REC 1 9/26/2014 01:46 PM
Surr: 4-Bromofluorobenzene	100 0	80-120	%REC 1 9/26/2014 01:46 PM
Surr: Dibromofluoromethane	103 0	80-124	%REC 1 9/26/2014 01:46 PM
Surr: Toluene-d8	103 0	80-120	%REC 1 9/26/2014 01:46 PM

Qualifiers: B Analyte detected in the associated Method Blank E Value above quantitation range
H Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
S Spike/Surrogate outside of limits due to matrix interference Results are wet unless otherwise specified
DO Surrogate Diluted Out



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 218.6_W

Sample ID: MB-R95022	SampType: MBLK	TestCode: 218.6_W	Units: µg/L	Prep Date:	RunNo: 95022						
Client ID: PBW	Batch ID: R95022	TestNo: EPA 218.6		Analysis Date: 9/25/2014	SeqNo: 1840596						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexavalent Chromium	ND	0.20									
---------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-R95022	SampType: LCS	TestCode: 218.6_W	Units: µg/L	Prep Date:	RunNo: 95022						
Client ID: LCSW	Batch ID: R95022	TestNo: EPA 218.6		Analysis Date: 9/25/2014	SeqNo: 1840597						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexavalent Chromium	4.919	0.20	5.000	0	98.4	90	110				
---------------------	-------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: N013424-026C-DUP	SampType: DUP	TestCode: 218.6_W	Units: µg/L	Prep Date:	RunNo: 95022						
Client ID: ZZZZZZ	Batch ID: R95022	TestNo: EPA 218.6		Analysis Date: 9/25/2014	SeqNo: 1840599						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexavalent Chromium	1.151	0.20						1.117	2.93	20	
---------------------	-------	------	--	--	--	--	--	-------	------	----	--

Sample ID: N013424-026C-MS	SampType: MS	TestCode: 218.6_W	Units: µg/L	Prep Date:	RunNo: 95022						
Client ID: ZZZZZZ	Batch ID: R95022	TestNo: EPA 218.6		Analysis Date: 9/25/2014	SeqNo: 1840600						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexavalent Chromium	6.223	0.20	5.000	1.117	102	90	110				
---------------------	-------	------	-------	-------	-----	----	-----	--	--	--	--

Sample ID: N013424-026C-MSD	SampType: MSD	TestCode: 218.6_W	Units: µg/L	Prep Date:	RunNo: 95022						
Client ID: ZZZZZZ	Batch ID: R95022	TestNo: EPA 218.6		Analysis Date: 9/25/2014	SeqNo: 1840601						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexavalent Chromium	6.200	0.20	5.000	1.117	102	90	110	6.223	0.377	20	
---------------------	-------	------	-------	-------	-----	----	-----	-------	-------	----	--

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - ND Not Detected at the Reporting Limit
 - DO Surrogate Diluted Out
 - E Value above quantitation range
 - R RPD outside accepted recovery limits
 - Calculations are based on raw values
 - H Holding times for preparation or analysis exceeded
 - S Spike/Surrogate outside of limits due to matrix interference



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_DIS

Sample ID: MB-46559	SampType: MBLK	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: PBW	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840757						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Manganese	ND	0.50									

Sample ID: LCS-46559	SampType: LCS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: LCSW	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840758						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Manganese	97.192	0.50	100.0	0	97.2	85	115				

Sample ID: N013409-001D-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840776						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Manganese	153.970	0.50	200.0	0	77.0	75	125				

Sample ID: N013409-001D-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840777						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	571.047	5.0	20.00	592.1	-105	75	125				S

Sample ID: N013409-001D-MSD	SampType: MSD	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840778						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Manganese	153.818	0.50	200.0	0	76.9	75	125	154.0	0.0987	20	

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_DIS

Sample ID: N013409-001D-MSD	SampType: MSD	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840781						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	566.234	5.0	20.00	592.1	-129	75	125	571.0	0.846	20	S

Sample ID: N013409-001C-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840782						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Manganese	67.874	0.50	100.0	0	67.9	75	125				S

Sample ID: N013409-001C-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95015						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/24/2014	SeqNo: 1840783						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	662.423	5.0	10.00	618.8	436	75	125				S

Sample ID: MB-46559	SampType: MBLK	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: PBW	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841494						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	ND	0.10									
Chromium	ND	1.0									
Manganese	ND	0.50									

Sample ID: LCS-46559	SampType: LCS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: LCSW	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841495						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	9.930	0.10	10.00	0	99.3	85	115				
Chromium	9.678	1.0	10.00	0	96.8	85	115				
Manganese	96.608	0.50	100.0	0	96.6	85	115				

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_DIS

Sample ID: N013409-001D-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841500						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	577.360	5.0	10.00	587.2	-98.2	75	125				S

Sample ID: N013409-001D-MSD	SampType: MSD	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841501						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	566.688	5.0	10.00	587.2	-205	75	125	577.4	1.87	20	S

Sample ID: N013409-001C-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841502						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chromium	657.475	5.0	10.00	611.2	463	75	125				S

Sample ID: N013409-001C-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841508						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	12.815	0.10	10.00	2.946	98.7	75	125				
Manganese	67.425	0.50	100.0	0	67.4	75	125				S

Sample ID: N013409-001D-MS	SampType: MS	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841518						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	21.257	0.10	10.00	2.917	183	75	125				S
Manganese	147.679	0.50	100.0	0	148	75	125				S

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_DIS

Sample ID: N013409-001D-MSD	SampType: MSD	TestCode: 6020_DIS	Units: µg/L	Prep Date: 9/23/2014	RunNo: 95039						
Client ID: ZZZZZZ	Batch ID: 46559	TestNo: EPA 6020	EPA 3010A	Analysis Date: 9/25/2014	SeqNo: 1841519						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	21.296	0.10	10.00	2.917	184	75	125	21.26	0.184	20	S
Manganese	145.941	0.50	100.0	0	146	75	125	147.7	1.18	20	S

Qualifiers:

- | | | |
|---|--|--|
| B Analyte detected in the associated Method Blank | E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| ND Not Detected at the Reporting Limit | R RPD outside accepted recovery limits | S Spike/Surrogate outside of limits due to matrix interference |
| DO Surrogate Diluted Out | Calculations are based on raw values | |



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140924LCS		SampType: LCS		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95013			
Client ID: LCSW		Batch ID: P14VW151		TestNo: EPA 8260B		Analysis Date: 9/24/2014		SeqNo: 1840108			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	17.160	0.50	20.00	0	85.8	71	128				
cis-1,2-Dichloroethene	19.120	0.50	20.00	0	95.6	77	120				
Tetrachloroethene	19.860	0.50	20.00	0	99.3	80	120				
trans-1,2-Dichloroethene	19.240	0.50	20.00	0	96.2	75	122				
Trichloroethene	19.280	0.50	20.00	0	96.4	80	120				
Vinyl chloride	17.240	0.50	20.00	0	86.2	66	131				
Surr: 1,2-Dichloroethane-d4	24.210		25.00		96.8	76	124				
Surr: 4-Bromofluorobenzene	25.700		25.00		103	80	120				
Surr: Dibromofluoromethane	25.500		25.00		102	80	124				
Surr: Toluene-d8	25.910		25.00		104	80	120				

Sample ID: N013424-024AMS		SampType: MS		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95013			
Client ID: ZZZZZ		Batch ID: P14VW151		TestNo: EPA 8260B		Analysis Date: 9/24/2014		SeqNo: 1840108			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	16.910	0.50	20.00	0	84.6	66	134				
cis-1,2-Dichloroethene	19.010	0.50	20.00	0	95.1	78	121				
Tetrachloroethene	25.430	0.50	20.00	5.830	98.0	62	128				
trans-1,2-Dichloroethene	19.380	0.50	20.00	0	96.9	70	128				
Trichloroethene	19.320	0.50	20.00	0	96.6	80	120				
Vinyl chloride	17.180	0.50	20.00	0	85.9	63	138				
Surr: 1,2-Dichloroethane-d4	24.070		25.00		96.3	76	124				
Surr: 4-Bromofluorobenzene	25.890		25.00		104	80	120				
Surr: Dibromofluoromethane	25.350		25.00		101	80	124				
Surr: Toluene-d8	25.820		25.00		103	80	120				

Sample ID: N013424-024AMSD		SampType: MSD		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95013			
Client ID: ZZZZZ		Batch ID: P14VW151		TestNo: EPA 8260B		Analysis Date: 9/24/2014		SeqNo: 1840108			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - ND Not Detected at the Reporting Limit
 - DO Surrogate Diluted Out
 - E Value above quantitation range
 - R RPD outside accepted recovery limits
 - Calculations are based on raw values
 - H Holding times for preparation or analysis exceeded
 - S Spike/Surrogate outside of limits due to matrix interference



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: N013424-024AMSD		SampType: MSD		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95013	
Client ID: ZZZZZZ		Batch ID: P14VW151		TestNo: EPA 8260B		Analysis Date: 9/24/2014		SeqNo: 1840109			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	17.390	0.50	20.00	0	87.0	66	134	16.91	2.80	20	
cis-1,2-Dichloroethene	19.170	0.50	20.00	0	95.9	78	121	19.01	0.838	20	
Tetrachloroethene	24.220	0.50	20.00	5.830	92.0	62	128	25.43	4.87	20	
trans-1,2-Dichloroethene	19.470	0.50	20.00	0	97.4	70	128	19.38	0.463	20	
Trichloroethene	19.510	0.50	20.00	0	97.6	80	120	19.32	0.979	20	
Vinyl chloride	17.560	0.50	20.00	0	87.8	63	138	17.18	2.19	20	
Surr: 1,2-Dichloroethane-d4	24.340		25.00		97.4	76	124		0		
Surr: 4-Bromofluorobenzene	25.850		25.00		103	80	120		0		
Surr: Dibromofluoromethane	25.140		25.00		101	80	124		0		
Surr: Toluene-d8	25.580		25.00		102	80	120		0		

Sample ID: P140924MB3		SampType: MBLK		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95013	
Client ID: PBW		Batch ID: P14VW151		TestNo: EPA 8260B		Analysis Date: 9/24/2014		SeqNo: 1840110			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
Tetrachloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	24.410		25.00		97.6	76	124				
Surr: 4-Bromofluorobenzene	25.140		25.00		101	80	120				
Surr: Dibromofluoromethane	25.710		25.00		103	80	124				
Surr: Toluene-d8	25.870		25.00		103	80	120				

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140925LCS2	SampType: LCS	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95033						
Client ID: LCSW	Batch ID: P14VW152	TestNo: EPA 8260B		Analysis Date: 9/25/2014	SeqNo: 1840969						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	16.910	0.50	20.00	0	84.6	71	128				
cis-1,2-Dichloroethene	19.870	0.50	20.00	0	99.4	77	120				
Tetrachloroethene	20.620	0.50	20.00	0	103	80	120				
trans-1,2-Dichloroethene	19.680	0.50	20.00	0	98.4	75	122				
Trichloroethene	19.980	0.50	20.00	0	99.9	80	120				
Vinyl chloride	17.710	0.50	20.00	0	88.6	66	131				
Surr: 1,2-Dichloroethane-d4	24.380		25.00		97.5	76	124				
Surr: 4-Bromofluorobenzene	26.580		25.00		106	80	120				
Surr: Dibromofluoromethane	25.700		25.00		103	80	124				
Surr: Toluene-d8	26.280		25.00		105	80	120				

Sample ID: P140925LCSD2	SampType: LCSD	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95033						
Client ID: LCSS02	Batch ID: P14VW152	TestNo: EPA 8260B		Analysis Date: 9/25/2014	SeqNo: 1840970						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	16.440	0.50	20.00	0	82.2	71	128	16.91	2.82	20	
cis-1,2-Dichloroethene	19.120	0.50	20.00	0	95.6	77	120	19.87	3.85	20	
Tetrachloroethene	20.650	0.50	20.00	0	103	80	120	20.62	0.145	20	
trans-1,2-Dichloroethene	19.730	0.50	20.00	0	98.6	75	122	19.68	0.254	20	
Trichloroethene	20.150	0.50	20.00	0	101	80	120	19.98	0.847	20	
Vinyl chloride	17.360	0.50	20.00	0	86.8	66	131	17.71	2.00	20	
Surr: 1,2-Dichloroethane-d4	23.480		25.00		93.9	76	124		0		
Surr: 4-Bromofluorobenzene	25.720		25.00		103	80	120		0		
Surr: Dibromofluoromethane	25.030		25.00		100	80	124		0		
Surr: Toluene-d8	25.850		25.00		103	80	120		0		

Sample ID: P140925MB5	SampType: MBLK	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95033						
Client ID: PBW	Batch ID: P14VW152	TestNo: EPA 8260B		Analysis Date: 9/25/2014	SeqNo: 1840971						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - ND Not Detected at the Reporting Limit
 - DO Surrogate Diluted Out
 - E Value above quantitation range
 - R RPD outside accepted recovery limits
 - Calculations are based on raw values
 - H Holding times for preparation or analysis exceeded
 - S Spike/Surrogate outside of limits due to matrix interference



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140925MB5	SampType: MBLK	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95033
Client ID: PBW	Batch ID: P14VW152	TestNo: EPA 8260B		Analysis Date: 9/25/2014	SeqNo: 1840971

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
Tetrachloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	24.480		25.00		97.9	76	124				
Surr: 4-Bromofluorobenzene	25.500		25.00		102	80	120				
Surr: Dibromofluoromethane	25.310		25.00		101	80	124				
Surr: Toluene-d8	25.720		25.00		103	80	120				

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140926LCS		SampType: LCS		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95046			
Client ID: LCSW		Batch ID: P14VW153		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841213			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.320	0.50	20.00	0	81.6	71	128				
cis-1,2-Dichloroethene	18.450	0.50	20.00	0	92.2	77	120				
Tetrachloroethene	20.000	0.50	20.00	0	100	80	120				
trans-1,2-Dichloroethene	19.190	0.50	20.00	0	96.0	75	122				
Trichloroethene	19.280	0.50	20.00	0	96.4	80	120				
Vinyl chloride	16.620	0.50	20.00	0	83.1	66	131				
Surr: 1,2-Dichloroethane-d4	23.550		25.00		94.2	76	124				
Surr: 4-Bromofluorobenzene	26.130		25.00		105	80	120				
Surr: Dibromofluoromethane	24.810		25.00		99.2	80	124				
Surr: Toluene-d8	25.700		25.00		103	80	120				

Sample ID: N013424-014AMS		SampType: MS		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95046			
Client ID: ZZZZZ		Batch ID: P14VW153		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841214			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.860	0.50	20.00	0	84.3	66	134				
cis-1,2-Dichloroethene	19.230	0.50	20.00	0	96.2	78	121				
Tetrachloroethene	28.530	0.50	20.00	9.950	92.9	62	128				
trans-1,2-Dichloroethene	19.830	0.50	20.00	0	99.2	70	128				
Trichloroethene	19.940	0.50	20.00	0	99.7	80	120				
Vinyl chloride	17.220	0.50	20.00	0	86.1	63	138				
Surr: 1,2-Dichloroethane-d4	23.940		25.00		95.8	76	124				
Surr: 4-Bromofluorobenzene	26.410		25.00		106	80	120				
Surr: Dibromofluoromethane	25.370		25.00		101	80	124				
Surr: Toluene-d8	25.950		25.00		104	80	120				

Sample ID: N013424-014AMSD		SampType: MSD		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95046			
Client ID: ZZZZZ		Batch ID: P14VW153		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841215			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - ND Not Detected at the Reporting Limit
 - DO Surrogate Diluted Out
 - E Value above quantitation range
 - R RPD outside accepted recovery limits
 - Calculations are based on raw values
 - H Holding times for preparation or analysis exceeded
 - S Spike/Surrogate outside of limits due to matrix interference



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: N013424-014AMSD		SampType: MSD		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95046	
Client ID: ZZZZZZ		Batch ID: P14VW153		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841215			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.000	0.50	20.00	0	80.0	66	134	16.86	5.23	20	
cis-1,2-Dichloroethene	18.250	0.50	20.00	0	91.2	78	121	19.23	5.23	20	
Tetrachloroethene	29.310	0.50	20.00	9.950	96.8	62	128	28.53	2.70	20	
trans-1,2-Dichloroethene	18.900	0.50	20.00	0	94.5	70	128	19.83	4.80	20	
Trichloroethene	19.280	0.50	20.00	0	96.4	80	120	19.94	3.37	20	
Vinyl chloride	16.270	0.50	20.00	0	81.4	63	138	17.22	5.67	20	
Surr: 1,2-Dichloroethane-d4	23.430		25.00		93.7	76	124		0		
Surr: 4-Bromofluorobenzene	25.510		25.00		102	80	120		0		
Surr: Dibromofluoromethane	24.730		25.00		98.9	80	124		0		
Surr: Toluene-d8	25.460		25.00		102	80	120		0		

Sample ID: P140926MB2		SampType: MBLK		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95046	
Client ID: PBW		Batch ID: P14VW153		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841216			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
Tetrachloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	23.980		25.00		95.9	76	124				
Surr: 4-Bromofluorobenzene	24.940		25.00		99.8	80	120				
Surr: Dibromofluoromethane	25.380		25.00		102	80	124				
Surr: Toluene-d8	25.210		25.00		101	80	120				

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140926LCS2		SampType: LCS		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95049			
Client ID: LCSW		Batch ID: P14VW154		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841353			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	17.200	0.50	20.00	0	86.0	71	128				
cis-1,2-Dichloroethene	19.710	0.50	20.00	0	98.6	77	120				
Tetrachloroethene	20.920	0.50	20.00	0	105	80	120				
trans-1,2-Dichloroethene	19.780	0.50	20.00	0	98.9	75	122				
Trichloroethene	20.080	0.50	20.00	0	100	80	120				
Vinyl chloride	17.590	0.50	20.00	0	88.0	66	131				
Surr: 1,2-Dichloroethane-d4	23.850		25.00		95.4	76	124				
Surr: 4-Bromofluorobenzene	25.760		25.00		103	80	120				
Surr: Dibromofluoromethane	25.350		25.00		101	80	124				
Surr: Toluene-d8	25.900		25.00		104	80	120				

Sample ID: P140926LCSD		SampType: LCSD		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95049			
Client ID: LCSS02		Batch ID: P14VW154		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841354			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	16.940	0.50	20.00	0	84.7	71	128	17.20	1.52	20	
cis-1,2-Dichloroethene	19.610	0.50	20.00	0	98.0	77	120	19.71	0.509	20	
Tetrachloroethene	20.570	0.50	20.00	0	103	80	120	20.92	1.69	20	
trans-1,2-Dichloroethene	19.900	0.50	20.00	0	99.5	75	122	19.78	0.605	20	
Trichloroethene	19.760	0.50	20.00	0	98.8	80	120	20.08	1.61	20	
Vinyl chloride	17.460	0.50	20.00	0	87.3	66	131	17.59	0.742	20	
Surr: 1,2-Dichloroethane-d4	23.700		25.00		94.8	76	124		0		
Surr: 4-Bromofluorobenzene	25.930		25.00		104	80	120		0		
Surr: Dibromofluoromethane	25.530		25.00		102	80	124		0		
Surr: Toluene-d8	25.740		25.00		103	80	120		0		

Sample ID: P140926MB4		SampType: MBLK		TestCode: 8260WATERP Units: µg/L		Prep Date:		RunNo: 95049			
Client ID: PBW		Batch ID: P14VW154		TestNo: EPA 8260B		Analysis Date: 9/26/2014		SeqNo: 1841355			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140926MB4	SampType: MBLK	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95049						
Client ID: PBW	Batch ID: P14VW154	TestNo: EPA 8260B		Analysis Date: 9/26/2014	SeqNo: 1841355						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
Tetrachloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	24.870		25.00		99.5	76	124				
Surr: 4-Bromofluorobenzene	25.140		25.00		101	80	120				
Surr: Dibromofluoromethane	26.020		25.00		104	80	124				
Surr: Toluene-d8	25.500		25.00		102	80	120				

Qualifiers:

- | | | |
|---|--|--|
| B Analyte detected in the associated Method Blank | E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| ND Not Detected at the Reporting Limit | R RPD outside accepted recovery limits | S Spike/Surrogate outside of limits due to matrix interference |
| DO Surrogate Diluted Out | Calculations are based on raw values | |



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: P140929LCS2	SampType: LCS	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95059						
Client ID: LCSW	Batch ID: P14VW155	TestNo: EPA 8260B		Analysis Date: 9/29/2014	SeqNo: 1841829						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	16.670	0.50	20.00	0	83.4	71	128				
cis-1,2-Dichloroethene	19.270	0.50	20.00	0	96.4	77	120				
Tetrachloroethene	20.460	0.50	20.00	0	102	80	120				
trans-1,2-Dichloroethene	19.580	0.50	20.00	0	97.9	75	122				
Trichloroethene	19.720	0.50	20.00	0	98.6	80	120				
Vinyl chloride	17.070	0.50	20.00	0	85.4	66	131				
Surr: 1,2-Dichloroethane-d4	23.200		25.00		92.8	76	124				
Surr: 4-Bromofluorobenzene	26.040		25.00		104	80	120				
Surr: Dibromofluoromethane	25.280		25.00		101	80	124				
Surr: Toluene-d8	26.090		25.00		104	80	120				

Sample ID: N013464-001AMS	SampType: MS	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95059						
Client ID: ZZZZZ	Batch ID: P14VW155	TestNo: EPA 8260B		Analysis Date: 9/29/2014	SeqNo: 1841830						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethene	17.170	0.50	20.00	0	85.9	66	134				
cis-1,2-Dichloroethene	20.300	0.50	20.00	0	102	78	121				
Tetrachloroethene	30.210	0.50	20.00	8.420	109	62	128				
trans-1,2-Dichloroethene	20.770	0.50	20.00	0	104	70	128				
Trichloroethene	20.210	0.50	20.00	0	101	80	120				
Vinyl chloride	18.260	0.50	20.00	0	91.3	63	138				
Surr: 1,2-Dichloroethane-d4	23.890		25.00		95.6	76	124				
Surr: 4-Bromofluorobenzene	26.050		25.00		104	80	120				
Surr: Dibromofluoromethane	25.610		25.00		102	80	124				
Surr: Toluene-d8	25.770		25.00		103	80	120				

Sample ID: N013464-001AMSD	SampType: MSD	TestCode: 8260WATERP	Units: µg/L	Prep Date:	RunNo: 95059						
Client ID: ZZZZZ	Batch ID: P14VW155	TestNo: EPA 8260B		Analysis Date: 9/29/2014	SeqNo: 1841831						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - ND Not Detected at the Reporting Limit
 - DO Surrogate Diluted Out
 - E Value above quantitation range
 - R RPD outside accepted recovery limits
 - Calculations are based on raw values
 - H Holding times for preparation or analysis exceeded
 - S Spike/Surrogate outside of limits due to matrix interference



CLIENT: Cardno ATC
Work Order: N013424
Project: Maryland Square Shopping Center, 085.42620.0

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260WATERP

Sample ID: N013464-001AMSD		SampType: MSD		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95059	
Client ID: ZZZZZZ		Batch ID: P14VW155		TestNo: EPA 8260B		Analysis Date: 9/29/2014		SeqNo: 1841831			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	17.460	0.50	20.00	0	87.3	66	134	17.17	1.67	20	
cis-1,2-Dichloroethene	20.210	0.50	20.00	0	101	78	121	20.30	0.444	20	
Tetrachloroethene	24.560	0.50	20.00	8.420	80.7	62	128	30.21	20.6	20	R
trans-1,2-Dichloroethene	20.630	0.50	20.00	0	103	70	128	20.77	0.676	20	
Trichloroethene	20.300	0.50	20.00	0	102	80	120	20.21	0.444	20	
Vinyl chloride	17.710	0.50	20.00	0	88.6	63	138	18.26	3.06	20	
Surr: 1,2-Dichloroethane-d4	24.140		25.00		96.6	76	124		0		
Surr: 4-Bromofluorobenzene	26.190		25.00		105	80	120		0		
Surr: Dibromofluoromethane	25.790		25.00		103	80	124		0		
Surr: Toluene-d8	25.840		25.00		103	80	120		0		

Sample ID: P140929MB6		SampType: MBLK		TestCode: 8260WATERP		Units: µg/L		Prep Date:		RunNo: 95059	
Client ID: PBW		Batch ID: P14VW155		TestNo: EPA 8260B		Analysis Date: 9/29/2014		SeqNo: 1841832			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
Tetrachloroethene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	23.880		25.00		95.5	76	124				
Surr: 4-Bromofluorobenzene	24.550		25.00		98.2	80	120				
Surr: Dibromofluoromethane	25.350		25.00		101	80	124				
Surr: Toluene-d8	25.560		25.00		102	80	120				

Qualifiers:

B Analyte detected in the associated Method Blank	E Value above quantitation range	H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit	R RPD outside accepted recovery limits	S Spike/Surrogate outside of limits due to matrix interference
DO Surrogate Diluted Out	Calculations are based on raw values	



Chain of Custody

415

Client: Cardno

Address: 7115 Amigo Street, Suite 100
Las Vegas, Nevada 89119

Phone: 702 990 9300 Fax: 702 990 9305

Project Name: Maryland Square Shopping Center


Project Number: 085.42620.0001 PO # _____

Submitted By: _____

Title: _____

Signature: _____ Date: 9/19/14

I Herby authorize ASSET Labs to perform the tests indicated below:



ASSET LABORATORIES
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

Nevada: 3151 W. Post Rd., Las Vegas, NV 89118
Phone 702.307.2659 Fax: 702.307.2691

California: 11060 Artesia Blvd., Ste C, Cerritos, CA 90703
Phone 562.219.7435 Fax: 562.219.7436

BITEX 8260	PCE/TCE/DCE/VC 8260	8015B (DRO/ORO)
6020 (metals)		
218.6 Hexavalent Chromium		

Sample Condition Upon Receipt

Temp 2.1°C IR# 2

Method of Cooling ice

Headspace Yes

Intact Yes

Seal NONE

Comments

Turn Around Time	No. of container	Container Type	PRESERVATION	QA/QC
				RTNE
				RWQCB
				CT
				LEVEL IV
				Remarks

Work Order No.	Sample ID/Location	Date	Time	Matrix								BITEX 8260	PCE/TCE/DCE/VC 8260	8015B (DRO/ORO)	6020 (metals)	218.6 Hexavalent Chromium	Turn Around Time	No. of container	Container Type	PRESERVATION	QA/QC				Remarks
				Water	Liquid	Soil	Solid	Wastewater	Groundwater	Others	RTNE										RWQCB	CT	LEVEL IV		
N013424-01	MW-1	9/17	1215							X								E	3	V	H				
-02	MW-5	9/17	1300															E							
-03	MW-6	9/17	1357															E							
-04	MW-6D1	9/17	857															E							
-05	MW-6D3	9/17	1010															E							
-06	MW-7	9/17	1048															E							
-07	MW-9	9/17	1137															E							
-08	MW-13	9/18	1357															E							
-09	MW-14	9/16	1329															E							
-10	MW-14I	9/16	1420															E							

Send report to:

Name Andrew.Stuart@cardno.com Address 7115 Amigo Street #100 Las Vegas, NV 89119

Email andrew.stuart@cardno.com

Bill to: Name Same Address _____ Email _____

Sampled by: Dwight Kim Signature _____

I attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Special Instruction/Comments:

Relinquished by (Signature): _____	Date: <u>9/19/14</u>	Time: <u>1505</u>	Received by (Signature): _____	Date: <u>9/22/14</u>	Time: <u>0937</u>
Relinquished by (Signature): _____	Date: <u>9/22/14</u>	Time: <u>10:00</u>	Received by (Signature): _____	Date: <u>9/22/14</u>	Time: <u>10:00</u>
Relinquished by (Signature): _____	Date: _____	Time: _____	Received by (Signature): _____	Date: _____	Time: _____

TAT Starts at 8 AM the following day if samples received after 3 pm.

A ≤ 24 Hours D = 3 Workdays

B = Next Workday E = Routine 5-7 Workdays

C = 2 Workdays

Preservatives: H=HCl N=HNO₃ S=H₂SO₄ C=4°C Z=Zn(AC)₂ O=NaOH T=Na₂S₂O₃

Carrier: _____

Airbill/Tracking #: _____

Container Type: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass M=Metal P=Plastic

EDD Requirement: Excel EDD Geotracker Global ID _____ LabSpec

Sample/Records Storage

All samples will be disposed in 45 days upon receipt and records will be destroyed in 5 years upon submission of final report.


Fees will be applied for extended storage.

White = Laboratory Copy

Yellow = Customer's Copy

Chain of Custody

Client: Cardno
Address: 7115 Amigo Street, Suite 100
Las Vegas, Nevada 89119
Phone: 702 990 9300 Fax: 702 990 9305
Project Name: Maryland Square Shopping Center
Project Number: 085.42620.0001 PO # _____
Submitted By: _____
Title: _____
Signature: _____ Date: 9/14/14
I hereby authorize ASSET Labs to perform the tests indicated below:



ASSET LABORATORIES
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

Nevada: 3151 W. Post Rd., Las Vegas, NV 89118
Phone 702.307.2659 Fax: 702.307.2691
California: 11060 Artesia Blvd., Ste C, Cerritos, CA 90703
Phone 562.219.7435 Fax: 562.219.7436

Sample Condition Upon Receipt
Temp 2-1°C IR# 2
Method of Cooling ice
Headspace Yes
Intact Yes
Seal NONE
Comments _____

Turn Around Time	No. of container	Container Type	PRESERVATION		Remarks
			RTNE	QA/QC	
			RWQCB	CT	

Work Order No.	Sample ID/Location	Date	Time	Matrix											BTX 8260	PCE/TCE/DCE/VC 8260	8015B (DRO/ORO)	6070 (metals)	210-6 Hexavalent Chromium	Turn Around Time	No. of container	Container Type	PRESERVATION		Remarks
				Water	Liquid	Soil	Solid	Wastewater	Groundwater	Others	RTNE	QA/QC													
N013424-11	mw-18	9/16	1139								X									E	3	V	IT		
-12	mw-19T	9/18	910											X		X	X			E	5	Y	P	IT	
-13	mw-19D1	9/19	955											X						E	3	V			
-14	mw-19D2	9/19	904											X						E					
-15	mw-19D3	9/19	1050											X						E					
-16	mw-20 D1	9/19	1203											X						E					
-17	mw-20 D2	9/19	1224											X						E					
-18	mw-20 D3	9/19	1148											X						E					
-19	mw-23	9/16	1040											X						E					
-20	mw-25	9/15	1245											X						E	6	6	6		

Send report to:
Name Andrew.Stuart@cardno.com
Address 7115 Amigo Street #100
Las Vegas, NV 89119
Email andrew.stuart@cardno.com

Bill to:
Name Same
Address _____
Email _____

Sampled by:
I attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.
Name Dwight K. Kukula Signature _____

Special Instruction/Comments:

Relinquished by (Signature): _____	Date: <u>9/14/14</u>	Time: <u>1505</u>	Received by (Signature): _____	Date: <u>9/22/14</u>	Time: <u>0937</u>
Relinquished by (Signature): _____	Date: <u>9/22/14</u>	Time: _____	Received by (Signature): _____	Date: <u>9/22/14</u>	Time: <u>15:00</u>
Relinquished by (Signature): _____	Date: _____	Time: _____	Received by (Signature): _____	Date: _____	Time: _____

TAT Starts at 8 AM the following day if samples received after 3 pm.
A ≤ 24 Hours D = 3 Workdays
B = Next Workday E = Routine 5-7 Workdays
C = 2 Workdays

Preservatives:
H=HCl N=HNO₃ S=H₂SO₄ C=4°C
Z=Zn(Ac)₂ O=NaOH T=Na₂S₂O₃


Carrier:
Airbill/Tracking #:

Container Type:
T = Tube V = VOA L = Liter P = Pint
J = Jar B = Tediar G = Glass
M = Metal P = Plastic

EDD Requirement
Excel EDD
Geotracker Global ID _____
LabSpec

Sample/Records Storage
All samples will be disposed in 45 days upon receipt and records will be destroyed in 5 years upon submission of final report.
Fees will be applied for extended storage.

Chain of Custody

Client: <u>Cardno</u> Address: <u>7115 Amigo Street, Suite 100</u> Las Vegas, Nevada 89119 Phone: <u>702 990 9300</u> Fax: <u>702 990 9305</u> Project Name: <u>Maryland Square Shopping Center</u> Project Number: <u>085.42620.0001</u> PO # _____ Submitted By: <u>Dwight K. Kwan</u> Title: _____ Signature: _____ Date: <u>9/19/14</u>	 ASSET LABORATORIES ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES	Nevada: <u>3151 W. Post Rd., Las Vegas, NV 89118</u> Phone <u>702.307.2659</u> Fax: <u>702.307.2691</u> California: <u>11060 Artesia Blvd., Ste C, Cerritos, CA 90703</u> Phone <u>562.219.7435</u> Fax: <u>562.219.7436</u>	Sample Condition Upon Receipt Temp <u>2-18</u> IR# <u>2</u> Method of Cooling <u>ICE</u> Headspace <u>Yes</u> Intact <u>Yes</u> Seal <u>NONE</u> Comments _____
---	--	---	---

Work Order No.	Sample ID/Location	Date	Time	Matrix								BTEX 8260	PCE/TCE/DCE/VC 8260	8015B (DRO/ORO)	6020 (metals)	218.6 Hexavalent Chromium	Turn Around Time	No. of container	Container Type	PRESERVATION	QA/QC		Remarks
				Water	Liquid	Soil	Solid	Wastewater	Groundwater	Others	RTNE										LEVEL IV		
N013424-21	MW-26	9/15	1335							X								E	3	V	H		
-22	MW-27	9/15	1435															E					
-23	MW-32	9/15	1157															E					
-24	MW-38	9/15	1035															E					
-25	MW-39	9/16	944															E	6	6			
-26	MW-40 CMT 30	9/18	1030									X	X	X				E	5	V	H		
-27	MW-40 CMT 45	9/18	1130									X	X	X				E					
-28	MW-40 CMT 60	9/18	1230									X	X	X				E	6	6	6		
-29	MW-41	9/15	945									X						E	3	V	H		
-30	MW-42	9/15	850									X						E	6	6	6		

Send report to: Name <u>Andrew.Stuart@cardno.com</u> Address <u>7115 Amigo Street #100</u> Las Vegas, NV 89119 Email <u>andrew.stuart@cardno.com</u>	Bill to: Name <u>Same</u> Address _____ Email _____	Sampled by: I attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Name <u>Dwight K. Kwan</u> Signature _____	Special Instruction/Comments: _____
--	--	---	--

Relinquished by (Signature): _____ Date <u>9/19/14</u> Time <u>1505</u>	Received by (Signature): _____ Date <u>9/22/14</u> Time <u>0957</u>	TAT Starts at 8 AM the following day if samples received after 3 pm. A <input type="checkbox"/> ≤ 24 Hours D <input type="checkbox"/> = 3 Workdays B <input type="checkbox"/> = Next Workday E <input checked="" type="checkbox"/> = Routine 5-7 Workdays C <input type="checkbox"/> = 2 Workdays
Relinquished by (Signature): _____ Date <u>9/22/14</u> Time <u>10:00</u>	Received by (Signature): _____ Date <u>9/22/14</u> Time <u>10:00</u>	
Relinquished by (Signature): _____ Date _____ Time _____	Received by (Signature): _____ Date _____ Time _____	

Preservatives: H=HCl N=HNO ₃ S=H ₂ SO ₄ C=4°C Z=Zn(Ac) ₂ O=NaOH T=Na ₂ S ₂ O ₃	Carrier: Air/BI/Tracking # _____	Container Type: T = Tube V = VOA L = Liter P = Pint J = Jar B = Tedlar G = Glass M = Metal P = Plastic	EDD Requirement Excel EDD <input type="checkbox"/> Geotracker <input type="checkbox"/> LabSpec <input type="checkbox"/> Global ID _____	Sample/Records Storage All samples will be disposed in 45 days upon receipt and records will be destroyed in 5 years upon submission of final report. Fees will be applied for extended storage.
---	-------------------------------------	---	--	--

White = Laboratory Copy

Yellow = Customer's Copy

Chain of Custody

Client: Cardno
 Address: 7115 Amigo Street, Suite 100
Las Vegas, Nevada 89119
 Phone: 702 990 9300 Fax: 702 990 9305
 Project Name: Maryland Square Shopping Center
 Project Number: 085.42620.0001 PO # _____
 Submitted By: Dwight Kinkawa
 Title: _____
 Signature: _____ Date: 9/19/14
I hereby authorize ASSET Labs to perform the tests indicated below:



Nevada: 3151 W. Post Rd., Las Vegas, NV 89118
 Phone 702.307.2659 Fax: 702.307.2691
 California: 11060 Artesia Blvd., Ste C, Cerritos, CA 90703
 Phone 562.219.7435 Fax: 562.219.7436

BTEX 8260	PCE/TCE/DCE/VC 8260	80:15B (DRO/ORO)	6020 (metals)	218.6 Hexavalent Chromium
-----------	---------------------	------------------	---------------	---------------------------

Sample Condition Upon Receipt
 Temp 2.1°C IR# 2
 Method of Cooling ice
 Headspace Yes
 Intact Yes
 Seal NONE

Turn Around Time	No. of container	Container Type	PRESERVATION	QA/QC			Remarks
				RTNE	RWQCB	CT	

Work Order No.	Sample ID/Location	Date	Time	Matrix							BTEX 8260	PCE/TCE/DCE/VC 8260	80:15B (DRO/ORO)	6020 (metals)	218.6 Hexavalent Chromium	E	N	V	H
				Water	Liquid	Soil	Solid	Wastewater	Groundwater	Others									
N013424-31	mw-43	9/16	857								X								
-32	Trip blank 9/19/14	9/19	707																
-33	Field Blank 9/19/14	9/19	1000																
-34	MW-19 D3 DVP	9/19	1050																
-35	Equipment Rinse	9/19	1330																

Send report to: Name Andrew.Stuart@cardno.com Address 7115 Amigo Street #100 Las Vegas, NV 89119 Email andrew.stuart@cardno.com
 Bill to: Name Same Address _____ Email _____

Sampled by: Dwight Kinkawa Signature _____
I attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Special Instruction/Comments:

Relinquished by (Signature): _____ Date <u>9/19/14</u> Time <u>1505</u>	Received by (Signature): _____ Date <u>9/22/14</u> Time <u>0957</u>
Relinquished by (Signature): _____ Date <u>9/22/14</u> Time <u>10:00</u>	Received by (Signature): _____ Date <u>9/22/14</u> Time <u>10:00</u>
Relinquished by (Signature): _____ Date _____ Time _____	Received by (Signature): _____ Date _____ Time _____

TAT Starts at 8 AM the following day if samples received after 3 pm.
 A ≤ 24 Hours D = 3 Workdays
 B = Next Workday E = Routine 5-7 Workdays
 C = 2 Workdays

Preservatives:
 H=HCl N=HNO₃ S=H₂SO₄ C=4°C
 Z=Zn(AC)₂ O=NaOH T=Na₂S₂O₃

Carrier: _____
 Airbill/Tracking #: _____
 Container Type:
 T = Tube V = VOA L = Liter P = Pint
 J = Jar B = Tedlar G = Glass
 M = Metal P = Plastic

EDD Requirement
 Excel EDD
 Geotracker Global ID _____
 LabSpec

Sample/Records Storage
 All samples will be disposed in 45 days upon receipt and records will be destroyed in 5 years upon submission of final report.
Fees will be applied for extended storage.

ASSET Laboratories

Please review the checklist below. Any NO signifies non-compliance. Any non-compliance will be noted and must be understood as having an impact on the quality of the data. All tests will be performed as requested regardless of any compliance issues.

If you have any questions or further instruction, please contact our Project Coordinator at (702) 307-2659.

Cooler Received/Opened On: 9/22/2014 Workorder: N013424
 Rep sample Temp (Deg C): 2.1 IR Gun ID: 2
 Temp Blank: Yes No
 Carrier name: ATL
 Last 4 digits of Tracking No.: NA Packing Material Used: None
 Cooling process: Ice Ice Pack Dry Ice Other None

Sample Receipt Checklist

- | | | | |
|---|---|--|---|
| 1. Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> |
| 2. Custody seals intact, signed, dated on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| 3. Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| 4. Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 5. Sampler's name present in COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 6. Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 7. Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 8. Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 9. Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 10. Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 11. All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 12. Temperature of rep sample or Temp Blank within acceptable limit? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| 13. Water - VOA vials have zero headspace? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | NA <input type="checkbox"/> |
| 14. Water - pH acceptable upon receipt?
Example: pH > 12 for (CN,S); pH<2 for Metals | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| 15. Did the bottle labels indicate correct preservatives used? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| 16. Were there Non-Conformance issues at login? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Was Client notified? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Comments Samples MW-40 CMT 60 and MW 43; 1 of 3 VOAs have headspace more than 5mm.

Checklist Completed B AC *ACortez* 09/22/14

Reviewed By: *gog* 09/29/14

amanda.cortes@assetlaboratories.com

From: Andrew Stuart [andrew.stuart@cardno.com]
Sent: Monday, September 22, 2014 5:08 PM
To: SampleControl.LV@assetlaboratories.com
Cc: 'Marlon B. Cartin'
Subject: RE: Maryland Square Shopping Center

Arsenic, Chromium, and Manganese

Andrew D. Stuart, CEM, LEED AP
BRANCH MANAGER
ENGINEERING & ENVIRONMENTAL SERVICES
CARDNO

Office (+1) 702-990-9300 Direct (+1) 702-990-7540 Mobile (+1) 702-524-1454 Fax (+1) 702-990-9305
Address 7115 Amigo Street, Suite 100, Las Vegas, NV 89119
Email andrew.stuart@cardno.com Web www.cardno.com

From: SampleControl.LV@assetlaboratories.com [<mailto:samplecontrol.lv@assetlaboratories.com>]
Sent: Monday, September 22, 2014 4:05 PM
To: Andrew Stuart
Cc: 'Marlon B. Cartin'
Subject: Maryland Square Shopping Center

Hello, Andrew.

The water samples we received today for the above project are listed for 6020 (METALS). Please advise us for the list of metals to be analyze by 6020 method. Please refer to the attached COC.

Thanks,

John Gumawid



ASSET LABORATORIES
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

Nevada: 3151 W. Post Road, Las Vegas, NV 89118 | P: 702.307.2659 Ext. 406 | F: 702.307.2691 | M: 702.882.3289
California: 11060 Artesia Blvd., Ste. C, Cerritos, CA 90703 | P: 562.219.7435 | F: 562.219.7436
www.assetlaboratories.com

ASSET LABORATORIES is a full-service environmental lab providing organic and inorganic analyses of soil, water, wastewater, storm water and hazardous waste samples. ASSET LABORATORIES is accredited by the State of California, NELAP and State of Nevada and holds various SBE, DBE and

MBE certificates and a USDA soil permit. ASSET LABORATORIES takes pride in providing our customers with quick turnaround time, excellent customer service and defensible data while offering very competitive rates. ASSET LABORATORIES - Your Partner for Quality Environmental Testing
This message is intended for the use of the individual or entity to which it is addressed. This may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and delete the original message.
Thank you.


Maryland Square PCE Site

APPENDIX C
MANN-KENDALL TREND TEST FOR
PLUME STABILITY

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID:		MW-1	MW-2	MW-3	MW-5	MW-6	MW-7	MW-8	
Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)							
1	Aug 00	2,300							
2	Oct 00		3,000	98	100	2,200			
3	Sep 02	2,000	3,000	0.25	110	1,000	0.25	5.4	
4	May 03	870	1,400	6.9	240	710	1.7	3.2	
5	Sep 03	2,300	1,700	12	220	1,300	2	3.7	
6	Jan 04	1,700	1,700	6.7	370	2,400	11	4.7	
7	May 05	3,500	2,050	0.25	146	2,090	0.25	5.6	
8	Sep 05	1,700				890	3.3		
9	Dec 05	820	1,600	0.25	93	530	1.2	3.6	
10	Mar 06	420					1.5		
11	Jun 06			0.25	220	1,100	2.2	2.6	
12	Oct 06	1,100	1,900	0.25	67	1,300	2.9	3.4	
13	Dec 06	1,300	1,300	1.2	130	810	2.1	4.3	
14	Jun 07	450	1,400	0.25	550	1,300	1.1	2.8	
15	Dec 07	710	1,000	1.4	170	1,500	1.3	2.8	
16	Jun 08	260	900		400	1,900			
17	Oct 08	460	960	6.5	340	2,000	2.5	3.7	
18	Jun 09	590	880		700	2,800			
19	Nov 09	390	530	5.1	520	2,100	7.9	2.8	
20	Jun 10	400	570		550	2,500			
21	Nov 10	430	560	5.8	360	2,300	2	4	
22	Jun 11	460	680		670	2,400			
23	Nov 11	410	610	16	540	2,900	8.9		
24	Mar 12	370			800	3,500			
25	Jun 12	410	490	25	520	1,700	10	3.5	
26	Sep 12	390			340	3,000			
27	Mar 13	260	580	12	530	2,600	10	1.5	
28	Jun 13	240			600	2,400			
29	Sep 13	240			830	2,500			
30	Nov 13	270	720		690	3,100	8.4	2.2	
31	Jun 14	350			780	3,000			
32	Sep 14	96			350	700	4.7		
33									
34									
35									
Coefficient of Variation:	0.96	0.60	2.07	0.57	0.43	0.89	0.31		
Mann-Kendall Statistic (S):	-312	-166	29	212	201	85	-52		
Confidence Factor:	>99.9%	>99.9%	85.3%	>99.9%	>99.9%	99.5%	98.3%		
Concentration Trend:	Decreasing	Decreasing	No Trend	Increasing	Increasing	Increasing	Decreasing		



Notes:


- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S=0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID:		MW-9	MW-10	MW-12	MW-13	MW-14	MW-15	MW-17	
Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)							
1	Sep 02	670	0.25	0.25					
2	May 03	59	0.25	1.3	2100				
3	Sep 03	9	15	14	2,800	1900	5.2		
4	Jan 04	10	0.25	6.1	2,700	2100	2.7		
5	May 05	353	0.25	0.25	5,310	2,920	0.25	520	
6	Sep 05	64	0.25	1.1	2,600		3.6		
7	Dec 05	190	0.25	1.2	3,400	3,400	5	470	
8	Mar 06	0.25	0.25	1.1	3,700	2,500	4.5		
9	Jun 06		0.25		2,900	1,800	4.4		
10	Oct 06	160	0.25	0.25	2,800	1,900	3.3	1300	
11	Dec 06	45	0.25	1.4	3,200	3,500	3.7	710	
12	Mar 07		1		2,500	1,900		440	
13	Jun 07	170		0.25	3,700	1,700	3	300	
14	Sep 07		0.25		2,000	650		380	
15	Dec 07	110		0.25	2,500	1,500	3	480	
16	Mar 08		1						
17	Jun 08				2,300	1,500		360	
18	Oct 08	12	0.25	2	2,600	1,500	7.8	290	
19	Jun 09	13			2,200	1,900		270	
20	Nov 09	6	0.25	1.2	1,700	1,200	3	310	
21	Jun 10	7			1,600	1,500		270	
22	Nov 10	4	0.25	0.76	1,900	1,500	2.5	240	
23	Jun 11	2			1,600	1,700		350	
24	Nov 11	5.6	0.25	0.95	1,700	1,700	3.5	350	
25	May 12	5.2				1,600		320	
26	Jun 12	5.7	0.9	1.2	1,500	1,400	4.2	260	
27	Sep 12	3.7				1,300		250	
28	Mar 13	6.6	0.25	0.65	1,300	1,900	2.7	190	
29	Jun 13	9.8				1,300		150	
30	Sep 13	6.6				1,400		130	
31	Nov 13	11.0		0.86	1,800	1,500		120	
32	Jun 14								
33	Sep 14	7.9			640	330			
34									
35									
Coefficient of Variation:		2.01	2.95	1.74	0.39	0.39	0.43	0.66	
Mann-Kendall Statistic (S):		-125	3	-21	-201	-184	-24	-185	
Confidence Factor:		99.6%	52.7%	75.5%	>99.9%	>99.9%	82.6%	>99.9%	
Concentration Trend:		Decreasing	No Trend	No Trend	Decreasing	Decreasing	Stable	Decreasing	



Notes:

- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S=0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.


GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: 15-Oct-14	Job ID: 085.42620.0001
Facility Name: Maryland Square PCE Site	Constituent: PCE
Conducted By: Cardno ATC	Concentration Units: µg/L

Sampling Point ID:	MW-18	MW-19	MW-20	MW-21	MW-23	MW-24	MW-25
--------------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
		MW-18	MW-19	MW-20	MW-21	MW-23	MW-24	MW-25
1	Sep 03		1,100	1,800	51			
2	Jan 04		1,200	290	55			
3	May 05	1,600	873	1,460	30	1,430	0.25	993
4	Sep 05	1,700			19		4.3	920
5	Dec 05	2,400	1,300	1,800	16	1,900	6.7	1,000
6	Mar 06	1,700			43		6.5	970
7	Jun 06	1,600	910	2,100	32	1,500	5.6	960
8	Oct 06	2,100	840	2,000	23	2,000	2.6	1,300
9	Dec 06	1,400	1,200	2,500	39	2,100	2.6	1,200
10	Mar 07	1,400	890	1,500		2.1	1.0	670
11	Jun 07	1,300	870	1,300	28	1,300	0.25	960
12	Sep 07	930	510	730		750		560
13	Dec 07	1,400	990	1,400	83	1,200		780
14	Mar 08	1,800	1,200	1,600		1,400		890
15	Jun 08	1,200	930	1,200		1,100		630
16	Oct 08	950	1,300	1,000	20	1,300	6.1	730
17	Feb 09	1,500		830		1,100		770
18	Jun 09	3,500	1,400	1,100		1,400		880
19	Sep 09	1,200	880	940		1,200		770
20	Nov 09	1,400	580	640	11	880	2.9	570
21	Feb 10	1,600	990	990		1,000		460
22	Jun 10	1,100	930	780		900		550
23	Oct 10	1,300	420	340		1,100		760
24	Nov 10	1,200	840	890	13	970	0.81	550
25	Mar 11	1,000	880	800		1,100		420
26	Jun 11	1,300	1,000	740		970		700
27	Sep 11	1,300	950	680		1,000		680
28	Nov 11	1,100	1,100	800	13	1,100	0.95	740
29	Jun 12	1,300	1,000	660	9.4	950	1.3	660
30	Mar 13	1,200	520	290	8.4	960	1.3	660
31	Jun 13		530	660				
32	Sep 13		840	570				
33	Nov 13	780	440	530		900		700
34	Jun 14	1,100				850		780
35	Sep 14	620				120		550
36								
37								
38								
39								
40								

Coefficient of Variation:	0.37	0.29	0.53	0.69	0.40	0.82	0.27
Mann-Kendall Statistic (S):	-224	-83	-279	-73	-206	-28	-215
Confidence Factor:	>99.9%	93.8%	>99.9%	99.9%	>99.9%	90.8%	>99.9%
Concentration Trend:	Decreasing	Prob. Decreasing	Decreasing	Decreasing	Decreasing	Prob. Decreasing	Decreasing




- Notes:**
- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
 - Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S=0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
 - Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.
GSI Environmental Inc., www.gsi-net.com

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID:		MW-26	MW-27	MW-28	MW-29	MW-30	MW-31	MW-32
Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
1	Mar 06	730	220					
2	Jun 06	770	350					
3	Oct 06	1,100	380					
4	Dec 06		380					
5	Mar 07	790	160					
6	Jun 07	960	340					
7	Sep 07	620	320					
8	Dec 07	910	430	3.0	2.5	74		
9	Mar 08	1,100	580			86	49	720
10	Jun 08	930	320	1.0	1.0	49	31	750
11	Oct 08	900	510	2.2	2.2	100	39	990
12	Feb 09	960	510			71	44	1,000
13	Jun 09	970	570	3.3	1.3	110	45	1,000
14	Sep 09	910	640			70	38	1,000
15	Nov 09	690	400	1.3	0.25	85	24	660
16	Feb 10	790	770			60	34	830
17	Jun 10	680	330	0.94	0.58	41	34	480
18	Oct 10	450	420			62	30	660
19	Nov 10	750	480	0.66	0.25	54	27	740
20	Mar 11	760	370			50	26	610
21	Jun 11	860	440	0.25	0.25	50	64	790
22	Sep 11	780	470			25	57	610
23	Nov 11	690	380	0.62	0.25	38	58	700
24	Mar 12		470					
25	Jun 12	740	440	0.73	0.25	84	44	640
26	Sep 12		430					
27	Mar 13	740	450	0.50	0.25	62	61	720
28	Jun 13		300					
29	Sep 13		350					
30	Nov 13		420			96	54	610
31	Jun 14	860	430					
32	Sep 14	360	290					360
33								
34								
35								
Coefficient of Variation:		0.21	0.27	0.79	1.01	0.34	0.30	0.24
Mann-Kendall Statistic (S):		-94	5	-35	-34	-45	25	-73
Confidence Factor:		98.0%	52.7%	99.7%	99.6%	93.8%	81.6%	99.5%
Concentration Trend:		Decreasing	No Trend	Decreasing	Decreasing	Prob. Decreasing	No Trend	Decreasing



Notes:


- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S=0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: 15-Oct-14	Job ID: 085.42620.0001
Facility Name: Maryland Square PCE Site	Constituent: PCE
Conducted By: Cardno ATC	Concentration Units: µg/L

Sampling Point ID:		MW-33	MW-34	MW-35	MW-36	MW-37	MW-38	MW-39
Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
1	Mar 08	2.4						
2	Jun 08	1.0						
3	Oct 08	3.4						
4	Feb 09	0.25						
5	Jun 09	0.25						
6	Sep 09	3.3						
7	Nov 09	1.4						
8	Feb 10	0.25						
9	Jun 10	0.25						
10	Oct 10	0.25						
11	Nov 10	0.25						
12	Mar 11	0.25						
13	Jun 11	0.25						
14	Sep 11	0.25	910	410				
15	Nov 11	0.25	1,000	630				
16	Mar 12		1,000	580	160	36		
17	Jun 12	0.25	860	530	130	34	5.8	250
18	Sep 12		730	520	130	32	5.7	240
19	Nov 12		550	480	150	31	5.9	270
20	Mar 13	0.25	550	340	160	34	7.3	280
21	Jun 13		380	250	110	37	7.8	210
22	Sep 13		440	250	140	40	6.6	250
23	Nov-13	0.25	500	310	130	33	7.0	260
24	Jun 14						5.4	120
25	Sep 14						5.8	120
26								
27								
28								
29								
30								
Coefficient of Variation:		1.32	0.34	0.32	0.12	0.08	0.13	0.28
Mann-Kendall Statistic (S):		-57	-33	-30	-6	3	1	-12
Confidence Factor:		98.4%	99.9%	99.7%	72.6%	59.4%	50.0%	87.0%
Concentration Trend:		Decreasing	Decreasing	Decreasing	Stable	No Trend	No Trend	Stable



- Notes:**
- At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
 - Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
 - Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.


DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.
GSI Environmental Inc., www.gsi-net.com

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID: **MW-40 CMT 30** | **MW-40 CMT 35** | **MW-40 CMT 40** | **MW-40 CMT 45** | **MW-40 CMT50** | **MW-40 CMT 55** | **MW-40 CMT 60**

Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
		MW-40 CMT 30	MW-40 CMT 35	MW-40 CMT 40	MW-40 CMT 45	MW-40 CMT50	MW-40 CMT 55	MW-40 CMT 60
1	Nov 12	340	260	320	280	300	930	1,400
2	Mar 13	4.7	48	270	310	280	390	1,200
3	Jun 13	10	3.6	53	47	64	200	1,000
4	Sep 13	2.1	7.9	37	110	24	38	20
5	Nov-13	1.3	12	51	77	120	110	190
6	Jun 14	3.2			250			750
7	Sep 14	4.6			240			700
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		2.43	1.14	0.94	0.57	0.80	0.82	0.67
Mann-Kendall Statistic (S):		-9	0	-8	-3	-6	-4	-11
Confidence Factor:		88.1%	37.5%	95.8%	61.4%	88.3%	83.3%	93.2%
Concentration Trend:		No Trend	No Trend	Decreasing	Stable	Stable	Stable	Prob. Decreasing



Notes:

- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.


DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID: **MW-14I** **MW-6D1** **MW-6D2** **MW-6D3** **MW-19D1** **MW-19D2** **MW-19D3**

Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
		MW-14I	MW-6D1	MW-6D2	MW-6D3	MW-19D1	MW-19D2	MW-19D3
1	Mar 13	7,200	0.25	0.25	0.25	300	170	0.50
2	Jun 13	5,500	0.25	0.25	0.25	690	0.25	0.68
3	Sep 13	3,700	58	33	2.0	990	0.25	710
4	Nov-13	10,000	3.2	3.3	3.0	620	0.25	160
5	Jun 14	9,800	0.67			730	6.0	40
6	Sep 14	9,300	120		10	240	10	710
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.34	1.45	1.73	1.30	0.47	1.34	1.28
Mann-Kendall Statistic (S):		3	4	3	9	-1	7	8
Confidence Factor:		64.0%	75.8%	72.9%	97.5%	50.0%	92.1%	89.8%
Concentration Trend:		No Trend	No Trend	No Trend	Increasing	Stable	Prob. Increasing	No Trend



Notes:

- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.


DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI MANN-KENDALL TOOLKIT for Constituent Trend Analysis

Evaluation Date: **15-Oct-14** Job ID: **085.42620.0001**
 Facility Name: **Maryland Square PCE Site** Constituent: **PCE**
 Conducted By: **Cardno ATC** Concentration Units: **µg/L**

Sampling Point ID: **MW-19I** **MW-20D1** **MW-20D2** **MW-20D3** **MW-41** **MW-42** **MW-43**

Sampling Event	Sampling Date	PCE CONCENTRATION (µg/L)						
		MW-19I	MW-20D1	MW-20D2	MW-20D3	MW-41	MW-42	MW-43
1	Sep 12	690						
2	Jun 13	0.25	110	64	0.25			
3	Sep 13	0.25	100	210	25	1.7	0.53	0.25
4	Nov-13	0.25	260	160	62	2.6	0.60	0.25
5	Jun 14	0.25		120		2.8	0.58	0.25
6	Sep 14	0.25	160	140	10	2.8	0.53	0.25
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		2.44	0.46	0.39	1.12	0.21	0.06	0.00
Mann-Kendall Statistic (S):		-5	2	0	2	5	-1	0
Confidence Factor:		76.5%	62.5%	40.8%	62.5%	89.6%	50.0%	37.5%
Concentration Trend:		No Trend	No Trend	Stable	No Trend	No Trend	Stable	Stable



Notes:

- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
- Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
- Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.