

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NE ¼ SE ¼ Sec 12 T 22S N/S R 62 E Latitude UTM E 829357.510  NAD 27  
PERMIT/WAIVER No. 178-12-701-002 Longitude N 26720051.503  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 98868

4 EXISTING WELL CONSTRUCTION

Depth Drilled 60 Feet Depth Cased 60 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>4"</u>	<u>PVC</u>	<u>Sch-80</u>	<u>0</u>	<u>60</u>

7 WELL PLUGGING PROCEDURE

Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:

Existing Perforations:

From	Type of perforation	Mechine Slotted	To
From <u>30</u>	Size of perforation <u>0.02</u>	feet to <u>59</u>	feet
From _____	_____	feet to _____	feet
From _____	_____	feet to _____	feet
From _____	_____	feet to _____	feet
From _____	_____	feet to _____	feet

Type of perforater used:

From	feet to	feet	Number of perfs per linear foot
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____

5 WATER LEVEL

Static water level 33.5 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

Material Used

From	feet to	feet	Material	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>59</u>	feet to <u>20</u>	feet	Quick Grout	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
wich pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

Facility ID # H-000537

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Eagle Drilling Services, L L C.  
Contractor  
Address 7150 Placid St.  
Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 8-12-13

EW 921-05

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003

Subdivision Name: \_\_\_\_\_ County: Clark  
2 LOCATION NW ¼ SE ¼ Sec 12 T 22S N/S/R 62 E Latitude UTM E 829064.859  NAD 27  
PERMIT/WAIVER No. \_\_\_\_\_ Parcel No. 178-12-701-002 Longitude N 26720006.602  NAD 83/WGS 84

3 TYPE OF WELL  Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 98868

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 46 Feet Depth Cased 46 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	46

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

Existing Perforations:  
Type of perforation \_\_\_\_\_ Machine Slotted  
Size of perforation 0.02  
From 20 feet to 46 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

5 WATER LEVEL  
Static water level 31.4 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ ° F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS  
Material Used  
From 20 feet to 46 feet Quick Grout  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
with pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

Facility ID # H-000537

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C.  
Contractor  
Address 7150 Placid St.  
Contractor  
Las Vegas, Nv 89119

EW 821-03

Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 8-12-13

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

<b>OFFICE USE ONLY</b>	
Log No. _____	_____
Permit No. _____	_____
Basin _____	_____

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
 MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
 Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NE ¼ SE ¼ Sec 12 T 22S N/S R 62 E Latitude \_\_\_\_\_ UT. 830105.362  NAD 27  
 PERMIT/WAIVER No. 178-12-701-002 Longitude \_\_\_\_\_ N 26719768.430  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? no Is there an existing well log? Yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? 98869

4 EXISTING WELL CONSTRUCTION  
 Depth Drilled 95 Feet Depth Cased 95 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>4"</u>	<u>PVC</u>	<u>Sch-80</u>	<u>0</u>	<u>95</u>

Existing Perforations:

Type of perforation	Size of perforation	From	To
<u>Mechine Slotted</u>	<u>0.02</u>	<u>20</u> feet to	<u>95</u> feet

7 WELL PLUGGING PROCEDURE  
 Was well cleaned out to total depth?  yes  no  
 If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
 Was the casing pulled?  yes  no  
 Was the casing over drilled?  yes  no  
 If casing was left in place, please show where additional perforations were made:  
 Additional Perforations:  
 Type of perforater used: \_\_\_\_\_  

From	To	Number of perms per linear foot

5 WATER LEVEL  
 Static water level 38.3 feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	To	Material Used	Quantity
<u>20</u>	<u>95</u>	<u>Quick Grout</u>	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
witch pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface  
 Facility ID # H-000537  
ECWxMCK-09

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
 Bentonite Grout 20 % bentonite  
 Date Started 8/9/2013  
 Date Completed 8/9/2013

9 DRILLER'S CERTIFICATION  
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
 Name Eagle Drilling Services, L L C. Contractor  
 Address 7150 Placid St. Contractor  
Las Vegas, Nv 89119  
 Nevada contractor's license number \_\_\_\_\_ issued by the State Contractor's Board 51266  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M  
 Signed Paul E. Dons By driller performing actual drilling on site or contractor  
 Date 8-12-13

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NW ¼ SE ¼ Sec 12 T 22S N/S R 62 E Latitude \_\_\_\_\_ UTM E 829133.652  NAD 27  
PERMIT/WAIVER No. \_\_\_\_\_ 178-12-701-002 Longitude \_\_\_\_\_ N 26720003.098  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? no Is there an existing well log? Yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? 98869

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 109.4 Feet Depth Cased 109.4 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	109.4

Existing Perforations:  
Type of perforation Mechine Slotted  
Size of perforation 0.02  
From 20 feet to 109.4 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 31.4 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

				Material Used	
From	feet to	feet	feet	Quick Grout	Poured
From <u>20</u>	feet to <u>109.4</u>	feet	feet	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
witch pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface  
  
Facility ID # H-000537

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C. Contractor  
Address 7150 Placid St. Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the \_\_\_\_\_  
Division of Water Resources, the on-site driller 2477-M  
Signed Paul E. Davis  
By driller performing actual drilling on site or contractor  
Date 8-12-13

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37738

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003

Subdivision Name: \_\_\_\_\_ County: Clark  
2 LOCATION SW 1/4 NE 1/4 Sec 12 T 22S N/S R 62 E Latitude UTM E 829067.332  NAD 27  
PERMIT/WAIVER No. 178-12-701-003 Longitude N 26720375.895  NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 40 Feet Depth Cased 40 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	40

Existing Perforations:  
Type of perforation Mechine Slotted  
Size of perforation 0.02  
From 20 feet to 40 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

5 WATER LEVEL  
Static water level 31 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
witch pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

Facility ID # H-000537  
TMP2-106

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

8 WELL PLUGGING MATERIALS  
Material Used  
From 20 feet to 40 feet Quick Grout  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C. Contractor  
Address 7150 Placid St. Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number \_\_\_\_\_ issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 8-12-13

5101301

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No.
Permit No.
Basin

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37092

1 OWNER Titanium Metals corporation
MAILING ADDRESS po box 2128 Henderson nv 89009

ADDRESS AT WELL LOCATION Unincorp. County

Subdivision Name: County: Clark

2 LOCATION NE 1/4 SE 1/4 Sec 12 T 22S N/S R 62 E
PERMIT/WAIVER No. H-000537 178-12-701-002
Issued by Water Resources Parcel No.

Latitude 36.049122 UTM E NAD 27
Longitude 114.997540 N NAD 83/WGS 84

3 TYPE OF WELL
Domestic Irrigation Test
Municipal/Industrial Monitor Stock

Is this well being plugged because a
replacement well was drilled?
If yes, what is replacement well NO#?

Is there an existing well log? no
If yes, what is NDWR well log #?

4 EXISTING WELL CONSTRUCTION
Depth Drilled 120 Feet Depth Cased 120 Feet

Table with columns: Size O.D. (Inches), Weight/Ft. (Pounds), Wall Thickness (Inches), From (Feet), To (Feet). Row 1: 4, pvc, 40sch, 0, 120.

Existing Perforations:
Table with columns: Type of perforation, Size of perforation, From, feet to, feet. Row 1: Factory, 0.02, From 100, feet to 120, feet.

7 WELL PLUGGING PROCEDURE

Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why:

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

If casing was left in place, please show where additional perforations were made:
Additional Perforations:

Table with columns: Type of perforater used, From, feet to, feet, Number of perfs per linear foot. Row 1: try to pull casing and knocked out bottom.

5 WATER LEVEL
Static water level 28 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature ° F Quality

8 WELL PLUGGING MATERIALS

Table with columns: From, feet to, feet, Material Used, Pumped, Poured. Rows include quik grout and concrete mix.

6 Additional Notes or Comments
try to pull casing
knocked out bottom
tremied
filled from botton
to top

Neat Cement Fluid Weight lbs/gal
Bentonite Grout % bentonite
Date Started 8/20/2013
Date Completed 8/20/2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true
to the best of my knowledge.

Name Eagle Drilling LLC. Contractor

Address 7150 Placid St., Las Vegas, Nv., 89119 Contractor

Nevada contractor's license number issued by the State Contractor's Board 51266

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2097

Signed [Signature]
By driller performing actual drilling on site or contractor

Date 8/23/2013

(Rev 6-09)

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37093

1 OWNER Titanium Metals corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS po box 2128 Henderson nv 89009  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION SW ¼ NE ¼ Sec 12 T 22S N/S R 62 E Latitude 36.050267 UTM E \_\_\_\_\_  NAD 27  
PERMIT/WAIVER No. H-000537 178-12-601-003 Longitude 114.998861 N \_\_\_\_\_  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? \_\_\_\_\_  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? no  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 35 Feet Depth Cased 35 Feet  
EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2</u>	<u>pvc</u>	<u>40sch</u>	<u>0</u>	<u>35</u>

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: try to pull casing and knocked out bottom

Existing Perforations:  
Type of perforation \_\_\_\_\_  
Size of perforation \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 28 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ ° F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS  
Material Used

From	feet to	feet	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>0</u>	feet to	<u>31</u>	feet concrete mix	<input type="checkbox"/> Pumped <input checked="" type="checkbox"/> Poured
From _____	feet to	_____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to	_____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to	_____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to	_____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

6 Additional Notes or Comments  
try to pull casing  
knocked out bottom  
tremied  
filled from botton  
to top  
5101301r cmt-104

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 8/20/2013  
Date Completed 8/20/2013

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling LLC. Contractor  
Address 7150 Placid St., Las Vegas, Nv., 89119 Contractor  
Nevada contractor's license number issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2097  
Signed \_\_\_\_\_  
By driller performing actual drilling on site or contractor  
Date 8/23/2013

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37093

1 OWNER Titanium Metals corporation  
MAILING ADDRESS po box 2128 Henderson nv 89009

ADDRESS AT WELL LOCATION Unincorp. County

Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION SW ¼ NE ¼ Sec 12 T 22S N/S R 62 E  
PERMIT/WAIVER No. H-000537 178-12-601-003  
Issued by Water Resources Parcel No.

Latitude 36.049457 UTM E  NAD 27  
Longitude 114.998667 N  NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? \_\_\_\_\_  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? no  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 31 Feet Depth Cased 31 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4	pvc	40sch	0	31

If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

Existing Perforations:  
Type of perforation \_\_\_\_\_ Factory  
Size of perforation 0.02  
From 16 feet to 31 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: try to pull casing and knocked out bottom  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 28 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS  
Material Used  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured  
From 0 feet to 31 feet concrete mix  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured

6 Additional Notes or Comments  
try to pull casing  
knocked out bottom  
tremied  
filled from bottom  
to top

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 8/20/2013  
Date Completed 8/20/2013

5101301r cld1-r

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling LLC. Contractor  
Address 7150 Placid St., Las Vegas, Nv., 89119 Contractor  
Nevada contractor's license number issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2097  
Signed \_\_\_\_\_  
By driller performing actual drilling on site or contractor  
Date 8/23/2013