

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NE ¼ SE ¼ Sec 12 T 22S N/S R 62 E Latitude UTM E 829357.510  NAD 27  
PERMIT/WAIVER No. 178-12-701-002 Longitude N 26720051.503  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 98868

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 60 Feet Depth Cased 60 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	60

Existing Perforations:  
Type of perforation Mechine Slotted  
Size of perforation 0.02  
From 30 feet to 59 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: \_\_\_\_\_

From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____

5 WATER LEVEL  
Static water level 33.5 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

Material Used			
From <u>59</u> feet to <u>20</u> feet	Quick Grout	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
wich pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

Facility ID # H-000537

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C.  
Contractor  
Address 7150 Placid St.  
Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the \_\_\_\_\_  
Division of Water Resources, the on-site driller 2477-M  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 8-12-13

EW 921-05

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Sec 12 T 22S N/S/R 62 E Latitude UTM E 829064.859  NAD 27  
PERMIT/WAIVER No. 178-12-701-002 Longitude N 26720006.602  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 98868

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 46 Feet Depth Cased 46 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	46

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: \_\_\_\_\_

Existing Perforations:

Type of perforation	Machine Slotted
Size of perforation	0.02
From <u>20</u> feet to <u>46</u> feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	

From	feet to	feet	Number of perfs per linear foot
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____

5 WATER LEVEL  
Static water level 31.4 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ ° F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
with pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>20</u>	feet to <u>46</u>	feet	Quick Grout	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>

Facility ID # H-000537

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

EW 821-03

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C.  
Contractor  
Address 7150 Placid St.  
Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 8-12-13

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

<b>OFFICE USE ONLY</b>
Log No. _____
Permit No. _____
Basin _____

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37737

1 OWNER <u>Titanium Metals Corporation</u>	ADDRESS AT WELL LOCATION <u>Unincorp. County</u>
MAILING ADDRESS <u>P.O.Box 2128 Henderson NV. 89009-7003</u>	Subdivision Name: _____ County: <u>Clark</u>

2 LOCATION NE <u>¼</u> SE <u>¼</u> Sec <u>12</u> T <u>22S</u> N/S R <u>62</u> E	Latitude _____ UT. <u>830105.362</u> <input type="checkbox"/> NAD 27
PERMIT/WAIVER No. _____ Parcel No. <u>178-12-701-002</u>	Longitude _____ N <u>26719768.430</u> <input checked="" type="checkbox"/> NAD 83/WGS 84

3 TYPE OF WELL <input type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Municipal/Industrial <input checked="" type="checkbox"/> Monitor <input type="checkbox"/> Stock	Is this well being plugged because a replacement well was drilled? <u>no</u> If yes, what is replacement well NOI? _____	Is there an existing well log? <u>Yes</u> If yes, what is NDWR well log #? <u>98869</u>
---	---	--

4 EXISTING WELL CONSTRUCTION			
Depth Drilled <u>95</u> Feet	Depth Cased <u>95</u> Feet		

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	95

Existing Perforations:				
	Type of perforation	Mechine Slotted		
	Size of perforation	0.02		
From	20	feet to	95	feet
From		feet to		feet
From		feet to		feet
From		feet to		feet
From		feet to		feet

5 WATER LEVEL			
Static water level	<u>38.3</u>	feet below land surface	
Artesian flow	G.P.M.	P.S.I.	
Water temperature	° F	Quality	

6 Additional Notes or Comments <u>Bottom was knocked out with aw rod</u> <u>Casing was slip joint with o-rings</u> <u>witch pulled apart</u> <u>Quick grout was pumped from bottom to twenty feet</u> <u>below surface then quickcrete was poured to surface</u>
Facility ID # <u>H-000537</u>
<u>ECWxMCK-09</u>

7 WELL PLUGGING PROCEDURE	
Was well cleaned out to total depth? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	

If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated? <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Was the casing pulled? <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
Was the casing over drilled? <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	
If casing was left in place, please show where additional perforations were made:	
Additional Perforations:	
Type of perforater used:	
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____

8 WELL PLUGGING MATERIALS	
---------------------------	--

Material Used			
From <u>20</u>	feet to <u>95</u>	feet	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to _____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to _____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to _____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to _____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____	feet to _____	feet	<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

Neat Cement Fluid Weight _____ lbs/gal	
Bentonite Grout <u>20</u> % bentonite	
Date Started <u>8/9/2013</u>	
Date Completed <u>8/9/2013</u>	

9 DRILLER'S CERTIFICATION	
---------------------------	--

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name <u>Eagle Drilling Services, L L C.</u>	
Contractor	
Address <u>7150 Placid St.</u>	
Contractor	
<u>Las Vegas, Nv 89119</u>	
Nevada contractor's license number _____	
issued by the <i>State Contractor's Board</i> _____	51266
Nevada driller's license number issued by the _____	
Division of Water Resources, the <i>on-site driller</i> _____	2477-M
Signed <u>Paul E. Dons</u>	
By driller performing actual drilling on site or contractor	
Date <u>8-12-13</u>	

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 37737

1 OWNER Titanium Metals Corporation ADDRESS AT WELL LOCATION Unincorp. County  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003  
Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION NW ¼ SE ¼ Sec 12 T 22S N/S R 62 E Latitude \_\_\_\_\_ UTM E 829133.652  NAD 27  
PERMIT/WAIVER No. 178-12-701-002 Longitude \_\_\_\_\_ N 26720003.098  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? no Is there an existing well log? Yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? 98869

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 109.4 Feet Depth Cased 109.4 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	109.4

Existing Perforations:  
Type of perforation Mechine Slotted  
Size of perforation 0.02  
From 20 feet to 109.4 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perms per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 31.4 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

Material Used			
From <u>20</u> feet to <u>109.4</u> feet	Quick Grout	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
witch pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface  
  
Facility ID # H-000537

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eagle Drilling Services, L L C. Contractor  
Address 7150 Placid St. Contractor  
Las Vegas, Nv 89119  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266  
Nevada driller's license number issued by the \_\_\_\_\_  
Division of Water Resources, the on-site driller 2477-M  
Signed Paul E. Davis  
By driller performing actual drilling on site or contractor  
Date 8-12-13

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37738

1 OWNER Titanium Metals Corporation  
MAILING ADDRESS P.O.Box 2128 Henderson NV. 89009-7003

ADDRESS AT WELL LOCATION Unincorp. County

Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION SW 1/4 NE 1/4 Sec 12 T 22S N/S R 62 E  
PERMIT/WAIVER No. 178-12-701-003

Latitude UTM E 829067.332  NAD 27  
Longitude N 26720375.895  NAD 83/WGS 84

Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_

Is there an existing well log? Yes  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 40 Feet Depth Cased 40 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"	PVC	Sch-80	0	40

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

Existing Perforations:  
Type of perforation Mechine Slotted  
Size of perforation 0.02  
From 20 feet to 40 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 31 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments  
Bottom was knocked out with aw rod  
Casing was slip joint with o-rings  
witch pulled apart  
Quick grout was pumped from bottom to twenty feet  
below surface then quickcrete was poured to surface

Material Used			
From <u>20</u> feet to <u>40</u> feet	Quick Grout	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____ feet to _____ feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 8/9/2013  
Date Completed 8/9/2013

Facility ID # H-000537

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Eagle Drilling Services, L L C.  
Contractor

Address 7150 Placid St.  
Contractor

Las Vegas, Nv 89119

Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 51266

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M

Signed [Signature]  
By driller performing actual drilling on site or contractor

Date 8-12-13

TMP2-106

USE ADDITIONAL SHEETS IF NECESSARY