



# STATE OF NEVADA

Department of Conservation & Natural Resources

DIVISION OF ENVIRONMENTAL PROTECTION

*Jim Gibbons, Governor*

*Allen Biaggi, Director*

*Leo M. Drozdoff, P.E., Administrator*

## Notice of Proposed Action

July 23, 2007

The Administrator, Division of Environmental Protection, Carson City, Nevada is issuing the following notice of proposed action under the Nevada Revised Statutes

The Administrator has received a complete application for renewal of a water pollution control discharge permit (NEV92024) from the following applicant:

Pacific Life  
100 South Rampart  
Las Vegas, Nevada 89145

The Permittee has applied for renewal of the permit to continue to apply tertiary treated, denitrified and disinfected effluent supplied by the City of Henderson Water Reclamation Facility for irrigation (reuse) on the Legacy Golf Club Golf Course at 130 Par Excellence Drive, in Henderson, Clark County, Nevada. The irrigation reuse is via spray and drip irrigation on turf grass and other plant materials, and is conducted in accordance with conditions specified in the approved Effluent Management Plan required by the Nevada Division of Environmental Protection and the subject permit. The proposed permit renewal is for a period of five (5) years.

On the basis of preliminary review of the requirements of the Nevada Revised Statutes (NRS) and implementing regulations, the Administrator proposes to reissue the subject permit to discharge, subject to certain effluent limitations and special conditions.

Persons wishing to comment upon or object to the proposed determinations by the Administrator regarding permit issuance and reissuance, or request a hearing pursuant to the Nevada Administrative Code, Water Pollution Control should submit their comments or request, in writing by August 27, 2007, within thirty (30) days of newspaper publication, either in person, by phone or FAX, or by mail to:

Department of Conservation and Natural Resources  
Division of Environmental Protection  
Bureau of Water Pollution Control  
901 South Stewart Street, Suite 4001  
Carson City, Nevada 89701

The request must be filed within the comment period and must indicate the interest of the person filing the request and the reasons why a hearing is warranted.

This Document is for Electronic Distribution

All comments or objections received within thirty (30) days of publication of the notice will be considered in the formulation of final determinations regarding the application. If written comments indicate a significant degree of public interest in the proposed permit, the Administrator shall hold a public hearing. A public notice of such hearing will be issued not less than thirty (30) days prior to the hearing date.

If no hearing is held and the determinations of the Administrator are substantially changed from the tentative determinations, the Administrator will give public notice of the revised determinations. Additional comments and objections will be considered at that time.

The application, proposed permit, comments received, and other information are on file and may be copied or copies may be obtained by writing to the above address or by calling Icyll Mulligan of the Bureau of Water Pollution Control at (775) 687-9432; or the Fact Sheet and Public Notice can be viewed at the NDEP website: <http://ndep.nv.gov/admin/public.htm>.

Please bring the foregoing notice to the attention of all persons whom you know would be interested in this matter.

This Document is for Electronic Distribution