

PCE -- Perchloroethylene

Administrative Record Document List

Maryland Square PCE Site, Facility ID H-000086



Date	Document List	Note: All Documents are in PDF File Format 
11-29-2000	Spill report	
06-08-2001	NDEP Spill letter requesting more information on the reported site	
07-25-2001	NDEP receives the Phase II Assessment Report (Converse for HKT) with analytical data for the AI Phillips the Cleaners site at 3661 S. Maryland Pkwy. (Report dated 11-28-00, but not sent to NDEP until 7-25-01)	
08-22-2001	A through K Data Research and Report	
11-29-2001	NDEP letter "Request for Action" based on 7-25-01 receipt of report	
01-11-2002	Work Plan for Additional Site Investigation	
02-20-2002	Property transfer paperwork. Sale by HKT to Clark Cty School District	
11-13-2002	Additional Soil and Groundwater Investigation Report (Converse for HKT)	
12-09-2002	NDEP letter to HKT requiring Work Plan for monitoring and remediation of onsite and offsite PCE-contaminated groundwater, including installation of another monitoring well	
04-02-2003	NDEP follow-up letter to HKT requesting response and actions as required in previous letter. Also requiring CAP by 5-18-03	
05-16-2003	Additional Soil and Groundwater Investigation Report	
06-17-2003a	NDEP follow-up call discussing CAP, for which HKT requested more time to prepare	

06-17-2003b

NDEP letter extending CAP deadline to 6-27-03

06-17-2003c

HKT attorney letter re: extension of deadline for CAP

06-27-2003

Preliminary Corrective Action Plan (CAP)

06-27-2003

Map - Groundwater Contours - Maryland Square Shopping Center

08-26-2003

Meeting attendance sheet: NDEP, HKT attorney, Converse Consultants

09-02-2003

NDEP letter concurring with proposed remediation: HRC and pilot studies for SVE

09-12-2003

Work Plan for Additional Site Activities

09-12-2003

Map - Work Plan for Additional Site Activities

09-25-2003

NDEP Letter with comments on the Work Plan

10-31-2003

3rd Quarter 2003 Groundwater Monitoring Report

11-05-2003

NDEP letter with comments on the GW monitoring report, concurrence with recommendations of report

02-27-2004

HKT attorney letter to NDEP indicating that AI Phillips the Cleaner has accepted responsibility for continuing the investigation and remediation of the PCE contamination

03-11-2004

URS letter to NDEP indicating that they have been retained as the environmental consultant to AI Phillips the Cleaner/DCI (thereby replacing Converse, who was the environmental consultant to HKT)

03-26-2004a Well Installation/Slug Testing/Groundwater Monitoring Report for 4th Quarter 2003 and 1st Quarter 2004 (last Converse document for site) — — MAP

03-26-2004b APTC/DCI letter to NDEP regarding meeting scheduled for 4-26-04

04-29-2004 Attendance sheet and meeting notes for meeting with DCI, URS, HKT attorney, NDEP

05-12-2004 Golf Course letter to NDEP; misfiled under another golf course case until January 2007

06-04-2004 Work Plan for Proposed Subsurface Investigation (first URS document for site)

06-08-2004 APTC/DCI attorney letter to Gee Family Trust, dealing with access issues for adjacent property. DCI wants access for URS to drill and sample.

06-10-2004 APTC/DCI attorney letter to Boulevard Mall, dealing with access issues for their property. DCI wants access for URS to drill and sample on mall property

06-22-2004a APTC/DCI Attorney e-mail re: access issues

06-22-2004b Access agreement for URS

06-23-2004 APTC/DCI Attorney e-mail re: access issues

07-01-2004 Fax of attorney correspondence regarding access issues

07-20-2004 APTC/DCI Attorney letter re: access issues

08-12-2004 NDEP letter to DCI verifying contact info for DCI and URS

08-18-2004 NDEP letter to DCI with comments on Work Plan

09-10-2004 Revised Work Plan for Proposed Subsurface Investigation

10-11-2004 E-mail to attorney denying offsite access

10-13-2004 APTC/DCI Attorney letter to NDEP re: cannot get access to adjacent property

10-19-2004 APTC/DCI attorney letter to General Growth Properties (Boulevard Mall)

11-17-2004 NDEP letter to DCI with requirements for installing additional wells based on results obtained during field work. Concurrence with Work Plan

12-02-2004 APTC/DCI attorney e-mail to Gee family trust

12-06-2004 APTC Attorney letter to Boulevard Mall, re: access.

12-16-2004 NDEP letter requesting Quarterly Groundwater Monitoring Report, complete with groundwater contour maps and plume maps, and requiring that samples be analyzed for full VOC suite using Method 8260

03-15-2005 URS e-mail to NDEP re: update, installation of monitoring wells, MW-23, MW-24, MW-22, MW-18, MW-25

03-21-2005 URS e-mail to NDEP re: Wells MW-17, MW-18, MW-22, MW-23, MW-24, and MW-25 were installed between March 9 and March 14. PCE detected at 1,040 µg/L in MW-25, halfway down Seneca Lane

06-23-2005 Property transfer paperwork, sale from CCSD to Maryland Square, LLC

07-05-2005 Letter from attorney indicating change in representation for the Maryland Square Shopping Center LLC/HKT.

07-11-2005 Subsurface Investigation Report

07-11- Subsurface Investigation Report - Appendices A & B

2005b

07-11-2005c Subsurface Investigation Report - Appendix C

09-06-2005 NDEP letter requesting CAP for remediation of groundwater and soil onsite, and remediation of groundwater offsite; CAP due by 10-7-200

10-06-2005 URS letter to NDEP: Work Plan for Additional Down gradient Characterization

10-20-2005 NDEP letter to DCI indicating that NDEP does not concur with DCI's submitted Work Plan for installation of down gradient monitoring wells

10-28-2005 URS "Letter CAP" requesting 180 days more to prepare a CAP

11-02-2005 URS "Revised Work Plan for Additional Down gradient Groundwater Characterization"

11-08-2005 NDEP letter to DCI, concurring with groundwater characterization activities ASAP and requesting a Groundwater Characterization Report by 12-23-2005

11-16-2005 NDEP letter to DCI, who argued that they couldn't prepare a CAP because of potential construction by a buyer of the property, etc.

12-05-2005 URS letter, regarding contact info for Maryland Square LLC

12-27-2005 URS Remedial Pilot Study Plan

01-18-2006 Meeting agenda and notes. CBRE Land Group interested in the property. (DCI, NDEP, CBRE, HKT attorney, DCI attorney). Developer would buy APTC's/DCI's liability and former owner would get escrow money back

02-02-2006 URS letter to NDEP stating that well drilling via direct-push methods was unsuccessful (refusal at caliche). URS proposes to install two additional wells via drilling (MW-26 and MW-27)

02-06-2006 December 2005 Quarterly Groundwater Sampling Report

02-14-2006 NDEP letter concurring with installation of MW-26 and MW-27, with report due 4-17-06

04-25-2006a April 2005 Quarterly Groundwater Sampling Report and Additional Monitor Well Installations

04-25-2006b April 2005 Quarterly Groundwater Sampling Report and Additional Monitor Well Installations -- Appendix B

07-31-2006 June 2006 Quarterly Groundwater Sampling Report

08-23-2006 NDEP letter requiring additional offsite delineation of plume, discussion of remedial options for onsite source removal and treatment of offsite groundwater, schedule for implementation of corrective action, and public notification

10-03-2006 Attendance list for meeting (DCI, URS, NDEP)

10-09-2006 NDEP letter memorializing Oct 3 meeting with DCI, with attachments of meeting agenda, meeting notes, etc

11/ 2006 E-mail string re: new CAP for onsite and offsite remediation

11-06-2006 DCI letter on land disposal issues

11-13-2006 Source Removal Corrective Action Plan

11-14-2006a 3rd Quarter 2006 Quarterly Groundwater Sampling Report

11-14-2006b 3rd Quarter 2006 Quarterly Groundwater Sampling Report — Appendix

12-18-2006 NDEP letter memorializing outcome of 12-12-06 meeting with DCI

01-05-2007 4th Quarter 2006 Groundwater Sampling Report [5MB PDF]

01-05-2007b 4th Quarter 2006 Groundwater Sampling Report -- Appendix

01-18-2007 NDEP comments on Soil Gas SAP

01-24-2007 Soil Vapor Assessment Sampling Plan

02-02-2007 NDEP letter to attorney for Las Vegas National Golf Course, re: PCE in irrigation well

02-16-2007 Letter to NDEP from LV Nat'l Golf Course attorney

02-23-2007a URS letter to NDEP to petition to change monitoring frequency for groundwater wells

02-23-2007b Source Area Soil Assessment Report [1.5MB PDF]

02-23-2007a URS letter to NDEP requesting revision of monitoring frequency

02-27-2007 NDEP letter to DCI to inform them of PCE data for samples from the golf course irrigation well

03-01-2007 NDEP letter to DCI to reduce monitoring frequency of certain wells, based on a statistical analysis of the data by NDEP

03-02-2007 NDEP letter to DCI, providing comments on On-Site Soil Assessment Report

04-02-2007 1st Quarter 2007 Groundwater Sampling Report [4.3MB PDF]

04-13-2007 Off-Site Soil Vapor Assessment Report [6.5MB PDF]

05-01-2007 NDEP letter to DCI requesting financial statements to determine ability to pay for remediation. At this meeting, DCI argued the offsite plume had a different source than APTC at the Maryland Square Shopping Center

05-23-2007 Final Report on Field Work Observation and Duplicate Sampling for Maryland Square DCI Dry cleaner Site in Las Vegas, Nevada EMAR Task Order #BC-2

05-31-2007 Letter from attorney for APTC/DCI, including description of a PCE release at Dr. Clean, a dry cleaner about half mile north of APTC.

06-19-2007 NDEP sent a letter to the potentially responsible parties providing "Notice of NDEP intent" to use its contingency account for hazardous materials to address the area affected by spill and require performance of additional site assessment work and corrective action.

07-25-2007 Report Quarterly Groundwater Sampling 2nd Quarter 2007 Maryland Square Shopping Center 3661 South Maryland Parkway Las Vegas, Nevada for AI Phillips the Cleaner

09-10-2007 NDEP letter concurring with change to low-flow (micropurge) sampling of Maryland Square monitoring wells

09-24-2007 Monitoring Well Installation Work Plan, Maryland Square Shopping Center, 3661 South Maryland Parkway, Las Vegas, Nevada. For AI Phillips the Cleaner

10-10-2007 NDEP letter concurring with most recommendations of the well installation work plan

11-08-2007 E-mail to NDEP, with 1990 data for water samples from the Las Vegas National Golf Course

12-06-2007 Quarterly Groundwater Sampling Third Quarter 2007 Maryland Square Shopping Center 3661 South Maryland Parkway Las Vegas, Nevada for AI Phillips The Cleaner

11-26-2007 Report on Installation of Down gradient Groundwater Monitoring Wells, Maryland Square Shopping Center, 3661 South Maryland Parkway, Las Vegas, Nevada. For AI Phillips the Cleaner.

12-14-2007 NDEP letter to DCI Management Group - Groundwater Sampling Frequency, Request

for Additional Groundwater Characterization

01-14-2008 Letter from URS to NDEP — Groundwater Sampling Frequency

01-16-2008 Quarterly Groundwater Sampling Fourth Quarter 2007 Maryland Square Shopping Center 3661 South Maryland Parkway Las Vegas, Nevada for AI Phillips The Cleaner

- Appendix A
- Appendix B (17MB File)
- Appendix C

01-28-2008 Letter from URS to NDEP — Well Installation Work Plan Addendum

01-30-2008 NDEP letter providing comments on the Well Installation Work Plan Addendum

02-14-2008 URS letter, on behalf of APTC, responding to NDEP comments on the Well Installation Work Plan Addendum

03-06-2008 Figure showing locations of new downgradient monitoring wells for the Maryland Square PCE Site

03-24-2008 URS letter report, on behalf of APTC, providing results for the additional downgradient monitoring wells

03-31-2008 NDEP Information Update for residents in the vicinity of the Maryland Square PCE Site. [Please note that if your home was potentially affected by PCE vapor intrusion, you would have received a letter from the NDEP]

04-08-2008 NDEP letter providing comments on Letter Report, □ Installation of Additional Downgradient Groundwater Monitoring Wells□ (03-24-08)

04-14-2008 Quarterly Groundwater Sampling, First Quarter 2008, Maryland Square Shopping Center, 3661 South Maryland Parkway Las Vegas, Nevada. For AI Phillips The Cleaner

04-28-2008 NDEP letter providing comments on the First Quarter, 2008 Groundwater Sampling

Report (04-14-08)

-
- 05-07-2008 Letter to NDEP from Robertson Vick - Attorneys at Law: Vapor Intrusion from Contaminated Groundwater [see Errata Letter - dated 05-12-2008]
-
- 07-01-2008 Response to May 7, 2008 Letter from the Office of Robertson Vick
-
- 07-07-2008 National DCI, the parent company of Al Phillips the Cleaners, files for Chapter 11 bankruptcy in the US Bankruptcy Court for the District of Delaware.
-
- 08-28-2008 NDEP sends letters to all other potentially responsible parties, informing them of DCI's bankruptcy and NDEP's requirements to clean up soil and groundwater.
-
- 12-04-2008 Record of conversation: NDEP case officer discusses interim action level for PCE in indoor air with New Jersey (NJDEP). Both states have similar "two-pronged" approach to remediation, and similar interim action levels for indoor air.
-
- 12-14-2008 Quarterly Groundwater Sampling Report, Fourth Quarter 2008, Maryland Square Shopping Center, 3661 South Maryland Parkway Las Vegas, Nevada. For Al Phillips The Cleaner (5 MB)
- Plate 1. Site Map, Quarterly Groundwater Sampling Report, Fourth Quarter 2008. (3 MB)
- Plate 2. Groundwater Contours, Quarterly Groundwater Sampling Report, Fourth Quarter 2008. (3 MB)
- Plate 3. PCE Contours, Quarterly Groundwater Sampling Report, Fourth Quarter 2008. (3 MB)
-
- 02-06-2009 NDEP letter commenting on Fourth Quarter 2008 Groundwater Monitoring Report, dated 12-9-08, report received 12-12-08
-
- 03-17-2009 Letter to NDEP from Robertson Vick - Attorneys at Law: Comment on NDEP's Interim Action Level for PCE in Indoor Air
-
- 03-24-2009 NDEP Response to March 17, 2009 Letter from the Office of Robertson Vick, noting misquote of NDEP's July 1, 2008 Letter
-

04-30-2009 NDEP letter commenting on First Quarter 2009 Groundwater Monitoring Report, dated April 15, 2009, report received by the NDEP on April 22, 2009

04-30-2009 Groundwater Monitoring Report □ 1st Quarter 2009 [81 Pages - 2MB]

05-04-2009 Complaint issued by the United States District Court District of Nevada: Plaintiff is the State of Nevada (DCNR); The Defendants are the Maryland Square Shopping Center and others [11 Pages]

07-21-2009 Groundwater Monitoring Report □ 2nd Quarter 2009 [118 Pages - 4.6MB]

07-31-2009 NDEP letter commenting on Second Quarter 2009 Groundwater Monitoring Report, dated July 21, 2009; report received by the NDEP on July 24, 2009.

10-30-2009 Groundwater Monitoring Report □ 3rd Quarter 2009 [91 Pages, 3MB]

12-09-2009 Groundwater Monitoring Wells Investigation, Sampling and Capping. Prepared for the Boulevard Mall, 3528 S. Maryland Pkwy, Las Vegas, NV 89109 [11 Pages, 5MB]

12-22-2009 NDEP comment letter -- Groundwater Monitoring Report, 3rd Quarter 2009, Maryland Square Shopping Center

01-13-2010 Groundwater Monitoring Report □ 4th Quarter 2009 [154 Pages □ 7.5MB]

02-12-2010 NDEP letter commenting on Fourth Quarter 2009 Groundwater Monitoring Report, dated January 13, 2010; hard-copy report received by the NDEP on January 21, 2010 [3 Pages 133KB]

04-14-2010 Groundwater Monitoring Report □ 1st Quarter 2010 [100 Pages 4.0MB]

06-10-2010 NDEP comment letter □ 1st Quarter 2010 Groundwater Monitoring Report, Maryland Square Shopping Center

07-23-2010 Groundwater Monitoring Report - 2nd Quarter 2010 [266 Pages, 4.6MB]

- 09-10-2010 NDEP comment letter - 2nd Quarter 2010 Groundwater Monitoring Report, Maryland Square Shopping Center
-
- 10-12-2010 Draft Corrective Action Plan for Groundwater, Maryland Square Shopping Center [**158 Pages - 6.2MB**]
-
- 10-22-2010 Groundwater Monitoring Report - 3rd Quarter 2010 [162 Pages, 4.1MB]
-
- 12-14-2010 Corrective Action Plan for Source Area Soil, Maryland Square Shopping Center [**52 Pages - 5.9MB**]
-
- 12-27-2010 Permanent Injunction Governing the Cleanup of Hazardous Substances at and Emanating from Maryland Square Shopping Center [11 Pages]
-
- 01-01-2011 NDEP redline edits on text of the Draft Corrective Action Plan for Groundwater (1st draft, dated October 12, 2010)
-
- 01-05-2011 NDEP comment letter - Corrective Action Plan for Source Area Soil, Maryland Square Shopping Center
-
- 01-06-2011 NDEP comment letter - 3rd Quarter 2010 Groundwater Monitoring Report, Maryland Square Shopping Center
-
- 01-11-2011 NDEP comment letter - Draft Corrective Action Plan for Groundwater, Maryland Square Shopping Center
-
- 01-21-2011 Groundwater Monitoring Report - 4nd Quarter 2010 [**356 Pages, 6.6MB**]
-
- 02-03-2011 NDEP comment letter - 4th Quarter 2010 Groundwater Monitoring Report, Maryland Square Shopping
-
- 02-11-2011 NDEP Comment Letter on the Proposed Schedule for Implementation of the Corrective Action Plan for Source Area Soil, Maryland Square Shopping Center
-
- 02-18-2011 Revised Proposed Schedule for Implementation of the Corrective Action Plan for Source

Area Soil, Maryland Square Shopping Center

-
- 02-25-2011 NDEP Letter Concurring with Revised Proposed Schedule for Implementation of the Corrective Action Plan for Source Area Soil
-
- 02-28-2011 Draft Corrective Action Plan for Groundwater, Maryland Square PCE Site **[156 Pages, 9MB]**
-
- 02-28-2011 Draft Work Plan for Mitigation of Indoor Air and Well Water [41 Pages 3.2MB]
-
- 04-20-2011 Quarterly Groundwater Monitoring Report - 1st Quarter 2011, Maryland Square PCE Site **[260 Pages, 11.5 MB]**
-
- 04-26-2011 NDEP comment letter - Draft Corrective Action Plan for Groundwater (CAP dated 2-28-11)
-
- 04-27-2011 NDEP comment letter - Draft Work Plan for Mitigation of Indoor Air and Well Water (Work Plan dated 2-28-11)
-
- 05-04-2011 NDEP comment letter -- 1st Quarter 2011 Groundwater Monitoring Report, Maryland Square Shopping Center
-
- 06-09-2011 NDEP Letter Extending the Due Date for the Work Plan for Mitigation of Indoor Air and Well Water
-
- 06-14-2011 Revised Draft Corrective Action Plan for Groundwater
-
- 06-28-2011 Revised Draft Work Plan for Mitigation of Indoor Air and Well Water
-
- 07-05-2011 Draft Chemical Oxidation Contingency Plan, Corrective Action for Source Area Soil
-
- 07-07-2011 Revised Schedule for Remediation of Source Area Soil
-
- 07-08-2011 NDEP comment letter requesting implementation schedule for the proposed work to be

conducted under the Work Plan for Mitigation of Indoor Air and Well Water

07-13-2011 NDEP comment letter on the Draft Chemical Oxidation Contingency Plan, Corrective Action For Source Area Soil

07-28-2011 NDEP comment letter on the Work Plan for Mitigation of Indoor Air and Well Water (IAWW Work Plan dated June 28, 2011)

07-28-2011 Groundwater Monitoring Report - 2nd Quarter 2011

08-05-2011 Waste Management Plan, Addendum to the Corrective Action Plan (CAP) for Source Area Soil

08-10-2011 NDEP comment letter - Corrective Action Plan for Groundwater (CAP dated June 14, 2011)

08-10-2011 NDEP comment letter - Waste Management Plan Addendum to the Corrective Action Plan for Source Area Soil

08-15-2011 Addendum to the Work Plan for Mitigation of Indoor Air and Well Water (IAWW Work Plan)

08-20-2011 Underground Injection Control (UIC) Permit #52016

08-23-2011 NDEP letter concurring with the Addendum to the Work Plan for Mitigation of Indoor Air and Well Water (IAWW Work Plan)

08-25-2011 Addendum to the Corrective Action Plan (CAP) for Groundwater

08-26-2011 Revised Contingency Plan for the CAP for Source Area Soil

09-01-2011 Request for Extension on the Corrective Action Report for Source Area Soil

09-06-2011 Petition for Contained-In Determination

09-07-2011 NDEP letter concurring with request for extension of due date for submittal of the Corrective Action Report documenting cleanup of source area soil

09-08-2011 NDEP letter concurring with Addendum to CAP for Groundwater

09-09-2011 NDEP letter describing "Contained-In" Determination for soil and waste water generated during investigation and remediation activities

09-22-2011 NDEP comment letter on 2nd Quarter 2011 Groundwater Monitoring Report

10-28-2011 Groundwater Monitoring Report - 3rd Quarter 2011 **[289 Pages, 9.8 MB]**

11-04-2011 Letter to NDEP Proposing Changes to Groundwater Monitoring Program

11-10-2011 NDEP Letter Regarding Proposed Changes to Groundwater Monitoring Program

11-15-2011 Community Involvement Plan [32 Pages, 5.4 MB]

11-30-2011 Corrective Action Report for Source Area Soil **[639 Pages, 28.1 MB]**

12-01-2011 NDEP Comment Letter on 3rd Quarter 2011 Groundwater Monitoring Report

12-02-2011 NDEP Comment Letter on Proposed Schedule for Implementing the Corrective Action Plan (CAP) for Groundwater

12-27-2011 NDEP Comment Letter on Revised Schedule for Implementation of the Corrective Action Plan for Groundwater

01-27-2012 Groundwater Monitoring Report - 4th Quarter 2011 **[289 Pages, 10.9 MB]**

02-16-2012 NDEP Comment Letter on Corrective Action Report for Source Area Soil

03-02-2012 NDEP Comment Letter on 4th Quarter 2011 Groundwater Monitoring Report

04-05-2012 NDEP Comment Letter on Community Involvement Plan (CIP)

04-16-2012 NDEP Letter Requesting Information on Progress of Work Implementing the Groundwater CAP

04-18-2012 NDEP Concurrence Letter on the Proposed Locations for Two New Monitoring Wells

04-25-2012 Groundwater Monitoring and Sampling Letter Report - First Quarter 2012 [48 pages, 1.8 MB]

05-06-2012 Herman Kishner Trust response to NDEP's Letter of April 16, 2012

05-16-2012 Final Corrective Action Report for Source Area Soil [28 MB]

06-22-2012 NDEP Comment Letter on the Response of the Herman Kishner Trust to NDEP's Request for a Detailed Description of Work Implemented to Date on the Corrective Action Plan for Groundwater at the Maryland Square PCE Site. The Corrective Action Report is currently due to the NDEP on June 29, 2012.

07-30-2012 Groundwater Monitoring and Sampling Report, Second Quarter, 2012 [6 MB]

08-16-2012 NDEP Concurrence Letter to Proposed Modifications to Groundwater CAP, Regarding AS/SVE Pilot Testing

08-16-2012 NDEP Letter Concurring with Proposed Changes to Pilot Test □ Discontinuation of the Air Sparging and Soil Vapor Extraction Test

08-17-2012 NDEP Comment Letter on 2nd Quarter 2012 Groundwater Monitoring Report

08-20-2012 Proposal to Modify the Pilot Tests (Tetra Tech, on behalf of the Trust)

08-21-2012 NDEP Letter Concurring with Proposed Modifications to the Pilot Tests □ Additional

Vertical Delineation

08-20-2012	Proposal to Modify the Pilot Tests (Tetra Tech, on behalf of the Trust)
09-13-2012	NDEP Letter Requesting an Updated Schedule for Installation of Home Mitigation Systems
10-08-2012	HKT proposal to modify CAP for Groundwater; additional drilling for characterization
10-09-2012	NDEP letter concurring with proposed modifications to CAP for Groundwater; additional drilling
10-11-2012	HKT Request to Extend Due Date for Schedule to Install Home-Mitigation Systems
10-17-2012	NDEP Letter Concurring with Request to Extend Due Date for Schedule
10-19-2012	Revised Draft Schedule for Installation of New Mitigation Systems
10-23-2012	Groundwater Monitoring and Sampling Letter Report, Third Quarter, 2012 [1.7 MB]
10-24-2012	NDEP Letter Concurring with the Draft Schedule for Installation of New Mitigation Systems
10-26-2012	HKT Request to Adjust Sampling Schedule for Fourth Quarter 2012 and First Quarter 2013
10-30-2012	NDEP Letter Commenting on 3rd Quarter 2012 Report and Concurring with Adjusted Sampling Schedule
11-16-2012	Draft Indoor Air Sampling Report [7.1 MB]
11-21-2012	11-21-2012 NDEP Comment Letter on Draft Indoor Air Sampling Report

12-12-2012 Final Indoor Air Sampling Report [7.1 MB]

12-17-2012 NDEP Concurrence Letter on Final Indoor Air Sampling Report

01-15-2013 Groundwater Monitoring and Sampling Report, Fourth Quarter, 2012 [4.7 MB]

02-12-2013 NDEP comment letter on 4th Quarter Groundwater Monitoring and Sampling Report

04-28-2013 Groundwater Monitoring and Sampling Report, First Quarter, 2013 [8.5 MB]

05-29-2013 NDEP comment letter on 1st Quarter 2013 Groundwater Monitoring and Sampling Report

06-14-2013 Draft Corrective Action Report for Groundwater [23.3 MB]

07-12-2013 NDEP comment letter on Draft Corrective Action Report for Groundwater

07-26-2013 Groundwater Monitoring and Sampling Report, 2nd Quarter, 2013 [5.8 MB]

08-06-2013 NDEP comment letter on 2nd Quarter, 2013 Groundwater Monitoring and Sampling Report

08-12-2013 Final Corrective Action Report for Groundwater, 1126 pages [33.3 MB]

08-20-2013 NDEP comment letter on Final Corrective Action Report for Groundwater

09-19-2013 NDEP letter of clarification on the Groundwater Remediation Standard and Compliance
