Class I

Air Quality Operating Permit (AQOP), Operating Permit to Construct (OPTC), and Prevention of Significant Deterioration (PSD) Application Form

Facility Name: Click or tap here to enter text.

Existing Facility ID: A Click or tap here to enter text.

Existing Class I AQOP/OPTC: APClick or tap here to enter text.

Type of Facility: Click or tap here to enter text.

Application Type:

□New AOOP

☐Minor Revision of Existing AQOP	□Rollover OPTC to Existing AQOP
☐Significant Revision of Existing AQOP	☐Administrative Revision of Existing AQOI
□Renewal of Existing AQOP	□New PSD AQOP
□New OPTC	☐Major PSD Revision of AQOP
□Revision of OPTC	□New PSD OPTC
Pollover OPTC to a New AOOP	☐Major PSD Revision of OPTC



Please Submit Application to:

Nevada Division of Environmental Protection Bureau of Air Pollution Control, Class I Permitting Branch 901 South Stewart Street, Suite 4001 Carson City, Nevada 89701-5249 Phone (775) 687-9349

August 2017

IMPORTANT INFORMATION

- The Application packet contains:
 - o General Company Information Form
 - Industrial Process Application Form
 - o Combustion Equipment Application Form
 - Storage Silo Application Form
 - Liquid Storage Tanks Application Form
 - o Facility-Wide Potential to Emit Table
 - Surface Area Disturbance Form
 - o Application Certification Document with Required Attachments
- Please see the Guidance Document located at https://ndep.nv.gov/air/permitting/download-permit-forms for additional instructions on how to complete the application.
- The application is available from the Nevada Division of Environmental Protection Bureau of Air Pollution Control (BAPC) in a Microsoft Word file, or on the internet at https://ndep.nv.gov/air/permitting/download-permit-forms. A printed copy of the application must be submitted (mailed or hand delivered), along with an electronic version.
- The application filing fee required by Nevada Administrative Code (NAC) 445B.327 must be submitted with the completed application. Checks must be made payable to the "Nevada State Treasurer, Environmental Protection" with "BAPC" noted in the memo line. Fees may also be submitted electronically at https://epayments.ndep.nv.gov/.
- This application shall be used for a new, renewal, and revision of Class I sources, including AQOP, OPTC, rollover OPTC, and PSD actions.
- An application for a Class I AQOP, OPTC, and PSD must be signed by the Responsible Official, as defined in NAC 445B.156. The certification document (signature page) is the last page of the application and the original "wet" signature must be provided.
- All items in the application must be addressed. If an item does not apply "N/A" or similar notation must be entered in the appropriate blank. All other information must be provided. Incomplete applications will be returned to the Responsible Official within:
 - o 45 days for a new or revision of Class I OPTC. (NAC 445B.3364(1))
 - o 30 days for sources subject to permitting requirements set forth in 40 CFR 52.21 applying for a new or revision of Class I PSD OPTC. (NAC 445B.3364(2))
 - o 60 days for a new, significant revision, or renewal of Class I AQOP. (NAC 445B.3395(1), NAC 445B.3443(3))
 - o 10 working days for a minor revision of Class I AQOP. (NAC 445B.3395(5))
 - o 30 days for sources subject to permitting requirements set forth in 40 CFR 52.21 applying for a new of Class I PSD. (NAC 445B.3395(2))
 - 45 days for an administrative revision of Class I OPTC. (NAC 445B.3441(2) and NAC 445B.3364(1))

IMPORTANT INFORMATION (continued)

- For the renewal of a Class I Operating Permit, a **complete** application and corresponding processing fee must be submitted in accordance with NAC 445B.3443(2) at least 240 days prior to the expiration date of the current permit but not earlier than 18 months. The BAPC suggests that the application be submitted well in advance of the timeline outlined in NAC 445B.3443 to ensure the application is deemed complete. The BAPC has 60 days to deem the application complete or incomplete. As stated above, incomplete applications will be returned within 60 days of the receipt of the application. Therefore, the BAPC recommends the application be submitted at least 300 days prior to expiration of the current permit.
- For stationary sources subject to the provisions regarding new source review set forth in United States Code (U.S.C.) Title 42 7501 through 7515, inclusive (nonattainment areas), include all information required by U.S.C. Title 42 7503 pursuant to NAC 445B.3363(2)(b)(3).
- For a proposed new major source or a proposed major modification to an existing stationary source that is subject to the provisions of 40 CFR 52.21, include all information required by 40 CFR 52.21 pursuant to NAC 445B.3368(3)(a).
- For a proposed new major source, or a proposed significant revision to an existing stationary source which is not subject to the provisions of 40 CFR 52.21, include all information as required by NAC 445B.308 through 445B.313, inclusive, pursuant to NAC 445B.3368(3)(b).
- For a proposed new major source or a proposed significant revision to an existing stationary source which is subject to the requirements of U.S.C. Title 42 7412 regarding hazardous air pollutants, include all information required by NAC 445B.308 through 445B.313, inclusive, pursuant to NAC 445B.3368(3)(c).

GENERAL COMPANY INFORMATION FORM

Company [NAC 445]	Name at 3.295(1)]:	ıd	A	Addr	ess	tł	nat	are	to	0	a _]	ppe	ear	on	1	the	(opera	ating	p _'	ermit
Name:																					
Address:																					
City: State:								7	Zip (Coo	de	:									
Owner's N	ame and A											_									
Name:				-				`	-												
Name: Address:																					
City:																					
State:									Zip (Coo	de	: _									
Facility Na	me and Ad	dre	ess,	, if d	iffe	ren	t fro	om #	2 [N	ΙA	C	445	5B.2	295(1)]	:					
Name:																					
Address:																					
City:																					
State:								_ 2	Zip (Coo	de	: _									
	required u				_		_	_		wil	ill 1	be	kep	ot at	a	loca	ati	ion o	ther	tha	n the
Name:																					
Address:																					
City:																					
State:								r	Zip (7~	da										

GENERAL COMPANY INFORMATION FORM (continued)

Name:		
Title:		
Address:		
City:		~ .
State:	Zip	Code:
Phone Number:		
Fax Number: E-mail Address:		
Plant Manager or		Title and Address [NAC 445B.295(1
Name:		
Title:		
Address:		
City:		
State:	Zip	Code:
Phone Number:	(vvv) vvv_vvv	
Fax Number:	(XXX) XXX-XXXX	
E-mail Address:		
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name:	ving Directions to the Facility (For x Interchange) [NAC 445B.295(8)]:	Example: From Elko, Nevada, 4 mi
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name:	ving Directions to the Facility (For x Interchange) [NAC 445B.295(8)]:	Example: From Elko, Nevada, 4 mi
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name: Township(s):	ving Directions to the Facility (For x Interchange) [NAC 445B.295(8)]:	E; Section(s):
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name: Township(s):	ving Directions to the Facility (For x Interchange) [NAC 445B.295(8)]: usin (HA) Number: N; Range(s): us for the Front Gate of the Facility (N	Example: From Elko, Nevada, 4 mi E; Section(s): [AD 83, Zone 11):
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name: Township(s): UTM Coordinate	N; Range(s): Is for the Front Gate of the Facility (North;	Example: From Elko, Nevada, 4 mi E; Section(s): [AD 83, Zone 11):
Location and Dri south of I-80 at x: Hydrographic Ba HA Basin Name: Township(s): UTM Coordinate Nearest City:	N; Range(s): Is for the Front Gate of the Facility (North;	Example: From Elko, Nevada, 4 E; Section(s): [AD 83, Zone 11):

GENERAL COMPANY INFORMATION FORM (continued)

9.	Emission Cap Requested [NAC 445B.070, NAC 445B.296(2), NAC 445B.296(3)]:
	☐ Yes ☐ No (If yes, provide details in the attached Process Narrative)
10.	Important note for completing the Industrial Process, Combustion Equipment, Storage Silo, and Liquid Storage Tank Application Forms: forms need to be included for all permitted emission units and insignificant activities. Provide additional forms as needed. All items in the application must be addressed. If an item does not apply, then "N/A" or similar notation (TDB, unknown, etc.) must be entered in the appropriate blank.
11.	Check one that applies:
	☐ Major Stationary Source
	☐ Minor Source
	☐ New Source Review (NSR) Synthetic Minor Source
12.	Is the Facility subject to 40 CFR 51.307 and 52.21(p) (i.e., located within 100 km of a Class I Federal Area within Nevada and any adjacent states, for example Jarbidge Wilderness Area) protected by the Regional Haze Program (40 CFR Part 81)? ☐ Yes ☐ No
13.	 Check any of the following that apply to this application: ☐ Involve significant changes to the existing requirements for monitoring, reporting, or recordkeeping. ☐ Require or change a determination of an emission limitation or other standard on a case-by-case basis.
	☐ Require or change a visibility or increment analysis.
	☐ Require or change a determination of ambient impact for any temporary source.
	☐ Establish or change a condition of the operating permit for which there is no a federally enforceable emissions cap and/or an alternative emission limitation pursuant to U.S.C. Title 42 7412(i)(5).
	Result in an increase in allowable emissions that exceeds any of the following specified thresholds: Carbon monoxide, 100 tons per year; Nitrogen oxides, 40 tons per year; Sulfur dioxide (SO ₂), 40 tons per year; Particulate Matter less than or equal to 10 microns in diameter (PM ₁₀), 15 tons per year; Ozone (O ₃), 40 tons per year of volatile organic compounds (VOC); Sulfuric acid mist, 7 tons per year; and Hydrogen sulfide (H ₂ S), 10 tons per year.
	☐ Modification pursuant to any provision of U.S.C. Title 42 7401 to 7515, inclusive, or a major modification at an existing major stationary source.

If any of the boxes were checked above, a minor revision may not be made to the Class I Operating Permit pursuant to NAC 445B.3425.

GENERAL COMPANY INFORMATION FORM (continued)

 Will the Facility be constructed in more than one phase [NAC 445B.3395(17)]? □ Yes □ No (If yes, provide details in the attached Process Narrative) 						
		ent" pursuant to NAC 445B.019?				
Verify facility's complex exemption if applicable		ng regulations and describe the reaso				
FEDE	RALLY ENFORCEABLE	REQUIREMENTS				
NAC 445B.225	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.315(3)(h)	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.315(3)(i)	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.315(3)(k)	☐ Compliant ☐ Exempt	Reason for Exemption				
40 CFR 52.21(r)(4)	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.252	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22067	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22093	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22037	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.227	☐ Compliant ☐ Exempt	Reason for Exemption				
40 CFR Parts 60.1-60.19, 61.01-61.19, 61.140- 61.157, 63.1-63.15, and 70	☐ Compliant ☐ Exempt	Reason for Exemption				
40 CFR Part 82	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.230	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22017	☐ Compliant ☐ Exempt	Reason for Exemption				
	STATE REQUIREM	IENTS				
NRS 445B.470	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22013	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.326(1)	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 445B.22087	☐ Compliant ☐ Exempt	Reason for Exemption				
NAC 459.952-459.95528	☐ Compliant ☐ Exempt	Reason for Exemption				

INDUSTRIAL PROCESS APPLICATION FORM CLASS I OPERATING PERMIT

Emission Unit Description:	
Alternative Operating Scenario: ☐ Yes ☐ No	
Insignificant Activity: \square Yes \square No If yes, identify exemption regulation:	

		,	
	Description		Data
	BAPC Emission Unit ID and System Number Applicable for Renewal or Revision Source Classification Code (SCC)	eg. Unit ID: S2.001, PF1.001 System Number: 05 e.g. 3-03-024-04 for Conveyors	
	Manufacturer		
	Date Manufactured		
Equipment	Model Number		
Description	Equipment Dimensions (LxWxH)	feet	
	Drop Dimensions (LxWxH) if applicable	feet	
	The drop height is measured from the drop length, in reference to the grou		p length \square middle of the drop length \square bottom of the
	Emissions Released Inside building?	yes/no	
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	
	Material Type Processed		
	Operating Time per Day	hour/day	
	Operating Time per Year	hour/year	
Operating	Hourly Throughput Rate	unit/hour	
Parameters	Annual Throughput Rate	unit/year	
	Batch Process if applicable	unit/batch	
	Start Time if operating less than 24 hours/day	hour:minute	
	End Time if operating less than 24 hours/day	hour:minute	
	Type of Control		
	Control Efficiency	%	
Control	Pollutant(s) Controlled		
Equipment	Manufacturer		
	Manufacturer's Guarantee included?	yes/N/A	
	Stack Height	feet	
	Stack Inside Diameter	feet	
G4 I	Stack Temperature	°F	
Stack Parameters	Stack Exit Velocity	feet/second	
Farameters	Actual Gas Volume Flow Rate	acfm	
	Dry Gas Volume Flow Rate	dscfm	
	Stack Release Type		☐ vertical ☐ capped ☐ horizontal

INDUSTRIAL PROCESS APPLICATION FORM CLASS I OPERATING PERMIT (continued)

Emission Unit Description:	

	Description	Data	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Re	ference	
5	Uncontrolled Emission Limit	pound/hour	
Particulate Matter (PM)	Uncontrolled Emission Limit	ton/year	
Emissions	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Refer	rence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Re	ference	
5	Uncontrolled Emission Limit	pound/hour	
Particulate Matter as PM ₁₀	Uncontrolled Emission Limit	ton/year	
Emissions	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Refer	rence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Re	ference	
	Uncontrolled Emission Limit	pound/hour	
Particulate Matter as PM _{2.5}	Uncontrolled Emission Limit	ton/year	
Emissions	Controlled Emission Factor	(insert units)	
231115510115	Controlled Emission Factor Refer	rence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Pollutant Name	-	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Re	ference	
0.7	Uncontrolled Emission Limit	pound/hour	
Other Pollutants	Uncontrolled Emission Limit	ton/year	
1 onutants	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Refer	rence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	

INDUSTRIAL PROCESS APPLICATION FORM CLASS I OPERATING PERMIT (continued)

E	mission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other): ☐ Yes ☐ No If yes, identify regulation and applicability and include required analysis or plans (e.g. siting analysis or Continuous Assurance Monitoring (CAM) plans).
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.22033, NAC 445B.22017): ☐ Yes ☐ No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

Emission Unit Description:	
Alternative Operating Scenario: ☐ Yes ☐ No	
Insignificant Activity: \square Yes \square No If yes, identify exemption regulation:	

	Description		Data
	BAPC Emission Unit ID and System Number Applicable for Renewal or Revision Source Classification Code (SCC)	eg. Unit ID: S2.001 System Number: 05 e.g. 3-03-024-04 for Conveyors	
Equipment	Manufacturer	Conveyors	
Description	Date Manufactured		
	Model and Serial Number		
	Max Design Heat Input [NAC 445B.3135]	MMBtu/hour	
	Emissions Released Inside building?	yes/no	
For	Max Design Horsepower Output	hp (kW)	
Reciprocating	Type of Engine Code (See Notes*)		
Internal Combustion	Date Constructed	month/day/yr	
Engines (DICE) Only	Cylinder Displacement	liter/cylinder	
(RICE) Only	EPA Tier #		
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	
	Fuel Type		
	Operating Time per Day	hour/day	
	Operating Time per Year	hour/year	
Operating	Hourly Usage Rate Maximum Provide Equipment Specifications	<i>unit</i> /hour	
Parameters /Fuel Usage	Annual Usage Rate Maximum	unit/year	
ruei Usage	Sulfur Content	%	
	Heat Content	Btu/unit	
	Start Time if operating less than 24 hours/day	hour:minute	
	End Time if operating less than 24 hours/day	hour:minute	

Notes*

Code	Description	Code	Description
LU	Limited Use	E-SI	Emergency Spark Ignition
LDG	Landfill/Digester Gas	SI4SRB	Spark Ignition 4-Stroke Rich Burn
NECI	Non-Emergency Compression Ignition	SI4SLB	Spark Ignition 4-Stroke Lean Burn
ECI	Emergency Compression Ignition	SI2SLB	Spark Ignition 2-Stroke Lean Burn

Emission Unit Description:	

Description					Data
Type of Control					
G 4 1	Control Efficiency	%			
Control Equipment	Pollutant(s) Controlled				
Equipment	Manufacturer				
	Manufacturer's Guarantee Included?	yes/N/A			
	Stack Height	feet			
	Stack Inside Diameter	feet			
	Stack Temperature	°F			
Stack	Stack Exit Velocity	feet/second			
Parameters	Actual Gas Volume Flow Rate	acfm			
	Dry Gas Volume Flow Rate	dscfm			
	Stack Release Type		□ vertical	□capped	☐ horizontal
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
.	Uncontrolled Emission Limit	pound/hour			
Particulate Matter (PM)	Uncontrolled Emission Limit	ton/year			
Emissions	Controlled Emission Factor (insert units)				
	Controlled Emission Factor Reference				
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
	Uncontrolled Emission Limit	pound/hour			
Particulate Matter as PM ₁₀	Uncontrolled Emission Limit	ton/year			
Emissions	Controlled Emission Factor	(insert units)			
	Controlled Emission Factor Refe	rence			
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
	Uncontrolled Emission Limit	pound/hour			
Particulate Matter as PM _{2.5}	Uncontrolled Emission Limit	ton/year			
Emissions	Controlled Emission Factor	(insert units)			
	Controlled Emission Factor Refe	rence			
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			

Emission Unit Description:	

	Description		Data
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Reference		
	Uncontrolled Emission Limit	pound/hour	
Sulfur Dioxide	Uncontrolled Emission Limit	ton/year	
(SO ₂) Emissions	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Refe	erence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor R	eference	
0.11	Uncontrolled Emission Limit	pound/hour	
Oxides of Nitrogen (NO _X)	Uncontrolled Emission Limit	ton/year	
Emissions	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Refe	erence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor Reference		
G 1	Uncontrolled Emission Limit	pound/hour	
Carbon Monoxide (CO)	Uncontrolled Emission Limit	ton/year	
Emissions	Controlled Emission Factor	(insert units)	
	Controlled Emission Factor Reference		
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	
	Uncontrolled Emission Factor	(insert units)	
	Uncontrolled Emission Factor R	eference	
Volatile Organic	Uncontrolled Emission Limit	pound/hour	
Compounds	Uncontrolled Emission Limit	ton/year	
(VOC)	Controlled Emission Factor	(insert units)	
Emissions	Controlled Emission Factor Refe	erence	
	Controlled Emission Limit	pound/hour	
	Controlled Emission Limit	ton/year	

Emission Unit Description:	

Description			Data		
	Component		Carbon Dioxide (CO ₂)	Nitrous Oxide (N ₂ O)	Methane (CH ₄)
Greenhouse	Uncontrolled Emission Factor	(insert units)			
Gases (CO _{2e}) Emissions	Uncontrolled Emission Factor Reference				
Emissions	Uncontrolled Emission Limit	pound/hour			
	Uncontrolled Emission Limit	ton/year			
	Uncontrolled Emission Factor Ref	erence			
Hazardous Air	Uncontrolled Emission Limit	pound/hour			
Pollutants	Uncontrolled Emission Limit	ton/year			
(HAPs) Emissions	Controlled Emission Factor Reference				
Combined	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Ref	erence			
	Uncontrolled Emission Limit	pound/hour			
Other	Uncontrolled Emission Limit	ton/year			
Pollutants	Pollutant Name				
	Controlled Emission Factor	(insert units)			
	Controlled Emission Factor Refere	ence			
	Controlled Emission Limit	pound/hour			

E	mission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other):
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22017)
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

STORAGE SILO APPLICATION FORM CLASS I OPERATING PERMIT

Emission Unit Description:	
Alternative Operating Scenario: Yes No	
Insignificant Activity: Yes No If yes, identify exemption regulation:	

	D 1.11		Data		
	Description		Silo Loading	Silo Unloading	
	BAPC Emission Unit ID and System Number Applicable for Renewal or Revision	eg. Unit ID: S2.001, PF1.001 System Number: 05			
	Source Classification Code (SCC)	e.g. 3-03-024-04 for Conveyors			
	Manufacturer				
Equipment	Date Manufactured				
Description	Model Number				
	Equipment Dimensions (LxWxH)	feet			
	Drop Dimensions (LxWxH) if applicable	feet			
	Emissions Released Inside building?	yes/no			
Location of	UTM Northing (NAD 83, Zone 11)	m			
Emission Source	UTM Easting (NAD 83, Zone 11)	m			
	Material Type Processed				
	Operating Time per Day	hour/day			
	Operating Time per Year	hour/year			
	Hourly Throughput Rate	unit/hour			
Operating	Annual Throughput Rate	unit/year			
Parameters	Batch Process if applicable	unit/batch			
	Start Time	hour:minute			
	if operating less than 24 hours/day				
	End Time	hour:minute			
	if operating less than 24 hours/day				
	Type of Control Control Efficiency	%			
Control	Pollutant(s) Controlled	/0			
Equipment	quipment Pollutant(s) Controlled Manufacturer				
	Manufacturer's Guarantee Included?	yes/N/A			

STORAGE SILO APPLICATION FORM CLASS I OPERATING PERMIT (continued)

Emission Unit Description:	

December 4 in a			Data		
	Description		Silo Loading	Silo Unloading	
	Stack Height	feet			
	Stack Inside Diameter	feet			
	Stack Temperature	°F			
Stack	Stack Exit Velocity	feet/second			
Parameters	Actual Gas Volume Flow Rate	acfm			
	Dry Gas Volume Flow Rate	dscfm			
	Stack Release Type	Vertical/Capped/ Horizontal			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
	Uncontrolled Emission Limit	pound/hour			
Particulate	Uncontrolled Emission Limit	ton/year			
Matter (PM)	Controlled Emission Factor	(insert units)			
Emissions	Controlled Emission Factor				
	Reference				
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
D 41 1.4	Uncontrolled Emission Limit	pound/hour			
Particulate Matter as PM ₁₀	Uncontrolled Emission Limit	ton/year			
Emissions	Controlled Emission Factor	(insert units)			
Limsions	Controlled Emission Factor Refe	erence			
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
D 41 1 4	Uncontrolled Emission Limit	pound/hour			
Particulate Matter as PM _{2.5}	Uncontrolled Emission Limit	ton/year			
Emissions	Controlled Emission Factor	(insert units)			
Eliiissiolis	Controlled Emission Factor Refe	erence			
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			
	Pollutant Name				
	Uncontrolled Emission Factor	(insert units)			
	Uncontrolled Emission Factor Re	eference			
Othor	Uncontrolled Emission Limit	pound/hour			
Other Pollutants	Uncontrolled Emission Limit	ton/year			
ronutants	Controlled Emission Factor	(insert units)			
	Controlled Emission Factor Refe	erence			
	Controlled Emission Limit	pound/hour			
	Controlled Emission Limit	ton/year			

STORAGE SILO APPLICATION FORM CLASS I OPERATING PERMIT (continued)

E	mission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other): \[\subseteq \text{Yes} \subseteq \text{No} If yes, identify regulation and applicability and include required analysis or plans (e.g. siting analysis or Continuous Assurance Monitoring (CAM) plans).
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22033, NAC 445B.22017): ☐ Yes ☐ No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

LIQUID STORAGE TANK APPLICATION FORM CLASS I OPERATING PERMIT

	D	D.4		
	Description		Data	
	BAPC Emission Unit ID and System Number	eg. Unit ID: S2.001, PF1.001 System Number: 05		
	Applicable for Renewal or Revision Source Classification Code (SCC)	e.g. 3-03-024-04 for Conveyors		
	Manufacturer			
	Date Manufactured			
	Model Number			
	Heated Tank	yes/no		
	Shell Height	feet		
	Shell Diameter	feet		
	Maximum Liquid Height	feet		
	Average Liquid Height	feet		
	Capacity of Tank	gallons		
	Shell Color			
Equipment	Shell Condition	good/poor		
Description	Roof Type (Cone, Dome, External, or Inter Roof)	nal Floating		
	Roof Height	feet		
	Roof Color	•		
	Cone Roof Slope			
	Dome Roof Radius	feet		
	True Vapor Pressure of Liquid	psig		
	Reid Vapor Pressure of Liquid	psig		
	Orientation of Tank	Horizontal/Vertical		
	Submerged Fill [NAC 445B.22093(3)]	yes/no		
	Equipment Dimensions (LxWxH)	feet		
Location of	UTM Northing (NAD 83, Zone 11)	m		
Emission Source	UTM Easting (NAD 83, Zone 11)	m		

LIQUID STORAGE TANK APPLICATION FORM CLASS I OPERATING PERMIT (continued)

	Description		Data
	Material Type		
Operating	Operating Time per Year	hour/year	
Parameters	Maximum Throughput	gallon/month	
	Maximum Throughput	gallon/year	
	Type of Control		
	Control Efficiency	%	
Control	Pollutant(s) Controlled		
Equipment	Manufacturer		
	Manufacturer's Guarantee Included?	yes/NA	
Volatile Organic Compounds (VOC) Emissions	Emission Limit	ton/year	
	Emission Factor (with units) (insert units)		
Other	Emission Factor Reference		
Pollutants	Emission Limit	pound/hour	
	Emission Limit	ton/year	

LIQUID STORAGE TANKS APPLICATION FORM CLASS I OPERATING PERMIT (continued)

E	mission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other): ☐ Yes ☐ No If yes, identify regulation and applicability and include required analysis or plans (e.g. siting analysis or Continuous Assurance Monitoring (CAM) plans).
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22033 NAC 445B.22017, NAC 445B.3363(1)(g): Yes No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

FACILITY-WIDE POTENTIAL TO EMIT TABLE (FOR ALL SOURCES INCLUDING INSIGNIFICANT ACTIVITIES) (POUND/HOUR <u>AND</u> TON/YEAR)

Pollutant	Facility-Wide Potential to Emit (pound/hour)	Facility-Wide Potential to Emit (ton/year)
Total Particulate Matter (PM)		
Total PM ₁₀		
Total PM _{2.5}		
Total Sulfur Dioxide (SO ₂)		
Total Carbon Monoxide (CO)		
Total Oxides of Nitrogen (NO _X)		
Total Volatile Organic Compounds (VOC)		
Total Lead (Pb)		
Total Hydrogen Sulfide (H ₂ S)		
Total Sulfuric Acid Mist (H ₂ SO ₄)		
Total Hazardous Air Pollutants (HAPs)		
Total Greenhouse Gases (CO _{2e})		
Other Regulated Pollutants (Specify)		

REVISION TABLE

Please complete the table below if this application is for a Minor/Significant **Revision** of an existing Class I Air Quality Operating Permit. Add more columns if needed for any other applicable regulated pollutants. All Potential To Emit (PTE) values must be in tons per year (TPY) [NAC 445B.3425 and NAC 445B.344]

Daniel	Pollutants									
Description	PM	PM ₁₀	PM _{2.5}	SO ₂	NOx	со	voc	HAPs	CO _{2e}	Other
Permitted Facility-Wide PTE (TPY)										
Proposed Facility-Wide PTE (TPY)										
Change in Facility-Wide PTE (TPY)										

SURFACE AREA DISTURBANCE FORM

- 1. Total Acres of the Facility Site: Click or tap here to enter text.
- 2. Total Acres Disturbed: Click or tap here to enter text.
- 3. Add Surface Area Disturbance location as Township(s), Range(s) and Section Click or tap here to enter text.
- 4. NAC 445B.22037 requires fugitive dust to be controlled (regardless of the size or amount of acreage disturbed), and requires an ongoing program, using best practical methods, to prevent particulate matter from becoming airborne. All activities which have the potential to adversely affect the local air quality must implement all appropriate measures to limit controllable emissions. Appropriate measures for dust control may consist of a phased approach to acreage disturbance rather than disturbing the entire area all at once; using wet suppression through such application methods as water trucks or water spray systems to control wind-blown dust; the application of soil binding agents or chemical surfactant to roadways and areas of disturbed soil; as well as the use of wind-break or wind limiting fencing designed to limit wind erosion soils.
- 5. If the Surface Area Disturbance is greater than 5 acres, please check each box that applies for Best Management Practices (BMPs) used for controlling dust on project's disturbed areas:

Water trucks
Graveling/paving of roadway storage areas and staging areas
Dust palliatives
Posting and limiting vehicle speeds to 10-15 miles per hour
Ceasing operations during high wind events
Fencing or berming to prevent unauthorized access to disturbed areas
Application of water sprays on material storage piles on a regular basis
Covering material storage piles with tarpaulin or geo-textiles; tenting
Use of overhead water spray racks or water hoses
Track-out controls (graveled entranced, exit area, and street sweeping)
Landscape preservation and impact avoidance
Wind fence
Pre-watering of areas to be disturbed (including all unpaved onsite roads and staging areas)
Inform all subcontractors (including truck drivers) of their responsibilities for the control of fugitive dust while they are on the project site
Training of equipment operators to recognize fugitive dust generation and having the authority to shut down operations until water truck arrives and sprays water on the disturbed areas
Other Applicable BMPs: Click or tap here to enter text.
Other Applicable BMPs: Click or tap here to enter text.
If using water trucks, list how many water trucks are used and their capacity in gallons: Click or tap here to enter text.

APPLICATION CERTIFICATION DOCUMENT

(With Required Attachments)
Please check all applicable boxes below to indicate the information provided in your application submittal:

	General Company Information Form
	Compliance Plan
	Industrial Process Application Form(s)
	Combustion Equipment Application Form(s)
	Storage Silo Application Form(s)
	Liquid Storage Tank Application Form(s)
	Facility-Wide Potential to Emit Table
	Revision Table
	Surface Area Disturbance Form
	Detailed Emission Calculations (for all emission units including IA units)
	Process Narrative (revision applications must include a description of the revision)
	Process Flow Diagram(s)
	Site Plan(s) showing the locations (UTM coordinates), dimensions, and heights of buildings on the site
	Maps:
	☐ Vicinity Map of where the facility is located in the State
	☐ Area Map of the Facility (including location of all emission units, location of front gate, and fence line)
	Environmental Evaluation (AERMOD Air Dispersion Modeling) [NAC 445B.310]
	Manufacturer's Guarantee if applicable
	Equipment Specifications if applicable
	TANKs Modeling Output if applicable
	Application Fee Attached or Electronically Submitted
	Digital Copy of Application on CD or Thumb Drive
П	Application Certification Document with Original Responsible Official Signature

PLEASE NOTE THE FOLLOWING REQUIREMENTS WHICH APPLY TO PERMIT APPLICANTS DURING THE APPLICATION PROCESS:

- A. A permit applicant must submit supplementary facts or corrected information upon discovery [NAC 445B.297.1(b)].
- B. A permit applicant is required to provide any additional information which the Director requests in writing within the time specified in the Director's request [NAC 445B.297.1(c)].
- C. Submission of fraudulent data or other information may result in prosecution for an alleged criminal offense [NRS 445B.470].

CERTIFICATION:

I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete.

Signature of Responsible Office	cial	
Print or Type Name and Title		
Date		