REVISED PROPOSED REGULATION OF THE

STATE ENVIRONMENTAL COMMISSION

LCB File No. R113-22

February 12, 2024

EXPLANATION - Matter in *italics* is new; matter in brackets [omitted material] is material to be omitted.

AUTHORITY: §§ 1, 2 and 20-31, NRS 445A.425 and 445A.520; §§ 3-16, 19, 32, 33 and 36-38, NRS 445A.425 and 445A.465; § 17, NRS 445A.425, 445A.465 and 445A.565; § 18, NRS 445A.425, 445A.465 and 445A.475; § 34, NRS 445A.425, 445A.465 and 445A.400; § 35, NRS 445A.425, 445A.430, 445A.465 and 445A.480.

A REGULATION relating to water pollution; establishing provisions for the designation of certain waters with a beneficial use of "extraordinary ecological, aesthetic or recreational value"; defining certain terms relating to an antidegradation review process for point source discharges into surface waters of this State; establishing provisions for the antidegradation review process; revising provisions relating to standards for water quality; revising various provisions relating to discharge permits, general permits and zones of mixing; and providing other matters properly relating thereto.

Legislative Counsel's Digest:

Existing law requires the State Environmental Commission to adopt regulations relating to water pollution control, including water quality standards and limitations on the discharge of waste to protect designated beneficial uses of the waters of this State. (NRS 445A.425, 445A.520) Under existing regulations, the Commission has established water quality standards to protect existing and designated beneficial uses, which include protections for waters of extraordinary ecological or aesthetic value. (NAC 445A.122) **Section 2** of this regulation sets forth a process by which the Commission may designate a surface water of this State or segment thereof with the beneficial use of "extraordinary ecological, aesthetic or recreational value." **Section 2** requires the Commission to designate a tier level of antidegradation protection for such a designated water, which must be either a tier 2.5 or tier 3 level of antidegradation protection. **Sections 21-31** of this regulation make conforming changes to revise the beneficial use of "water of extraordinary ecological or aesthetic value" to "extraordinary ecological, aesthetic or recreational value."

Sections 3-19 of this regulation set forth an antidegradation review process for discharges into surface waters of this State to protect the water quality of surface waters of this State and maintain, with certain exceptions, any existing higher water quality levels. **Section 20** of this regulation makes conforming changes to incorporate these provisions into existing definitions for chapter 445A of the Nevada Administrative Code.

Sections 3-8 of this regulation define various terms relating to the antidegradation review process.

Section 9 of this regulation provides that the provisions relating to antidegradation set forth in **sections 3-19** do not apply to any activity that may result in the temporary or limited degradation of water quality if the Director of the State Department of Conservation and Natural Resources determines that activity is necessary for certain reasons.

Section 10 of this regulation sets forth the circumstances under which tier 1, tier 2, tier 2.5 and tier 3 levels of antidegradation protection will apply.

Section 11 of this regulation authorizes the Department, for a parameter of concern with a tier 1 level of antidegradation protection, to authorize a new or expanded point source discharge if the Department determines that the water quality will not be degraded below the applicable standards of water quality. **Section 12** of this regulation authorizes the Department, for a parameter of concern with a tier 2 level of antidegradation protection, to authorize a new or expanded point source discharge that will degrade the baseline water quality, interim baseline value or requirement to maintain existing higher water quality under certain circumstances, if approved by the Commission.

Section 13 of this regulation requires the Department to prohibit, for a surface water or segment thereof designated as having a tier 2.5 level of antidegradation protection: (1) any new or expanded point source discharge into or upstream of the designated surface water or segment thereof if the Department determines the discharge will degrade the baseline water quality or any requirement to maintain existing higher water quality or have a detrimental impact on the designated water; and (2) any new or expanded zone of mixing within the designated water.

Section 14 of this regulation requires, with certain exceptions, the Department to prohibit, for a surface water or segment thereof designated as having a tier 3 level of antidegradation protection any new or expanded: (1) discharge into the designated water; (2) zone of mixing within the designated water; and (3) discharge that occurs upstream of the designated water if the Department determines the discharge will degrade the baseline water quality or any requirement to maintain existing higher water quality.

Section 15 of this regulation requires the Department to conduct an antidegradation review when an application to discharge into the surface waters of this State is submitted to the Department.

Section 16 of this regulation sets forth the requirements for an antidegradation review, which must: (1) with certain exceptions, be conducted for each parameter of concern that is expected to be present in the point source discharge; and (2) evaluate the potential impacts of the point source discharge to the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, if established.

Existing law prohibits the discharge of waste into the surface waters of the State that will result in the lowering of water quality of such waters whose quality is higher than the applicable standards of water quality, unless the person demonstrates to the Commission that the lower quality is justifiable because of economic or social considerations. (NRS 445A.565) **Section 17** of this regulation provides that if the antidegradation review determines that the discharge will degrade the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for a parameter of concern in the receiving water with a tier 2 level of antidegradation protection, the applicant is required to submit to the Department an analysis of alternatives for the review of the Commission. **Section 17** further provides that if the analysis of alternatives does not identify a technologically feasible and economically achievable

alternative that would prevent or reduce the impact of the discharge on the water quality of the parameter of concern in the receiving water, the applicant is required to submit to the Department, for the approval of the Commission, a justification based on the economic or social importance of the proposed discharge. **Section 17** provides that the Commission will hold a hearing on the justification and, based on certain findings, may approve the issuance of a permit for the discharge.

Section 18 of this regulation sets forth the requirements for an antidegradation review for a general permit.

Section 19 of this regulation sets forth the requirements for an antidegradation review for a storm water runoff permit.

Sections 32-38 of this regulation make conforming changes to incorporate the antidegradation process into existing requirements for applications for discharge permits, general permits and zones of mixing.

- **Section 1.** Chapter 445A of NAC is hereby amended by adding thereto the provisions set forth as sections 2 to 19, inclusive, of this regulation.
- Sec. 2. 1. For the purposes of paragraph (i) of subsection 1 of NAC 445A.122,

 Commission may designate a surface water or segment of a surface water with the beneficial use of "extraordinary ecological, aesthetic or recreational value" if the Commission determines that the water has one or more of the following attributes:
 - (a) Water quality that is better than the applicable standards of water quality;
 - (b) One or more unique water quality characteristics or attributes; or
 - (c) Some other extraordinary ecological, aesthetic or recreational value.
- 2. The Commission will designate the tier level of antidegradation protection that will be applied to the water for the purposes of sections 3 to 19, inclusive, of this regulation. A water designated as having a beneficial use of "extraordinary ecological, aesthetic or recreational value" must have a designated tier level of antidegradation protection of 2.5 or 3.
- 3. The designation of a surface water or segment of a surface water with a beneficial use of "extraordinary ecological, aesthetic or recreational value" does not prohibit the use of water authorized under title 48 of NRS.

- Sec. 3. As used in sections 3 to 19, inclusive, of this regulation, unless the context otherwise requires, the words and terms defined in sections 4 to 8, inclusive, of this regulation have the meanings ascribed to them in those sections.
- Sec. 4. "Baseline water quality" means the existing water quality for each parameter of concern in the surface water or segment thereof, which has been established by the Department following the collection of not less than 20 samples collected approximately every 90 days over a period of not less than 5 years at a location designated by the Department.
- Sec. 5. "Effluent-dominated water" means a surface water or segment thereof that consists of greater than 80 percent wastewater effluent for at least 300 days in a 365-day period.
- Sec. 6. "Interim baseline value" means the interim estimate of the baseline water quality for each parameter of concern in the surface water or segment thereof, which has been established by the Department following the collection of not less than eight samples collected approximately every 90 days over a period of at least 2 years.
- Sec. 7. "Parameter of concern" means a parameter with a water quality standard set forth in NAC 445A.11704 to 445A.2234, inclusive, or that has been determined by the Department to be of concern.
- Sec. 8. "Requirement to maintain existing higher water quality" means a water quality standard established by the Commission for a parameter of concern in a surface water or segment thereof where the baseline water quality has been determined by the Department to be better than the water quality standard set forth in NAC 445A.11704 to 445A.2234, inclusive.

- Sec. 9. The provisions of sections 3 to 19, inclusive, of this regulation do not apply to any activity which may result in the temporary or limited degradation of water quality if the Director determines that the activity is necessary:
- 1. To accommodate public health and safety in the area in which the surface water is located; or
 - 2. As an emergency response to mitigate an immediate threat to public health or safety.
- → Any such activity must not be reoccurring and the Department shall ensure that any controls necessary are implemented to minimize the temporary impacts to water quality.
 - Sec. 10. For the purposes of sections 3 to 19, inclusive, of this regulation:
 - 1. A tier 1 level of antidegradation protection:
 - (a) Applies when:
- (1) The baseline water quality or interim baseline value of a surface water or segment thereof on a parameter-by-parameter basis is determined by the Department to not be better than the applicable water quality standard set forth in NAC 445A.11704 to 445A.2234, inclusive, for that surface water or segment thereof; or
 - (2) The surface water or segment thereof is an effluent-dominated water; and
 - (b) Is subject to the provisions of section 11 of this regulation.
 - 2. A tier 2 level of antidegradation protection:
 - (a) Applies when:
- (1) The baseline water quality or interim baseline value of a surface water or segment thereof on a parameter-by-parameter basis is determined by the Department to be better than the applicable water quality standard set forth in NAC 445A.11704 to 445A.2234, inclusive, for that surface water or segment thereof; or

- (2) A requirement to maintain existing higher water quality has been established by the Commission; and
 - (b) Is subject to the provisions of section 12 of this regulation.
 - 3. A tier 2.5 level of antidegradation protection:
- (a) Applies when the surface water or segment thereof has been designated by the Commission, pursuant to section 2 of this regulation, as having a beneficial use of "extraordinary ecological, aesthetic or recreational value" and as having a tier 2.5 level of antidegradation protection; and
 - (b) Is subject to the provisions of section 13 of this regulation.
 - 4. A tier 3 level of antidegradation protection:
- (a) Applies when the surface water or segment thereof has been designated by the Commission, pursuant to section 2 of this regulation, as having a beneficial use of "extraordinary ecological, aesthetic or recreational value" and as having a tier 3 level of antidegradation protection; and
 - (b) Is subject to the provisions of section 14 of this regulation.
- Sec. 11. If a parameter of concern in a surface water or segment thereof is designated as having a tier 1 level of antidegradation protection, the Department:
- 1. Shall maintain and protect the water quality to meet the applicable water quality standards set forth in NAC 445A.11704 to 445A.2234, inclusive; and
- 2. May authorize a new or expanded point source discharge if the Department determines that the water quality will not be degraded below the applicable water quality standards set forth in NAC 445A.11704 to 445A.2234, inclusive.

- Sec. 12. If a parameter of concern in a surface water or segment thereof is designated as having a tier 2 level of antidegradation protection, the Department:
- 1. Shall, except as otherwise provided in subsection 2, maintain and protect the baseline water quality or interim baseline value, as applicable, or any requirement to maintain existing higher water quality; and
- 2. May authorize a new or expanded point source discharge that will degrade the baseline water quality or interim baseline value, as applicable, or any requirement to maintain the existing higher water quality if the discharge is approved by the Commission pursuant to section 17 of this regulation.
- Sec. 13. If a surface water or segment thereof is designated by the Commission, pursuant to section 2 of this regulation, as having a tier 2.5 level of antidegradation protection by the Commission, the Department:
 - 1. Shall:
- (a) Maintain and protect the baseline water quality or any requirement to maintain existing higher water quality;
 - (b) Prohibit:
- (1) Any new or expanded point source discharge into or upstream of the designated water if the Department determines the discharge will degrade the baseline water quality or any requirement to maintain existing higher water quality or have a detrimental impact on an attribute of the designated water; and
 - (2) Any new or expanded zone of mixing within the designated water; and
 - 2. Shall not:

- (a) Prohibit a point source discharge that was authorized by the Department before the surface water or segment was designated as having a tier 2.5 level of antidegradation protection if the request to renew or modify the permit to discharge will not expand the point source discharge or alter the zone of mixing;
- (b) Deny an application for a storm water runoff permit or an application to modify or renew an existing storm water runoff permit if the Department determines that the applicant has demonstrated that the baseline water quality or any requirement to maintain existing higher water quality will be maintained and protected; or
- (c) Prohibit an activity authorized by the Department to restore, maintain or improve the water quality of the designated water.
- Sec. 14. If a surface water or segment thereof is designated by the Commission, pursuant to section 2 of this regulation, as having a tier 3 level of antidegradation protection, the Department:
 - 1. Shall:
- (a) Maintain and protect the baseline water quality or any requirement to maintain existing higher water quality;
 - (b) Except as otherwise provided in subsection 5 of section 18 of this regulation, prohibit:
 - (1) Any new or expanded point source discharge into the designated water;
- (2) Any new or expanded point source discharge that occurs upstream of the designated water if the Department determines that the discharge will degrade the baseline water quality or any requirement to maintain existing higher water quality or have a detrimental impact on the designated water; and
 - (3) Any new or expanded zone of mixing within the designated water; and

- 2. Shall not:
- (a) Prohibit a point source discharge that was authorized by the Department before the surface water or segment thereof was designated as having a tier 3 level of antidegradation protection if the request to renew or modify the permit to discharge will not result in an expanded point source discharge or alter a zone of mixing associated with the point source discharge;
- (b) Deny an application for a storm water runoff permit or an application to modify or renew an existing storm water runoff permit if the Department determines that the applicant has demonstrated that the baseline water quality or any requirement to maintain the existing higher water quality will be maintained and protected; or
- (c) Prohibit an activity authorized by the Department to restore, maintain or improve the water quality of the designated water.
- Sec. 15. The Department shall conduct an antidegradation review to ensure the antidegradation requirements of sections 3 to 19, inclusive, of this regulation are met if a person submits an application for a permit pursuant to NAC 445A.230 for:
 - 1. A new point source discharge;
- 2. The renewal or modification of a permit that will result in an expanded point source discharge, which includes, without limitation, a proposed:
 - (a) Increase of the maximum flow of the discharge;
 - (b) Increase in the concentration of any parameter of concern in the discharge;
 - (c) Increase in the load of any parameter of concern to the receiving water;
- (d) Change in the composition of the discharge which would require different effluent limitations; or

- (e) Relocation of the discharge; or
- 3. A new or altered zone of mixing.
- Sec. 16. 1. An antidegradation review required pursuant to section 15 of this regulation must:
- (a) Be conducted by the Department for each parameter of concern that is expected to be present in the point source discharge; and
- (b) Evaluate the potential impacts of a point source discharge to the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for each parameter of concern in the receiving water.
 - 2. For the purpose of the evaluation conducted pursuant to subsection 1:
- (a) Except as otherwise provided in paragraph (b), the Department shall use the baseline water quality or, if established, the requirement to maintain existing higher water quality, to determine the appropriate level of antidegradation protection for each parameter of concern in the receiving water;
- (b) If, on the date the permit application is submitted, there is insufficient data to establish the baseline water quality for each parameter of concern in the receiving water, the Director:
- (1) Shall require the applicant to submit a sampling and analysis plan pursuant to subsection 4 to determine the baseline water quality; and
- (2) May establish an interim baseline value pursuant to subsection 5 for the purposes of issuing the permit; and
 - (c) If the water quality for each parameter of concern in the point source discharge is:
- (1) The same or better than the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, required for a tier 2 level

of antidegradation designation, the Department shall not require any additional analysis to authorize the point source discharge; or

- (2) Worse than the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, required for a tier 2 level of antidegradation protection designation, the applicant must submit to the Department an analysis of alternatives and, if no feasible alternative is identified, a justification pursuant to section 17 of this regulation.
- 3. In addition to the requirements of subsection 1, if an applicant proposes a point source discharge to a surface water or segment thereof that has been designated by the Commission as a tier 2.5 level of antidegradation protection or upstream of a surface water or segment thereof that has been designated as a tier 2.5 or tier 3 level of antidegradation protection, the antidegradation review must, without limitation, demonstrate that the designated beneficial use of "extraordinary ecological, aesthetic or recreational value" will be maintained and protected.
- 4. A sampling and analysis plan submitted by an applicant pursuant to subsection 2 must, without limitation:
- (a) Specify the location and protocols that will be used by the applicant for the sampling and laboratory analysis of at least 20 seasonally representative samples collected approximately every 90 days over a period of at least 5 years to establish the baseline water quality of a surface water or segment thereof; and
- (b) Be submitted to the Department for approval not later than 90 days before the applicant proposes to begin conducting sampling activities.

- 5. The Director may establish an interim baseline value for the purposes of issuing a permit based on the results of eight seasonally representative samples collected by the applicant in accordance with a sampling and analysis plan that has been approved by the Department pursuant to subsection 4. An interim baseline value established pursuant to this section is valid until the earlier of:
- (a) One year after the last day of the timeframe required to establish the baseline water quality pursuant to an approved sampling and analysis plan; or
- (b) The date on which the Commission establishes a requirement to maintain existing higher water quality for the surface water or segment thereof.
- Sec. 17. 1. If the antidegradation review conducted by the Department pursuant to sections 15 and 16 of this regulation determines that the discharge for which an application is submitted will degrade the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for a parameter of concern in the receiving water that has been designated as having a tier 2 level of antidegradation protection, the Department shall, for the purposes of NRS 445A.565, require the applicant to submit to the Department for review by the Commission an analysis of alternatives which must include, without limitation:
 - (a) The information required in subsection 2 of NRS 445A.565;
 - (b) Alternative treatment technologies;
 - (c) Alternative discharge locations;
 - (d) Alternative processes that would improve discharge quality;
 - (e) Seasonal or controlled discharge; and
 - (f) An alternative that does not result in the discharge.

- 2. If an applicant is required to conduct an analysis of alternatives as a requirement of other permitting activities or environmental reviews and the analysis of alternatives meets the requirements of subsection 1, the same analysis of alternatives may be submitted for the purposes of subsection 1.
- 3. If the analysis of alternatives does not identify a technologically feasible and economically achievable alternative that would not result in the degradation of the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for a parameter of concern in the receiving water:
- (a) The applicant must submit to the Department, for approval by the Commission, a justification based on the economic or social importance of the proposed discharge that demonstrates why the degradation of the water quality for the parameter of concern is necessary; and
- (b) For the purposes of NRS 445A.565, the Commission will hold a public hearing on an application subject to the provisions of this section.
- 4. Following a hearing held pursuant to subsection 3, the Commission may approve the issuance of a permit by the Department that will result in the degradation of the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for a parameter of concern in the receiving water that has been designated as having a tier 2 level of antidegradation protection if the Commission determines that:
- (a) The degraded water quality for the parameter of concern is justifiable because of economic or social considerations;

- (b) The discharge will not result in the parameter of concern in the receiving water failing to meet the applicable water quality standards set forth in NAC 445A.11704 to 445A.2234, inclusive; and
- (c) The discharge is consistent with the requirements set forth in this chapter and chapter 445A of NRS, including, without limitation, that:
- (1) The highest and best degree of waste treatment available under existing technology that is reasonably consistent with the economic capability of the project or development is used to prevent or reduce the degradation of the water quality of the receiving water; and
- (2) All cost-effective and reasonable best management practices for diffuse source pollution control required by this chapter and chapter 445A of NRS are achieved to prevent or reduce the degradation of the water quality of the receiving water.
- 5. If the Commission approves the issuance of a permit that will result in the degradation of the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for a parameter of concern pursuant to this section, the Department shall ensure that the effluent limitation established in the discharge permit for the parameter of concern pursuant to NAC 445A.243 is not less protective than the applicable water quality standards for the receiving water.
- Sec. 18. 1. In accordance with section 16 of this regulation, the Department shall conduct an antidegradation review before issuing a general permit to evaluate the potential impact of a discharge on the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, for the parameters of concern in the receiving water if:

- (a) A group of dischargers submit an application for a general permit pursuant to NAC 445A.268; or
 - (b) A general permit is issued without application pursuant to NAC 445A.268.
- 2. Based on the antidegradation review conducted pursuant to subsection 1, the Department shall incorporate any conditions and requirements deemed necessary by the Director to ensure that the group of dischargers minimizes any degradation of the water quality and complies with antidegradation requirements.
- 3. Except as otherwise provided in subsections 4 and 5, if a discharger submits a notice of intent to engage in an activity for which a general permit has been issued, the Director shall presume that the discharger will comply with all the conditions and requirements imposed pursuant to subsection 2 and that antidegradation requirements will be met.
- 4. Upon the renewal of a general permit, the Director may modify the terms or conditions of the general permit to minimize the degradation of the water quality of the receiving water resulting from a group of dischargers.
- 5. If an application or notice of intent indicates that a group of dischargers or a specific discharger will be discharging into a receiving water that has been designated by the Commission as having a tier 2.5 or tier 3 level of antidegradation protection, the Director shall require the applicant to demonstrate that the baseline water quality or any requirement to maintain existing higher water quality will be maintained and protected and, if successfully demonstrated, the Director may:
 - (a) Approve the application or notice of intent, as applicable;
 - (b) Issue the general permit or approve the notice of intent; or

- (c) Require the group or specific discharger to apply for an individual permit pursuant to NRS 445A.480.
- Sec. 19. If a person submits an application for a storm water runoff permit or a modification to a storm water runoff permit pursuant to NAC 445A.230 or 445A.263, the Director shall presume for the purposes of the antidegradation review that the applicant will comply with all the permit conditions and any requirements imposed pursuant to this chapter, including, without limitation, the development of a storm water management plan with best practices, as defined in NAC 445A.306, to prevent, eliminate or reduce the pollutants in storm water discharges and meet all antidegradation requirements.
 - Sec. 20. NAC 445A.070 is hereby amended to read as follows:
- 445A.070 As used in NAC 445A.070 to 445A.348, inclusive, *and sections 3 to 19*, *inclusive, of this regulation*, unless the context otherwise requires, the words and terms defined in NAC 445A.071 to 445A.116, inclusive, have the meanings ascribed to them in those sections.
 - **Sec. 21.** NAC 445A.122 is hereby amended to read as follows:
- 445A.122 1. The following standards are intended to protect both existing and designated beneficial uses and must not be used to prohibit the use of the water as authorized under title 48 of NRS:
- (a) Watering of livestock. The water must be suitable for the watering of livestock without treatment.
 - (b) Irrigation. The water must be suitable for irrigation without treatment.
- (c) Aquatic life. The water must be suitable as a habitat for fish and other aquatic life existing in a body of water. This does not preclude the reestablishment of other fish or aquatic life.

- (d) Recreation involving contact with the water. There must be no evidence of man-made pollution, floating debris, sludge accumulation or similar pollutants.
 - (e) Recreation not involving contact with the water. The water must be free from:
 - (1) Visible floating, suspended or settled solids arising from human activities;
 - (2) Sludge banks;
 - (3) Slime infestation;
- (4) Heavy growth of attached plants, blooms or high concentrations of plankton, discoloration or excessive acidity or alkalinity that leads to corrosion of boats and docks;
 - (5) Surfactants that foam when the water is agitated or aerated; and
 - (6) Excessive water temperatures.
- (f) Municipal or domestic supply. The water must be capable of being treated by conventional methods of water treatment in order to comply with Nevada's drinking water standards.
- (g) Industrial supply. The water must be treatable to provide a quality of water which is suitable for the intended use.
- (h) Propagation of wildlife. The water must be suitable for the propagation of wildlife and waterfowl without treatment.
- (i) [Waters of extraordinary] Extraordinary ecological, [or] aesthetic or recreational value. The [unique] important ecological, [or] aesthetic or recreational value of the water must be maintained.
- (j) Enhancement of water quality. The water must support natural enhancement or improvement of water quality in any water which is downstream.

- (k) Maintenance of a freshwater marsh. The water must be suitable for the maintenance of a freshwater marsh.
- 2. This section does not entitle an appropriator to require that the source meet his or her particular requirements for water quality.
 - **Sec. 22.** NAC 445A.1252 is hereby amended to read as follows:
- 445A.1252 The designated beneficial uses for select bodies of water within the Northwest Region are prescribed in this section:

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
	The entire reservoir.	X	X	X	X	X	X		X					NAC 445A.1256
Blue Lakes	The entire area.	X	X	X	X	X	X		X					NAC 445A.1258
Catnip Reservoir	The entire reservoir.	X	X	X	X	X	X		X					NAC 445A.1262
Wall Canyon Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1264
Knott Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1266
Onion Valley Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1268
Livestock	Watering of livestock													
Irrigation	Irrigation													
Aquatic	Propagation of aquatic life													
Contact	Recreation involving contact w													
Noncontact	Recreation not involving contact			he v	vatei	:								
Municipal	Municipal or domestic supply,	or b	oth											
Industrial	Industrial supply													
Wildlife	Propagation of wildlife													
Aesthetic	[Waters of extraordinary] Extra	aora	lina	ry ec	colo	gica	1, [ər] a	esth	etic	or 1	ecr	eational value	
Enhance	Enhancement of water quality													
Marsh	Maintenance of a freshwater m	arsh												

Sec. 23. NAC 445A.1282 is hereby amended to read as follows:

445A.1282 The designated beneficial uses for select bodies of water within the Black Rock Region are prescribed in this section:

					В	enet	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic		Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Smoke Creek	From the California-Nevada state line to the Smoke Creek Desert.	X	X	X	X	X			X					NAC 445A.1286
Squaw Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1288
Negro Creek	From its origin to the first irrigation diversion, near the west line of section 28, T. 36 N., R. 23 E., M.D.B. & M.	X	Х	X	X	Х	X		Х					NAC 445A.1292
Mahogany Creek	From its origin to the exterior border of the Summit Lake Indian Reservation.	X	X	X	X	Х	X		X					NAC 445A.1296
Leonard Creek	From its origin to the first point of diversion, near the south line of section 12, T. 42 N., R. 28 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1298
Bilk Creek, upper	From its origin to its intersection with the south line of section 35, T. 45 N., R. 32 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1302
Bilk Creek at Bilk Creek Reservoir	From its intersection with the south line of section 35, T. 45 N., R. 32 E., M.D.B. & M., to Bilk Creek Reservoir.	X	Х	Х	X	Х	X	X	Х				Trout	NAC 445A.1304
Bilk Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1306
Bottle Creek	From its origin to the first point of diversion, near the east line of section 23, T. 40 N., R. 32 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1308
Quinn River, East and South Forks	From their origin to the confluence of the East and South Forks, except for the length of the river within the exterior borders of the Fort McDermitt Indian Reservation.	X	X	X	X	X	X		X					NAC 445A.1312
Quinn River (the slough)	From the Oregon-Nevada state line in section 31, T. 48 N., R. 38 E., M.D.B. & M., to the confluence with the main tributary of the Quinn River at the south line of section 17, T. 47 N., R. 38 E., M.D.B. & M., except for the length of the river within the exterior borders of the Fort McDermitt Indian Reservation.	X	X	X		X		X	X					NAC 445A.1316
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact with the	e wa	iter											
Noncontact	Recreation not involving contact with			iter										
Industrial	Industrial supply	411	_ ,,,,	1										
Municipal	Municipal or domestic supply, or bot	h												
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	Waters of extraordinary Extraordin	ar	ecc	امون	ca1	Lor	l ae	sthe	tic 4	rro	croc	tio	nal value	
Enhance	Enhancement of water quality	y		1051	Jui	lor	j ac		0				, 4140	
Marsh	Maintenance of a freshwater marsh													
17141311	Transcriance of a freshwater maisi													

Sec. 24. NAC 445A.1332 is hereby amended to read as follows:

445A.1332 The designated beneficial uses for select bodies of water within the Snake

Region are prescribed in this section:

					В	enel	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	X Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Goose Creek	Within the State of Nevada.	X	X	X	X	X	X	X	X	Ì				NAC 445A.1336
Salmon Falls Creek	From the confluence of the North and South Forks of Salmon Falls Creek to the Nevada-Idaho state line.	X	X	X	X	X	X	X	X					NAC 445A.1338
Shoshone Creek	From the Nevada-Idaho state line to its confluence with Salmon Falls Creek.	X	X	X	X	X	X	X	X					NAC 445A.1342
Jarbidge River, East Fork	From its origin to the Nevada- Idaho state line.	X	X	X	X	X	X	X	X					NAC 445A.1344
Jarbidge River, above Jarbidge	From its origin to the bridge above the town of Jarbidge.	X	X	X	X	X	X	X	X					NAC 445A.1346
Jarbidge River, below Jarbidge	From the bridge above the town of Jarbidge to the Nevada-Idaho state line.	X	X	X	X	X	X	X	X					NAC 445A.1348
Bruneau River	From its origin to the Nevada- Idaho state line.	X	X	X	X	X	X	X	X					NAC 445A.1352
Owyhee River, above Mill Creek	From Wild Horse Reservoir to its confluence with Mill Creek.	X	X	X	X	X	X	X	X					NAC 445A.1354
Owyhee River, below Mill Creek	From its confluence with Mill Creek to the exterior border of the Duck Valley Indian Reservation.	X	X	X	X	X	X	X	X					NAC 445A.1356
Owyhee River, South Fork	From its origin to the Nevada- Idaho state line.	X	X	X	X	X	X	X	X					NAC 445A.1362
Salmon Falls Creek, North Fork	From the national forest boundary to its confluence with the South Fork of Salmon Falls Creek.	X	X	Х	X	Х	X	X	Х				Trout	NAC 445A.1364
Salmon Falls Creek, South Fork	From the national forest boundary to its confluence with the North Fork of Salmon Falls Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1366
Camp Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1368
Salmon Falls Creek	From the national forest boundary to its confluence with the South Fork of Salmon Falls Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1372
Cottonwood Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1374

					В	enef	ĭcia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Cottonwood Creek at the South Fork of Salmon Falls Creek	From the national forest boundary to its confluence with the South Fork of Salmon Falls Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1376
Canyon Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1378
Canyon Creek at the South Fork of Salmon Falls Creek	From the national forest boundary to its confluence with the South Fork of Salmon Falls Creek.	X	Х	X	X	X	X	X	X				Trout	NAC 445A.1382
Bear Creek	From its origin to the point of diversion for the Jarbidge municipal water supply, near the east line of section 17, T. 46 N., R. 58 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1384
76 Creek	The entire length.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1386
Owyhee River, East Fork above Wild Horse Reservoir	From its origin to Wild Horse Reservoir.	X	X	X	X	X	X		X					NAC 445A.1388
Deep Creek	From its origin to Wild Horse Reservoir.	X	X	X	X	X	X		X					NAC 445A.1392
Penrod Creek, including tributaries	From its origin, including its tributaries, to Wild Horse Reservoir.	X	X	X	X	X	X		X					NAC 445A.1394
Hendricks Creek	From its origin to Wild Horse Reservoir.	X	X	X	X	X	X		X					NAC 445A.1396
Wild Horse Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1398
Browns Gulch	From its origin to the point of diversion for the Mountain City municipal water supply, near the south line of section 24, T. 46 N., R. 53 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1402
Jack Creek	From its origin to its confluence with Harrington Creek.	X	X	X	X	X	X		X					NAC 445A.1404
Harrington Creek	From its confluence with Jack Creek to the South Fork of the Owyhee River.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1406
Bull Run Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1408
Wilson Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1412
Taylor Canyon Creek	From its origin to its confluence with the South Fork of the Owyhee River.	X	X	X	X	X	X	X	X					NAC 445A.1414
Trout Creek at Goose Creek	From the Nevada-Idaho state line to its confluence with Goose Creek.	X	X	X	X	X	X	X	X					NAC 445A.1416
Trout Creek at Salmon Falls Creek	From its origin to its confluence with Salmon Falls Creek.	X	X	X	X	X	X	X	X					NAC 445A.1418
Jack Creek at Jarbidge River	From its origin to its confluence with the Jarbidge River.	X	X	X	X	X	X	X	X					NAC 445A.1422

					В	enef	icial	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact wi	th tł	ne w	ater										
Noncontact	Recreation not involving contact	t wi	th th	e w	ater									
Industrial	Industrial supply													
Municipal	Municipal or domestic supply, o	r bo	th											
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	[Waters of extraordinary] Extra	ordi	nar	eco	olog	ical	, [0 1	il ae	sthe	etic o	or re	crea	tional value	
Enhance	Enhancement of water quality													

Sec. 25. NAC 445A.1432 is hereby amended to read as follows:

445A.1432 The designated beneficial uses for select bodies of water within the Humboldt Region are prescribed in this section:

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Humboldt River near Osino	From the upstream source of the main stem to Osino.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1436
Humboldt River at Palisade	From Osino to the Palisade Gage.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1438
Humboldt River at Battle Mountain	From the Palisade Gage to the Battle Mountain Gage.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1442
Humboldt River at State Highway 789	From the Battle Mountain Gage to where State Highway 789 crosses the Humboldt River.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1444
Humboldt River at Imlay	From where State Highway 789 crosses the Humboldt River to Imlay.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1446
Humboldt River at Woolsey	From Imlay to Woolsey.	X	X	X	X	X	X	X	X				Warm-water fishery	NAC 445A.1448
Humboldt River at Rodgers Dam	From Woolsey to Rodgers Dam.	X	X	X	X	X	X	X	X				_	NAC 445A.1452
Humboldt River at the Humboldt Sink	From Rodgers Dam to the Humboldt Sink.	X	X	X	X	X		X	X					NAC 445A.1454
The Humboldt Sink	The entire sink.	X	X	X		X		X	X					NAC 445A.1455

					В	ene	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Humboldt River, North Fork and tributaries at the national forest boundary	From their origin in the Independence Mountain Range to the national forest boundary.	X	X	X	X	X	X	X	X					NAC 445A.1456
Humboldt River, North Fork at Beaver Creek	From the national forest boundary to its confluence with Beaver Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1458
Humboldt River, North Fork at the Humboldt River	From its confluence with Beaver Creek to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X					NAC 445A.1462
Humboldt River, South Fork at South Fork Reservoir, including tributaries above Lee	From its origin to South Fork Reservoir, including its tributaries above Lee, except for the length of the river and the lengths of its tributaries within the exterior borders of the South Fork Indian Reservation.	X	X	X	X	X	X	X	X					NAC 445A.1464
South Fork Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1465
Humboldt River, South Fork at the Humboldt River	From South Fork Reservoir to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1466
Little Humboldt River	The entire length.	X	X	X	X	X	X	X	X					NAC 445A.1468
Little Humboldt River, North Fork at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1472
Little Humboldt River, North Fork at the South Fork of the Little Humboldt River	From the national forest boundary to its confluence with the South Fork of the Little Humboldt River.	X	Х	X	X	Х	X	Х	Х					NAC 445A.1474
Little Humboldt River, South Fork at the Elko-Humboldt county line	From its origin to the Elko-Humboldt county line.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1476
Little Humboldt River, South Fork at the North Fork of the Little Humboldt River	From the Elko-Humboldt county line to its confluence with the North Fork of the Little Humboldt River.	X	X	X	X	Х	X	Х	Х					NAC 445A.1478
Marys River, upper	From its origin to the point where the river crosses the east line of T. 42 N., R. 59 E., M.D.B. & M.	X	X	X	X	X	X	X	X					NAC 445A.1482
Marys River at the Humboldt River	From the east line of T. 42 N., R. 59 E., M.D.B. & M., to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1484
Tabor Creek	From its origin to the east line of T. 40 N., R. 60 E., M.D.B. & M.	X	X	X	X	X	X	X	X					NAC 445A.1486

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Maggie Creek Tributaries	From their origin to the point where they become Maggie Creek or the point of their confluence with Maggie Creek.	X	X		X	X	X	X	X					NAC 445A.1488
Maggie Creek at Jack Creek	From where it is formed by the Maggie Creek tributaries to its confluence with Jack Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1492
Maggie Creek at Soap Creek	From its confluence with Jack Creek to its confluence with Soap Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1494
Maggie Creek at the Humboldt River	From its confluence with Soap Creek to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X					NAC 445A.1496
Secret Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X	X	X					NAC 445A.1498
Secret Creek at the Humboldt River	From the national forest boundary to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1502
Lamoille Creek at the gaging station	From its origin to gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M.	Х	Х	X	X	X	X	X	X					NAC 445A.1504
Lamoille Creek at the Humboldt River	From gaging station number 10-316500, located in the NE 1/4 of section 6, T. 32 N., R. 58 E., M.D.B. & M., to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X					NAC 445A.1506
J.D. Ponds	The entire area.	X	X	X	X	X	X	X	X					NAC 445A.1508
Denay Creek at Tonkin Reservoir	From its origin to Tonkin Reservoir.	X	X	X	X	X	X	X	X					NAC 445A.1512
Tonkin Reservoir	The entire reservoir.	X	X		X	X	X	X	X					NAC 445A.1514
Denay Creek below Tonkin Reservoir	Below Tonkin Reservoir.	X	X	X	X	X	X	X	X					NAC 445A.1516
Rock Creek at Squaw Valley Ranch	From its origin to Squaw Valley Ranch.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1518
Rock Creek below Squaw Valley Ranch	Below Squaw Valley Ranch.	X	X	X	X	X	X	X	X					NAC 445A.1522
Willow Creek at Willow Creek Reservoir	From its origin to Willow Creek Reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1524
Willow Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1526
North Antelope Creek	From its origin to its confluence with Antelope Creek.	X		X	X	X		X	X					NAC 445A.1527

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Pole Creek	From its origin to the point of diversion of the Golconda water supply, near the north line of section 13, T. 35 N., R. 39 E., M.D.B. & M.	X	X		X	X	X	X	X				Trout	NAC 445A.1528
Water Canyon Creek	From its origin to the point of diversion of the Winnemucca municipal water supply, near the west line of section 12, T. 35 N., R. 38 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1532
Martin Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1534
Martin Creek below the national forest boundary	From the national forest boundary to the first diversion in T. 42 N., R. 40 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1536
Dutch John Creek	The entire length.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1538
Huntington Creek at the White Pine-Elko county line	From its origin to the White Pine-Elko county line.	X	X	X	X	X	X	X	X					NAC 445A.1542
Huntington Creek at Smith Creek	From the White Pine-Elko county line to its confluence with Smith Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1544
Huntington Creek at the South Fork of the Humboldt River	From its confluence with Smith Creek to its confluence with the South Fork of the Humboldt River.	X	X	X	X	X	X	X	X					NAC 445A.1546
Green Mountain Creek at Toyn Creek	From its origin to its confluence with Toyn Creek.	X	X	X	X	X	X	X	X					NAC 445A.1548
Toyn Creek at Corral Creek	From its confluence with Green Mountain Creek to its confluence with Corral Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1552
Toyn Creek at Green Mountain Creek	From its origin to its confluence with Green Mountain Creek.	X	X	X	X	X	X	X	X					NAC 445A.1554
Reese River at Indian Creek	From its origin to its confluence with Indian Creek, except for the length of the river within the exterior borders of the Yomba Indian Reservation.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1556
Reese River at State Route 722	From its confluence with Indian Creek to State Route 722 (old U.S. Highway 50), except for the length of the river within the exterior borders of the Yomba Indian Reservation.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1558
Reese River below State Route 722	North of State Route 722 (old U.S. Highway 50).	X	X	X	X	X	X	X	X					NAC 445A.1562

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
San Juan Creek	From its origin to the national forest boundary.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1564
Big Creek at the forest service campground	From its origin to the east boundary of the United States Forest Service's Big Creek Campground.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1566
Big Creek below the forest service campground	From the east boundary of the United States Forest Service's Big Creek Campground to the first diversion dam, near the west line of section 4, T. 17 N., R. 43 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1568
Mill Creek	From its origin to the first point of diversion, near the south line of section 22, T. 29 N., R. 44 E., M.D.B. & M.	X	Х	X	X	X	X	X	X				Trout	NAC 445A.1572
Lewis Creek	From its origin to the first point of diversion, near the center of section 23, T. 30 N., R. 45 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1574
Iowa Canyon Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1576
Starr Creek	From the confluence of Ackler and Herder Creeks to its confluence with the Humboldt River.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1578
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact	ct w	ith t	he w	ater									
Noncontact	Recreation not involving co													
Industrial	Industrial supply													
Municipal	Municipal or domestic supp	oly,	or bo	oth										
Wildlife	Propagation of wildlife	/												
Aquatic	Propagation of aquatic life													
Aesthetic	Waters of extraordinary E	xtra	iord	inar	y ec	olos	gical	, [o	r] ac	esthe	etic	or re	ecreational value	
Enhance	Enhancement of water qual								•					
Marsh	Maintenance of a freshwate		arsh											

Sec. 26. NAC 445A.1622 is hereby amended to read as follows:

445A.1622 The designated beneficial uses for select bodies of water within the Truckee Region are prescribed in this section:

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Lake Tahoe	Existing sampling points.	X	X	X	X	X		X	X	X			Cold-water fishery	NAC 445A.1626
Lake Tahoe Tributaries	All tributaries to Lake Tahoe located in Nevada and which are not included in NAC 445A.1632 to 445A.1666, inclusive.	X	Х	X	Х	X	X	X	X		X		Cold-water fishery	NAC 445A.1628
Incline Creek, East Fork at the ski resort	From its origin to the ski resort.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1632
Incline Creek, West Fork at State Highway 431	From its origin to State Highway 431.	X	Х	X	Х	X	X	X	Х		X		Cold-water fishery	NAC 445A.1634
Incline Creek, East Fork; Incline Creek, West Fork; and Incline Creek	The East Fork of Incline Creek from the ski resort to the West Fork of Incline Creek, the West Fork of Incline Creek from State Highway 431 to the East Fork of Incline Creek, and Incline Creek from the confluence of the East and West Forks of Incline Creek to Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1636
Third Creek, East Fork at State Highway 431	From its origin to State Highway 431.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1638
Third Creek, East Fork; Third Creek, West Fork; and Third Creek	West Fork of Third Creek from its origin to the East Fork of Third Creek, and Third Creek from the confluence of the East and West Forks of Third Creek to Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1642
Wood Creek	From its origin to its confluence with Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1644
Second Creek at Second Creek Drive	From its origin to Second Creek Drive.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1646
Second Creek at Lakeshore Drive	From Second Creek Drive to its confluence with Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1648
First Creek at Dale and Knotty Pine Drives	From its origin to Dale and Knotty Pine Drives.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1652
First Creek at Lakeshore Drive	From Dale and Knotty Pine Drives to its confluence with Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1654
Glenbrook Creek	From its origin to its confluence with Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1656
Logan House Creek	From its origin to its confluence with Lake Tahoe.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1658
Eagle Rock Creek	From its origin to its confluence with Edgewood Creek.	X	Х	X	Х	X	X	X	Х		X		Cold-water fishery	NAC 445A.1662
Edgewood Creek at Palisades Drive	From its origin to 50 feet downstream from the culvert at Palisades Drive.	X	X	X	X	X	X	X	X		X		Cold-water fishery	NAC 445A.1664

					В	enef	icia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Edgewood Creek at Stateline	From 50 feet downstream from the culvert at Palisades Drive to its confluence with Lake Tahoe.	X	X	X	X	X		X	X		X		Cold-water fishery	NAC 445A.1666
Truckee River at the state line	At the California-Nevada state line.	X	X	X	X	X	X	X	X				All life stages of mountain whitefish, rainbow trout and brown trout	NAC 445A.1682
Truckee River at Idlewild	From the California-Nevada state line to Idlewild.	X	X	X	X	X	X	X	X				All life stages of mountain whitefish, rainbow trout and brown trout	NAC 445A.1684
Truckee River at East McCarran	From Idlewild to the East McCarran Boulevard Bridge.	X	X	X	X	X	X	X	X				All life stages of mountain whitefish, rainbow trout and brown trout	NAC 445A.1686
Truckee River at Lockwood Bridge	From the East McCarran Boulevard Bridge to the Lockwood Bridge.	X	X	X	X	X	X	X	X				Juvenile and adult rainbow trout and brown trout	NAC 445A.1688
Truckee River at Derby Dam	From the Lockwood Bridge to Derby Dam.	X	X	X	X	X	X	X	X				Juvenile and adult rainbow trout and brown trout. However, the species which are sensitive to temperature are expected to seek a cooler microhabitat during July and August	NAC 445A.1692
Truckee River at the Pyramid Lake Paiute Reservation	From Derby Dam to the exterior border of the Pyramid Lake Paiute Reservation.	X	X	X	X	X	X	X	X				Early spawning Lahontan cutthroat trout and their incubation, larvae, juveniles and migration, from May through June, depending on hydrologic conditions	NAC 445A.1694
Bronco Creek	From its origin to the California-Nevada state line.	X	X	X	X	X	X	X	X					NAC 445A.1698
Gray Creek	From its origin to the California-Nevada state line.	X	X	X	X	X	X	X	X					NAC 445A.1702
Hunter Creek at Hunter Lake	From its origin to Hunter Lake.	X		X	X	X			X					NAC 445A.1704
Hunter Lake	The entire lake.	X	X	X	X	X	X		X					NAC 445A.1706

Water Body Name						В	enel	icia	l Us	es					
the Truckee River	Name		Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Species of	Standard NAC
Steamboat Creek at the gaging station number 10-349300, located in the S 1/2 of section 33, 7.1 8 N., R. 20 E., M.D.B. & M.	the Truckee	confluence with the Truckee	X	X		X	X	X						Trout	NAC 445A.1708
Steamboat Creek at steep againg station number 10-349300, located in the \$1/2 of section 33, T. 18 N., R. 20 E., M.D.B. & M. Steamboat Creek at Steamboat Creek a	Washoe Lakes		X	X	X	X	X	X	X	X					NAC 445A.1722
Steamboat Creek at the Truckee River	at the gaging	gaging station number 10-349300, located in the S 1/2 of section 33, T. 18 N., R. 20 E., M.D.B. & M.	X	X	X	X	X	X	X	X					NAC 445A.1724
Franktown Creek, upper	at the Truckee	10-349300, located in the S 1/2 of section 33, T. 18 N., R. 20 E., M.D.B. & M., to its confluence with the Truckee	X	X	X	X	X		X	X					NAC 445A.1726
Franktown Creek at Washoe Lake Setion 9, T. 16 N., R. 19 E., M.D.B. & M., to Washoe Lake. The entire system. Ophir Creek at State Route 429 (old U.S. Highway 395). Ophir Creek at Washoe Lake Highway 395) to Washoe Lake. Washoe Lake Highway 395) to Washoe Lake. Washoe Lake The entire lakes. Ophir Creek at State Route 429 (old U.S. Highway 395). Washoe Lake From State Route 429 (old U.S. Highway 395) to Washoe Lake. Washoe Lake Highway 395) to Washoe Lake. Washoe Lake The entire lakes. Ophir Creek at State Route 429 (old U.S. Highway 395). Washoe Lake From State Route 429 (old U.S. National Price Lakes Davis Lake The entire lakes. Washoe Lake The entire lakes. Ophir Creek at State Route 429 (old U.S. Highway 395). Washoe Lake The entire lakes. Washoe Lake The entire lakes. Ophir Creek at State Route 429 (old U.S. Highway 395). Washoe Lake The entire lakes. X X X X X X X X X X X X X X X X X X X		irrigation diversion, near the north line of section 9, T. 16	X	X	X	X	X	X		X					NAC 445A.1728
and tributaries Ophir Creek at Sophir Creek at State Route 429 (old U.S. Highway 395). Ophir Creek at Washoe Lake Prior Lake The entire lakes. Davis Lake The entire lakes. The entire lake. Soft and Sof		diversion, near the north line of section 9, T. 16 N., R. 19 E.,	X	X	X	X	X	X	X	X				Trout	NAC 445A.1732
State Route 429 429 (old U.S. Highway 395). X X X X X X X X X		The entire system.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1734
Washoe Lake Highway 395) to Washoe Lake. X	State Route 429	429 (old U.S. Highway 395).	X	X	X	X	X	X		X					NAC 445A.1736
Davis Lake The entire lake. X X X X X X X X X X X X X X X X X X X	Washoe Lake	Highway 395) to Washoe Lake.							X					Trout	
Galena Creek, upper From its origin to the east line of section 18, T. 17 N., R. 19 E., M.D.B. & M. From the east line of section 18, T. 17 N., R. 19 E., M.D.B. & M. From the east line of section 18, T. 17 N., R. 19 E., M.D.B. & M. From the east line of section 18, T. 17 N., R. 19 E., M.D.B. & M. M. to gaging station number 10-348900 located in the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M. From gaging station number 10-348900, located in the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M. Whites Creek M., to its confluence with Steamboat Creek. Whites Creek, upper Whites Creek at Steamboat Ditch. Below the east line of section 33, T. 18 N., R. 19 E., M.D.B. & X.		The entire lakes.													
Galena Creek, upper of section 18, T. 17 N., R. 19 E., M.D.B. & M. From the east line of section 18, T. 17 N., R. 19 E., M.D.B. & M., to gaging station number 10-348900 located in the SW 1/4 of the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M. Galena Creek at Steamboat Creek Whites Creek, upper Whites Creek at Steamboat Ditch. Whites Creek at Steamboat Ditch Whites Creek at Steamboat Creek Whites Creek at Steamboat Ditch Below the east line of section 33, T. 18 N., R. 19 E., M.D.B. & M. Whites Creek at Steamboat Ditch The entire length; also known Creek The entire length; also known as Long Valley Creek. The manual of section 18, T. 17 N., R. 19 E., M.D.B. and the sext line of section 2, T. 17 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 33, T. 18 N., R. 19 E., M.D.B. and the sext line of section 2, X.	Davis Lake	1	X	X	X	X	X	X	X	X				Trout	NAC 445A.1744
Galena Creek, middle 18, T. 17 N., R. 19 E., M.D.B. & M., to gaging station number 10-348900 located in the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M. Galena Creek at Steamboat Creek T. 17 N., R. 19 E., M.D.B. & M., to its confluence with Steamboat Creek, upper Whites Creek at Steamboat Ditch Sw D.B. & M. Sw D.B. & M. Sw D.B. & M. Sw D.B. & M.		of section 18, T. 17 N., R. 19	X	X	X	X	X	X		X					NAC 445A.1746
Galena Creek at Steamboat Creek Whites Creek, upper Whites Creek at Steamboat Ditch Whites Creek at Steamboat Ditch Whites Creek at Steamboat Creek Whites Creek at Steamboat Ditch Whites Creek at Steamboat Creek To 10-348900, located in the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M. X X X X X X X X X X X X X X X X X X X		18, T. 17 N., R. 19 E., M.D.B. & M., to gaging station number 10-348900 located in the SW 1/4 of the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. &	X	X	X	X	X	X	X	X				Trout	NAC 445A.1748
whites Creek, upper of section 33, T. 18 N., R. 19		10-348900, located in the SW 1/4 of the SW 1/4 of section 2, T. 17 N., R. 19 E., M.D.B. & M., to its confluence with Steamboat Creek.	X	X	X	X	Х	X	X	X				Trout	NAC 445A.1752
Writes Creek at Steamboat Ditch 33, T. 18 N., R. 19 E., M.D.B. X X X X X X X X X X X X X X X X X X		of section 33, T. 18 N., R. 19	X	X	X	X	X	X		X					NAC 445A.1754
Steamboat Creek Below Steamboat Ditch. X X X X X X X X X X X X X X X X X X X	Steamboat Ditch	33, T. 18 N., R. 19 E., M.D.B.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1756
Creek as Long Valley Creek. A A A A A A A A A A A A A A A A A A A	Steamboat Creek		X	X	X	X	X	X	X	X					NAC 445A.1758
racy Pond I ne entire area. X X X X X X X X X	Creek	as Long Valley Creek.						37							
	1 racy Pond	i ne entire area.	X	X	X	X	X	X	X	X					NAC 445A.1764

					В	enef	icial	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact wit	h th	e wa	ıter										
Noncontact	Recreation not involving contact	wit	h th	e wa	ter									
Industrial	Industrial supply													
Municipal	Municipal or domestic supply, or	r bo	th											
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	[Waters of extraordinary] Extrao	ordi	nary	ecc	logi	ical	, [or	ae a	sthe	tic o	r re	crea	<i>itional</i> value	
Enhance	Enhancement of water quality													
Marsh	Maintenance of a freshwater mar	sh												

Sec. 27. NAC 445A.1792 is hereby amended to read as follows:

445A.1792 The designated beneficial uses for select bodies of water within the Carson

Region are prescribed in this section:

					В	ene	ficia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Carson River, West Fork at the state line	At the California-Nevada state line.	X				X	X	X	X				Rainbow trout and brown trout	NAC 445A.1796
Bryant Creek near the state line	From the California-Nevada state line to its confluence with the East Fork of the Carson River.	X	X	X	X	X	X	X	X				Rainbow trout and brown trout	NAC 445A.1798
Carson River, East Fork at the state line	At the California-Nevada state line.	X	X	X	X	X	X	X	X				Rainbow trout and brown trout	NAC 445A.1802
Carson River, East Fork at U.S. Highway 395 south of Gardnerville	From the California-Nevada state line to the Riverview Mobile Home Park at U.S. Highway 395 south of Gardnerville, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X				Rainbow trout and brown trout	NAC 445A.1804
Carson River, East Fork at Muller Lane	From the Riverview Mobile Home Park at U.S. Highway 395 to Muller Lane, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	Х				Rainbow trout and brown trout	NAC 445A.1806

					В	ene	ficia	l Us	ses					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Carson River at Genoa Lane	The East Fork of the Carson River from Muller Lane to the West Fork, the West Fork of the Carson River from the California-Nevada state line to the East Fork, and the main stem of the Carson River from the confluence of the East and West Forks to Genoa Lane.	X	X	X									Catfish, rainbow trout and brown trout	NAC 445A.1808
Carson River at Cradlebaugh Bridge	From Genoa Lane to U.S. Highway 395 at Cradlebaugh Bridge, except for the length of the river within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X				Catfish, rainbow trout and brown trout	NAC 445A.1812
Carson River at the Mexican Ditch Gage	From U.S. Highway 395 at Cradlebaugh Bridge to the Mexican Ditch Gage.	X	X	X	X	X	X	X	X				Rainbow trout and brown trout	NAC 445A.1814
Carson River near New Empire	From the Mexican Ditch Gage to New Empire.	X	X	X	X	X	X	X	X				Smallmouth bass, rainbow trout and brown trout	NAC 445A.1816
Carson River at Dayton Bridge	From New Empire to the Dayton Bridge.	X	X	X	X	X	X	X	X				Walleye, channel catfish and white bass	NAC 445A.1818
Carson River at Lahontan Reservoir	From the Dayton Bridge to Lahontan Reservoir.	X	X	X	X	X	X	X	X				Walleye, channel catfish and white bass	NAC 445A.1822
Lahontan Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Walleye, channel catfish and white bass	NAC 445A.1824
Lower Carson River	From Lahontan Reservoir to the Carson Sink (the natural channel).	X	X	X	X	X	X	X	X					NAC 445A.1826
Daggett Creek	From its origin to the Carson River.	X	X	X	X	X	X		X					NAC 445A.1828
Genoa Creek	From its origin to the first diversion box at the mouth of the canyon, near the east line of section 9, T. 13 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1832
Sierra Canyon Creek	From its origin to the first diversion structure at the mouth of the canyon, near the east line of section 4, T. 13 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1834
Clear Creek at the gaging station	From its origin to gaging station number 10-3105, located in the NE 1/4 of the NW 1/4 of section 1, T. 14 N., R. 19 E., M.D.B. & M., except for the length of the creek within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X		X					NAC 445A.1836

Carson River except for the length of the creek within the exterior borders of the Washoe Indian Reservation. From its origin to the point of diversion of the Carson City Water Department, near the east line of section 23, T. 15 N, R. 19 E, M.D.B. & M. From its origin to the first point of diversion of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E, M.D.B. & M. Prom the Carson diversion of the Carson diversion of dam to its division into the S and L Canals. Rattlesnake Rattlesnake Reservoir All the lakes, including Upper Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Sownman South Carson Lake as Government Pasture and the Greenhead Gun Club. The entire length. The entire length of the community of Stillwater Marsh west of Westside Road and north of the community of Stillwater Marsh west of Westside Road and north of the community of Stillwater Marsh west of Westside Road and north of the community of Stillwater Marsh west of Westside Road and north of the community of Stillwater Stillwater Rarsh west of Westside Road and north of the community of Stillwater Stillwater Rarsh west of Westside Road and south of the community of Stillwater Rarsh west of Westside Road and north of the community of Stillwater Stillwater Rarsh west of Westside Road and north of the community of Stillwater Stillwater Rarsh west of Westside Road and south of the community of Stillwater Stillwater Rarsh west of Westside Road and north of the community of Stillwater Rarsh west of Westside Road and south of the community of Stillwater Rarsh west of Westside Road and provided the Greenhead Gun Club. The entire reservoir Still Rarsh Rarsh west of Westside Road and						В	ene	ficia	l Us	es					
Clear Creek at the Carson River with the Carson River except for the length of the creek within the exterior borders of the Washoe Indian Reservation. From its origin to the point of diversion of the Carson City Water Department, near the east line of section 12, T. 15 N., R. 19 E., M.D.B. & M. to the origin to the first point of diversion of the Carson City Water Department, near the east line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. Town of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. NAC 445A.1844 N. NAC 445A.1844 N. NAC 445A.1846 N. NAC 445A.1846 N. NAC 445A.1846 N. NAC 445A.1846 N. NAC 445A.1848 N. NAC 445A.1852 N. NAC 445A.1852 N. NAC 445A.1852 N. NAC 445A.1854 N. NAC 445A.1855 N. NAC 445A.1856 N. NAC 445A.1864 N. NAC 445A.1866 N.	Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Species of	Standard NAC
Kings Canyon Water Department, near the east line of section 23, T. 15 N, R. 19 E, M.D.B. & M. From its origin to the first point of diversion of the Carson City Water Department, near the west line of section 12, T. 15 N, R. 19 E, M.D.B. & M. V-Line Canal From the Carson diversion of the Carson City Water Department, near the west line of section 12, T. 15 N, R. 19 E, M.D.B. & M. From the Carson diversion of the Carson City Water Department, near the west line of section 12, T. 15 N, R. 19 E, M.D.B. & M. V-Line Canal From the Carson diversion dam to its division into the S and L Canals. Rattlesnake Rattlesnake Rattlesnake Reservoir All the lakes, including Upper Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Indian Lakes Diagonal Drain The entire length. NAC 445A.1852 The entire lake; also known South Carson Lake Government Pasture and the Greenhead Gun Club. Harmon Reservoir The entire reservoir. X X X X X X X X X X X X X X X X X X X	Carson River	10-3105, located in the NE 1/4 of the NW 1/4 of section 1, T. 14 N., R. 19 E., M.D.B. & M., to the Carson River, except for the length of the creek within the exterior borders of the Washoe Indian Reservation.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1838
point of diversion of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M. V-Line Canal Adm to its division into the S and L Canals. Rattlesnake Rattlesnake Reservoir Reservoir: also known as S-Line Reservoir. All the lakes, including Upper Lake, Likes Lake, Papoose Lake, Big Indian Lakes Cutonwood Lake, Big Cottonwood Lake and East Lake. Diagonal Drain The entire length. X X X X X X X X X X X X X X X X X X X	Kings Canyon	diversion of the Carson City Water Department, near the east line of section 23, T. 15	X	X	X	X	X	X		X					NAC 445A.1842
V-Line Canal dam to its division into the S and L Canals. Rattlesnake Reservoir	Ash Canyon	point of diversion of the Carson City Water Department, near the west line of section 12, T. 15 N., R. 19 E., M.D.B. & M.	X	X	X	X	X	Х		X					NAC 445A.1844
Reservoir known as S-Line Reservoir. All the lakes, including Upper Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Cottonwood	V-Line Canal	dam to its division into the S	X	X	X	X	X	X	X	X					NAC 445A.1846
Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Cottonwood Lake, Big Cottonwood Lake, Big Cottonwood Lake and East Lake. Diagonal Drain The entire length. X X X X X X X X X X X X X X X X X X X			X	X	X	X	X	X	X	X					NAC 445A.1848
Diagonal Drain The entire length. X X X X X X X X X X X X X X X X X X X	Indian Lakes	Lake, Likes Lake, Papoose Lake, Big Indian Lake, Little Cottonwood Lake, Big Cottonwood Lake and East	X	X	X	X	X	X	X	X					NAC 445A.1852
The entire lake; also known as Government Pasture and the Greenhead Gun Club. Harmon Reservoir The entire reservoir. Stillwater Marsh east of Westside Road and north of the community of Stillwater. Stillwater Marsh west of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and NAC 445A.1862 NAC 445A.1864 NAC 445A.1866 NAC 445A.1866 NAC 445A.1866 NAC 445A.1866 NAC 445A.1866 NAC 445A.1862	Diagonal Drain		X	X	X	X	X	X	X	X					NAC 445A.1854
Stillwater Marsh east of Westside Road and north of the community of Stillwater. Stillwater Marsh west of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. West of Westside Road and south of the community of Stillwater. Irrigation Irrigation Livestock Watering of livestock Contact Recreation involving contact with the water Noncontact Recreation not involving contact with the water Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary! Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality	South Carson Lake	The entire lake; also known as Government Pasture and													NAC 445A.1856
east of Westside Road Stillwater. Stillwater Marsh west of Westside Road West of Westside Road and south of the community of X X X X X X X X X X X X X X X X X X	Harmon Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X					NAC 445A.1858
west of Westside Road Stillwater. Irrigation Livestock Contact Recreation involving contact with the water Noncontact Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Enhance Enhance South of the community of X X X X X X X X X X X X X X X X X X	east of Westside	north of the community of	X	X	X	X	X	X	X	X					NAC 445A.1862
Livestock Watering of livestock Contact Recreation involving contact with the water Noncontact Recreation not involving contact with the water Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality	west of Westside	south of the community of	X	X	X		X		X	X					NAC 445A.1864
Livestock Watering of livestock Contact Recreation involving contact with the water Noncontact Recreation not involving contact with the water Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality	Irrigation	Irrigation													
Contact Recreation involving contact with the water Noncontact Recreation not involving contact with the water Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality															
Noncontact Recreation not involving contact with the water Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic [Waters of extraordinary] Extraordinary ecological, [or] aesthetic or recreational value Enhance Enhancement of water quality			vith	the	wate	r									
Industrial Industrial supply Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic [Waters of extraordinary] Extraordinary ecological, [or] aesthetic or recreational value Enhance Enhancement of water quality							r								
Municipal Municipal or domestic supply, or both Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality			ici V	1111	uic '	vaic	/1								
Wildlife Propagation of wildlife Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality			or l	oth											
Aquatic Propagation of aquatic life Aesthetic Waters of extraordinary Extraordinary ecological, for aesthetic or recreational value Enhance Enhancement of water quality		Municipal or domestic supply, or both													
Aesthetic [Waters of extraordinary] Extraordinary ecological, [or] aesthetic or recreational value Enhance Enhancement of water quality															
Enhance Enhancement of water quality			acr	dina	W1 C	colo	orice	1 L	orl	ectl.	etic	0"	2004	antional volue	
			aor	unu	y	COIC	gica	41 , †	जा ।	ucstl.	ICIIC	ווט	ecr	cuitonui value	
	Marsh		20201												

Sec. 28. NAC 445A.1882 is hereby amended to read as follows:

445A.1882 The designated beneficial uses for select bodies of water within the Walker Region are prescribed in this section:

					В	ene	ficia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Walker River, West Fork at the state line	At the California-Nevada state line.	X			X			X	X				Mountain whitefish, rainbow trout and brown trout	NAC 445A.1886
Topaz Lake	At various points in Topaz Lake.	X	X	X	X	X	X	X	X				Rainbow trout, cutthroat trout, brown trout, kokanee salmon and silver salmon	NAC 445A.1888
Walker River, West Fork near Wellington	From the California-Nevada state line to near Wellington.	X	X	X	X	X	X	X	X				Mountain whitefish, rainbow trout and brown trout	NAC 445A.1892
Walker River, West Fork at the East Fork [at] of the Walker River	Near Wellington to its confluence with the East Fork of the Walker River near Nordyke Road.	X	X	X	X	X	X	X	X				Brown trout and rainbow trout	NAC 445A.1894
Sweetwater Creek	From the California-Nevada state line to its confluence with the East Fork of the Walker River.	X	X	X	X	X	X	X	X				Mountain whitefish, brown trout, brook trout and rainbow trout	NAC 445A.1896
Walker River, East Fork at the state line	At the California-Nevada state line.	X	X	X	X	X	X	X	X				Mountain whitefish, rainbow trout and brown trout	NAC 445A.1898
Walker River, East Fork at Bridge B- 1475	From the California-Nevada state line to Bridge B-1475.	X	X	X	X	X	X	X	X				Mountain whitefish, rainbow trout and brown trout	NAC 445A.1902
Walker River, East Fork at the West Fork of the Walker River	From Bridge B-1475 to its confluence with the West Fork of the Walker River near Nordyke Road.	X	X	X	X	X	X	X	X				Brown trout and rainbow trout	NAC 445A.1904
Walker River at the Walker River Indian Reservation	From the confluence of the East Fork of the Walker River and the West Fork of the Walker River to the exterior border of the Walker River Indian Reservation.	X	X	X	X	X	X	X	Х				Channel catfish and largemouth bass	NAC 445A.1906

			•		В	ene	ficia	l Us	es			•		
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Walker River at Walker Lake	From the exterior border of the Walker River Indian Reservation to Walker Lake.	X	X	X	X	X	X	X	X				Channel catfish, largemouth bass and, from February through June when an adequate flow exists, adult Lahontan cutthroat trout and adult rainbow trout	NAC 445A.1908
Walker Lake	The entire lake.			X	X	X			X				Tui chub, Tahoe sucker, and adult and juvenile Lahontan cutthroat trout	NAC 445A.1914
Desert Creek	From the California-Nevada state line to its confluence with the West Fork of the Walker River.	X	X	X	X	X	X	X	X				Brown trout, brook trout and rainbow trout	NAC 445A.1916
Mason Valley Wildlife Management Area - Bass, Crappie and North Ponds and Hinkson Slough	Hinkson Slough, Bass Pond, Crappie Pond and North Pond.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1918
Mason Valley Wildlife Management Area	All surface water impoundments, excluding Hinkson Slough, Bass Pond, Crappie Pond and North Pond.	X	X	X	X	X	X	X	X					NAC 445A.1922
Cottonwood Creek	From its origin to the point of diversion of the Hawthorne Naval Ammunition Depot, near the north line of section 34, T. 9 N., R. 28 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1926
Squaw Creek	north line of section 33, T. 9 N., R. 29 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1928
Rose Creek	From its origin to the point of diversion of the Hawthorne Naval Ammunition Depot, near the north line of section 4, T. 8 N., R. 29 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1932
Corey Creek	From its origin to the point of diversion of the town of Hawthorne, near the west line of section 3, T. 7 N., R. 29 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1934
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact	with	the	wat	ter									

					В	enef	icial	Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Noncontact	Recreation not involving cont	act	with	the	wat	er								
Industrial	Industrial supply													
Municipal	Municipal or domestic supply	, or	both	1										
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	[Waters of extraordinary] Ext	rao	rdin	ary	ecol	ogic	al ,	[or]	aest	heti	c or	reci	reational value	
Enhance	Enhancement of water quality	7												
Marsh	Maintenance of a freshwater	nars	sh											

Sec. 29. NAC 445A.1952 is hereby amended to read as follows:

445A.1952 The designated beneficial uses for select bodies of water within the Central Region are prescribed in this section:

					В	enef	ĭcia	l Us	es					
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Chiatovich Creek	Above the highway maintenance station.	X	X	X	X	X	X	X	X					NAC 445A.1956
Indian Creek	Above the center of section 9, T. 2 S., R. 34 E., M.D.B. & M.	X	X	X	X	X	X	X	X					NAC 445A.1958
Leidy Creek	Above the hydroelectric plant.	X	X	X	X	X	X	X	X					NAC 445A.1962
Fish Lake	The entire lake.	X	X	X	X	X	X	X	X					NAC 445A.1964
Star Creek	From its origin to the first point of diversion, near the west line of T. 31 N., R. 34 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1966
Willow Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1968
Peavine Creek	From its origin to the first point of diversion, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1972
Jett Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1974
Twin River, South Fork	From its origin to the first point of diversion, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1976
Twin River, North Fork	From its origin to the first point of diversion, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1978
Kingston Creek at Groves Lake	From its origin to Groves Lake.	X	X	X	X	X	X		X					NAC 445A.1982
Groves Lake	The entire lake.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1984

		Beneficial Uses												
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Kingston Creek below Groves Lake	Below Groves Lake.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1986
Birch Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1988
Birch Creek below the national forest boundary	From the national forest boundary to the first diversion dam, near the west line of section 1, T. 17 N., R. 44 E., M.D.B. & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.1992
Skull Creek	From its origin to the first point of diversion, near the east line of T. 21 N., R. 45 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1994
Steiner Creek	From its origin to the first point of diversion, near the north line of section 34, T. 21 N., R. 46 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.1996
Pine Creek (Nye County)	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.1998
Barley Creek	From its origin to the first point of diversion, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2002
Mosquito Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2004
Stoneberger Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2006
Roberts Creek at Roberts Creek Reservoir	From its origin to Roberts Creek Reservoir.	X	X	X	X	X	X		X					NAC 445A.2008
Roberts Creek below Roberts Creek Reservoir	Below Roberts Creek Reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2012
Fish Springs Pond	The entire pond.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2014
Illipah Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2016
Ruby Marsh	The entire area.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2018
Angel Lake	The entire lake.	X	X	X	X	X	X		X					NAC 445A.2022
Pole Canyon Creek	From its origin to where it becomes Franklin River.	X	X	X	X	X	X		X					NAC 445A.2024
Goshute Creek	From its origin to the first point of diversion, near the center of section 12, T. 25 N., R. 63 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2026
Gleason Creek at State Highway 485	From its origin to State Highway 485 (old State Highway 44).	X	X	X	X	X	X	X	X					NAC 445A.2028
Gleason Creek at Murry Creek	From State Highway 485 (old State Highway 44) to its confluence with Murry Creek.	X	X	X		X		X	X					NAC 445A.2032
Murry Creek above Crawford Street	From its confluence with Gleason Creek to Crawford Street.	X	X	X	X	X		X	X				_	NAC 445A.2034
Murry Creek below Crawford Street	From Crawford Street to the south line of section 35, T.17 N., R. 63 E., M.D.B. & M.	X	X	X		X		X	X					NAC 445A.2035
Comins Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2036

			1	1	В	enef	icia	l Us						
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
North Creek	From its origin to the pipeline intake, near the north line of section 20, T. 19 N., R. 65 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2038
East Creek	From its origin to the pipeline intake, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2042
Bird Creek	From its origin to the pipeline intake, near Bird Creek Campground.	X	X	X	X	X	X		X					NAC 445A.2044
Timber Creek	From its origin to the pipeline intake, near the west line of section 27, T. 18 N., R. 65 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2046
Berry Creek	From its origin to the pipeline intake, near the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2048
Duck Creek	From its origin to the pipeline intake, near the center of section 24, T. 18 N., R. 64 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2052
Cleve Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2054
Cave Creek	The entire length.	X	X	X	X	X	X		X					NAC 445A.2056
Cave Lake	The entire lake.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2058
Pine Creek (White Pine County)	From its origin to the first point of diversion, near the west line of section 17, T. 13 N., R. 68 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2062
Ridge Creek	From its origin to the first point of diversion, near the west line of section 17, T. 13 N., R. 68 E., M.D.B. & M.	X	X	X	X	X	X		X					NAC 445A.2064
Currant Creek at the national forest boundary	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2066
Currant Creek at Currant	From the national forest boundary to Currant.	X	X	X	X	X	X	X	X					NAC 445A.2068
*	le · .·													
Irrigation	Irrigation													
Livestock	Watering of livestock	*,1	.1											
Contact	Recreation involving contact w													
Noncontact	Recreation not involving conta	ct w	/ith 1	the v	vate	r								
Industrial	Industrial supply	1	_41											
Municipal	Municipal or domestic supply,	or b	oth											
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life						1 -							
Aesthetic	[Waters of extraordinary] Extra	aore	una	ry e	colo	gica	u , †	or] a	esth	etic	or i	recr	eational value	
Enhance	Enhancement of water quality													
Marsh	Maintenance of a freshwater m	arsh	1											

Sec. 30. NAC 445A.2092 is hereby amended to read as follows:

445A.2092 The designated beneficial uses for select bodies of water within the Great Salt Lake Region are prescribed in this section:

					В	enef	icia							
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Snake Creek above the fish hatchery	Above the fish hatchery.	X	X	X	X	X	X	X	X					NAC 445A.2096
Snake Creek below the fish hatchery	Below the fish hatchery to the Nevada-Utah state line.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2098
Baker Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2102
Lehman Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2104
Silver Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2106
Silver Creek Reservoir	The entire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2108
Hendrys Creek	From its origin to the national forest boundary.	X	X	X	X	X	X		X					NAC 445A.2112
Irrigation	Irrigation													
Livestock	Watering of livestock													
Contact	Recreation involving contact wit													
Noncontact	Recreation not involving contact	witl	h the	e wa	ter									
Industrial	Industrial supply													
Municipal	Municipal or domestic supply, or	r bot	h											
Wildlife	Propagation of wildlife													
Aquatic	Propagation of aquatic life													
Aesthetic	[Waters of extraordinary] Extrao	ordin	ıary	eco	logi	cal,	[or]	aes	thet	ic <i>01</i>	rec	rea	tional value	·
Enhance	Enhancement of water quality													
Marsh	Maintenance of a freshwater mar	sh												

Sec. 31. NAC 445A.2142 is hereby amended to read as follows:

445A.2142 The designated beneficial uses for select bodies of water within the Colorado Region are prescribed in this section:

		Beneficial Uses												
Water Body Name	Segment Description	Livestock	Irrigation	Aquatic	Contact	Noncontact	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Aquatic Life Species of Concern	Water Quality Standard NAC Reference
Colorado River below Davis Dam	Colorado River, from Davis Dam to the California-Nevada state line, except for the length of the river within the exterior borders of the Fort Mojave Indian Reservation.	X	X	X	X	X	X						Adult cold- water fishery	NAC 445A.2146
Lake Mohave	The entire lake.	X	X	X	X	X	X	X	X				Adult cold- water fishery	NAC 445A.2147
Colorado River below Hoover Dam	From Hoover Dam to Willow Beach.	X	X	X	X	Х	X	X	X				Adult cold- water fishery	NAC 445A.2148
Lake Mead	Lake Mead, excluding the area covered by NAC 445A.2154, Inner Las Vegas Bay.	X	Х	Х	X	Х	X	X	X				Warm-water fishery	NAC 445A.2152
Inner Las Vegas Bay	Lake Mead from the confluence of the Las Vegas Wash with Lake Mead to 1.2 miles into Las Vegas Bay.	X	X	X		X		X	X				Warm-water fishery	NAC 445A.2154
Las Vegas Wash at the Historic Lateral	From the confluence of Sloan Channel and Las Vegas Wash to the Historic Lateral. This segment encompasses the discharge from Clark County wastewater treatment plant, the City of Las Vegas wastewater treatment plant and the City of Henderson wastewater treatment plant.	X	X	X		X			X			X	Warm-water fish.	NAC 445A.2156
Las Vegas Wash at Lake Mead	From the Historic Lateral to its confluence with Lake Mead.	X	X	X		X			X			X	Warm-water fish.	NAC 445A.2158
Channels tributary to the Las Vegas Wash	Flamingo Wash, Sloan Channel, Duck Creek and Las Vegas Creek from the applicable origin to the confluence with the Las Vegas Wash. Pittman Wash from its origin to the confluence with Duck Creek. Tropicana Wash from its origin to the confluence with Flamingo Wash. Upper Las Vegas Wash from its origin to the confluence with Sloan Channel.					X			X					Section 1 of LCB File No. R115-22
Lake Las Vegas	The entire lake.		X	X	X	X			X				Warm-water fishery.	NAC 445A.2161
Virgin River at the state line	At the Arizona-Nevada state line, near Littlefield, Arizona.	X	X	X		X		X	X					NAC 445A.2162
Virgin River at Mesquite	From the Arizona-Nevada state line to Mesquite.	X	X	X		X		X	X					NAC 445A.2164
Virgin River at Lake Mead	From Mesquite to the river mouth at Lake Mead.	X	X	X		X		X	X					NAC 445A.2166
Muddy River at the Glendale Bridge	From the river source to the Glendale Bridge, except for the length of the river within the exterior borders of the Moapa Indian Reservation.	X	X	Х	X	Х	X	X	X					NAC 445A.2168

Muddy River at the Wells Siding Diversion Muddy River at Lake Mead Meadow Valley Wash From the Diversion at Lake From the Diversion at Lake From the Lake Mead From the Diversion at Lake Meadow Valley Wash	he Glendale Bridge to ells Siding Diversion. he Wells Siding ion to the river mouth e Mead. he bridge above Rox to	X Livestock	X Irrigation	Aquatic	Contact	Noncontact	ipal	al		၁			Aquatic Life	Water Quality
the Wells Siding Diversion Muddy River at Lake Mead Meadow Valley Wash From th Diversi at Lake From th Diversi at Lake From th its conf Muddy Beaver Dam Wash Above	he Wells Siding ion to the river mouth Mead.	X	X	37		No	Municipal	Industrial	Wildlife	Aesthetic	Enhance	Marsh	Species of Concern	Standard NAC Reference
Lake Mead Meadow Valley Wash Diversi at Lake From the its configured Muddy Beaver Dam Wash Above	ion to the river mouth e Mead.			X	X	X		X	X					NAC 445A.2172
Wash its conf Muddy Beaver Dam Wash Above	he bridge above Doy to	X	X	X	X	X		X	X					NAC 445A.2174
	fluence with the River.	X	X	X		X		X	X					NAC 445A.2176
Schroeder	Schroeder Reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2178
Reservoir The ent	tire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2182
boundary forest b	ts origin to the national boundary.	X	X	X	X	X	X		X					NAC 445A.2184
White River at bounda	he national forest ary to its confluence llison Creek.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2186
	tire reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2188
Sunnyside Creek From it McGill	ts origin to Adams l Reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2192
Reservoir	tire reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2194
Hay Meadow Reservoir The ent	tire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2196
	tire lake.	X	X	X	X	X	X	X	X					NAC 445A.2198
Pahranagat Reservoir The ent	tire reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2202
Bowman Reservoir The ent	tire reservoir.	X	X	X	X	X	X	X	X					NAC 445A.2204
	ts headwaters to Eagle Reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2206
Reservoir	tire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2208
Echo Canyon Reservoir The ent	tire reservoir.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2212
Clayer Creek where i	ts origin to the point it crosses the east range T. 4 S., R. 67 E., . & M.	X	X	X	X	X	X	X	X				Trout	NAC 445A.2214
Tuningking It to the														
Irrigation Irrigation	on ng of livestock													
	ng of livestock tion involving contact w	,j+L 4	ha -	vota	<u>, </u>									
	tion involving contact wittion not involving conta					r								
	ial supply	ci W	ıuı l	пе V	vale	L								
	pal or domestic supply,	or h	oth											
	ation of wildlife	01 0	Jui											
	ation of aquatic life													
	s of extraordinary] Extra	aoro	lina	m) e	വിവ	oica	1.0	r aes	thet	ic o	r roi	ren	tional value	
	cement of water quality	.oru		<i>y</i> 00	2010	5.00	. , 0.	. acc	,			eu	value	
	nance of a freshwater m	arsh												

Sec. 32. NAC 445A.233 is hereby amended to read as follows:

- 445A.233 1. The Department shall formulate and prepare tentative determinations regarding permit applications in advance of public notice of the proposed issuance or denial of the permit. The tentative determinations must include at least the following:
- (a) A proposed determination to issue or deny a permit for the discharge described in the application; and
- (b) If the determination proposed in paragraph (a) is to issue the permit, the following additional tentative determinations must be made:
- (1) The proposed effluent limitations, identified pursuant to NAC 445A.243, for those pollutants proposed to be limited;
- (2) A proposed schedule of compliance, including interim dates and requirements, for meeting the proposed effluent limitations, identified pursuant to NAC 445A.244; [and]
- (3) A brief description of any other proposed special conditions, apart from those required in NAC 445A.229, 445A.243, 445A.244, 445A.245, 445A.247, 445A.256 to 445A.259, inclusive, and 445A.262, which will have a significant impact upon the discharge described in the application $\{\cdot,\cdot\}$;
- (4) The findings from the antidegradation review, if required, pursuant to section 15 of this regulation; and
- (5) The determination of the Commission regarding the issuance of a permit that will result in the degradation of the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, in the receiving water, if required, pursuant to section 17 of this regulation.
- 2. The Director shall organize the tentative determinations prepared pursuant to subsection 1 into a draft permit.

- **Sec. 33.** NAC 445A.236 is hereby amended to read as follows:
- 445A.236 1. For every discharge for which public notice was required pursuant to NAC 445A.234, the Director shall prepare and, following the public notice, shall send upon request to any person a fact sheet with respect to the application described in the public notice. The contents of such fact sheets must include at least the following information:
- (a) A sketch or detailed description of the location of the discharge described in the application;
- (b) A quantitative description of the discharge described in the application which includes at least the following:
- (1) The rate or frequency of the proposed discharge and, if the discharge is continuous, the average daily flow in gallons per day or million gallons per day;
- (2) For thermal discharges subject to limitation under the Act, the average summer and winter temperatures in degrees Fahrenheit; and
- (3) The average daily discharge in pounds per day of any pollutants which are present in significant quantities or which are subject to limitations or prohibition under § 301, 302, 306 or 307 of the Act, 33 U.S.C. § 1311, 1312, 1316 or 1317, and regulations published thereunder;
 - (c) The tentative determinations required under NAC 445A.233;
- (d) A brief citation, including a brief identification of the uses for which the receiving waters have been classified, of the water quality standards and limitations applied to the proposed discharge; [and]
- (e) The findings from the antidegradation review, if required, pursuant to section 15 of this regulation;

- (f) The determination of the Commission regarding the issuance of a permit that will result in the degradation of the baseline water quality, interim baseline value or requirement to maintain existing higher water quality, as applicable, in the receiving water, if required, pursuant to section 17 of this regulation, which must include, without limitation, both the reasoning of the Commission and information supporting the reasoning of the Commission; and
- (g) A fuller description of the procedures for the formulation of final determinations than that given in the public notice including:
 - (1) The 30-day comment period required by subsection 3 of NAC 445A.234;
 - (2) Procedures for requesting a public hearing and the nature thereof; and
- (3) Any other procedures by which the public may participate in the formulation of the final determinations.
- 2. The Director shall add the name of any person or group upon request to a mailing list to receive copies of fact sheets.
 - **Sec. 34.** NAC 445A.243 is hereby amended to read as follows:
- 445A.243 In establishing an effluent limitation to carry out the policy of this State set forth in NRS 445A.305, consideration must be given to, but is not limited by, the following:
 - 1. The effect of the discharge on the receiving waters and its beneficial use.
- 2. The need for standards that specify by chemical, physical, biological or other characteristics the extent to which pollution by various substances will not be tolerated.
- 3. Standards for water quality and effluent limitations promulgated from time to time by the United States Environmental Protection Agency, including the following:
 - (a) Effluent limitations under §§ 301 and 302 of the Act, 33 U.S.C. §§ 1311 and 1312.

- (b) Standards of performance for new sources under § 306 of the Act, 33 U.S.C. § 1316.
- (c) Effluent standards, effluent prohibitions and pretreatment standards under § 307 of the Act, 33 U.S.C. § 1317.
 - (d) Any more stringent limitations, including those:
- (1) Necessary to meet standards for water quality and treatment or schedules of compliance, established pursuant to any state law or regulation;
 - (2) Necessary to meet any other federal law or regulation; [or]
 - (3) Required to carry out any applicable standards for water quality : or
- (4) Necessary to carry out the antidegradation requirements set forth in sections 3 to 19, inclusive, of this regulation.
- ⇒ Such limitations must include any legally applicable requirements necessary to carry out total maximum daily loads established pursuant to § 303(d) of the Act, 33 U.S.C. § [1303(d),] 1313(d), and incorporated in the continuing planning process approved under § 303(e) of the Act, 33 U.S.C. § [1303(e),] 1313(e), and any regulations and guidelines issued thereunder.
- (e) Any more stringent legally applicable requirements necessary to comply with a plan approved pursuant to § 208(b) of the Act [...], 33 U.S.C. § 1288(b).
- 4. In the application of water quality standards and limitations and other legally applicable requirements pursuant to subsection 3, the Director shall, for each issued NPDES permit, specify average and maximum daily quantitative limitations for the level of pollutants in the authorized discharge in terms of mass, except quantitative limitations that are not appropriately expressed in terms of mass, including, without limitation, pH, temperature and radiation.
 - **Sec. 35.** NAC 445A.268 is hereby amended to read as follows:

- 445A.268 1. A general permit may be issued upon proper application by a group of dischargers whose facilities meet the requirements of NAC 445A.266. The application must:
 - (a) Include:
 - (1) The name and address of the discharger;
 - (2) The exact location of the discharge;
 - (3) The nature of the discharge;
 - (4) The name and location of the receiving waters;
 - (5) The quantity and quality of the discharge; and
- (6) Any other information deemed necessary by the Director for the determination of whether the discharger should be included in the general permit;
 - (b) Be accompanied by:
- (1) If the discharger is a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228, a nonrefundable application fee of \$700; or
- (2) If the discharger is not a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228, the applicable nonrefundable application fee as set forth in section 1 of LCB File No. R112-22; and
- (c) Be signed in the manner prescribed by NAC 445A.231 for application and reporting forms.
- 2. A general permit may be issued without application if the Director deems it appropriate.

 If a general permit is issued without application, the Department shall conduct an

antidegradation review in accordance with section 18 of this regulation.

- 3. If a general permit has been issued, a discharger who is eligible to be covered under the permit may submit a request to the Director to be included in the general permit. Such a request must:
 - (a) Include the information required by subsection 1;
 - (b) Be accompanied by:
- (1) If the discharger is a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228, a nonrefundable application fee of \$700; or
- (2) If the discharger is not a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228, the applicable nonrefundable application fee as set forth in section 1 of LCB File No. R112-22; and
- (c) Be signed in the manner prescribed by NAC 445A.231 for application and reporting forms. If such a request is denied because the Director has determined that the discharger must be covered under an individual permit, the Director must inform the holder pursuant to the provisions of NAC 445A.269.
- 4. A discharger will not be covered under a general permit until the discharger has been notified by the Director.
 - 5. A discharger who is covered under a general permit and:
- (a) Is a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228 shall pay to the Director a nonrefundable fee of \$700 not later than July 1 of each year that the discharger is covered under that permit.
- (b) Is not a facility described in subparagraph (1) of paragraph (c) of subsection 2 of NAC 445A.228 shall pay to the Director the applicable nonrefundable annual fee, as set forth in

section 1 of LCB File No. R112-22, not later than July 1 of each year that the discharger is covered under that permit.

- **Sec. 36.** NAC 445A.297 is hereby amended to read as follows:
- 445A.297 1. Each application for a zone of mixing must be reviewed in light of the descriptions, statements, plans, histories , *antidegradation review*, *if applicable*, and other supporting information.
- 2. The review *of the application* must result in a determination by the Director concerning the appropriateness of a zone of mixing for each water quality parameter, by discharge, identified in the application.
- 3. Zones of mixing must not be granted by the Director unless the applicant and supporting information clearly demonstrate that the discharge occurring or proposed to occur:
 - (a) Does not substantially endanger human health or safety;
- (b) Will assure the protection and propagation of a balanced, indigenous population of shellfish, fish and wildlife in and on that body of water; [and]
- (c) Will not cause a violation of water quality standards at any point designated by the Director : and
- (d) Is consistent with the provisions relating to antidegradation set forth in sections 3 to 19, inclusive, of this regulation.
 - **Sec. 37.** NAC 445A.298 is hereby amended to read as follows:
- 445A.298 1. The Director shall establish a zone of mixing so that the standards for quality of water for individual parameters determined to be appropriate pursuant to subsection 1 of NAC 445A.297 for the receiving water, but in no case including esthetic and acute toxicity values, may be relaxed within the zone of mixing.

- 2. In determining the size of a zone of mixing, each application must be reviewed on a case-by-case basis taking into consideration [the]:
 - (a) The quality of effluent of wastewater discharged [and the];
- (b) The nature and condition of the receiving water, including the effects of the effluent or wastewater on the designated or actual beneficial uses of the receiving water and standards for quality of water [.]; and
- (c) The antidegradation review performed, if required, pursuant to section 15 of this regulation.
 - **Sec. 38.** NAC 445A.302 is hereby amended to read as follows:
- 445A.302 1. Any zone of mixing may be granted or renewed for periods not exceeding 5 years.
 - 2. Applications for renewal:
 - (a) Must be made before the expiration of the period concerning the zone of mixing.
 - (b) May be granted by the Director if the application for renewal [has]:
- (1) Has met all of the conditions specified for the immediately preceding zone of mixing granted pursuant to NAC 445A.295 to 445A.302, inclusive [4]; and
- (2) Is consistent with the provisions relating to antidegradation set forth in sections 3 to 19, inclusive, of this regulation.